

Page 1 of 6 SDS-E-L260DNP

Passa.	100 LABORATORIES, INC													
Prepa	ared to OSHA, ACC, ANSI, No	OHSC, WHMIS, 20	01/58 & 1272/2	008/EC Standar	ds		SDS R	Revisio	n: 4.0		SDS	Revisio	on Date	: 2/1/2018
				T 0 0 0 0 0 0										
	1	1. F	PRODUC	T & COM	PANY	IDE	NTIF	ICA	TIOI	N				
1.1	Product Name:	DEOXIT®	GREASE	Ξ, ΤΥΡΕ Ι	L260D	NP (I	NO F	PAR	TICL	ES))			
1.2	Chemical Name:	NA												
1.3	Synonyms:	DeoxIT® Grea								_				
		Part No. L260-			art No. L2							L260-[
1.4	Trade Names:	Part No. L260- DeoxIT [®] Greas			art No. L2	60-DIN:	360 (3.6	s kg);		Pa	τ ΝΟ.	L260-L	JIN35 (15.9 Kg);
1.5	Product Uses & Restrictions:	Lubricant for m			liantiona									
1.6	Distributor's Name:	CAIG Laborato		electrical app	lications									
1.7	Distributor's Address:	12200 Thatche		V CA 92064-6	5876 LISA									
1.8	Emergency Phone:	CHEMTREC					-0300		N205	206)				
1.9	Business Phone / Fax:	+1 (800) 224-4		521-50011	+ 1 (000	/) 424	-9300		INZUJ	200)				
1.0	Business Friend / Fux.	+1 (000) 224-4	123											
			2. HA	ZARDS	IDENT	IFIC	ΑΤΙΟ	N						
2.1	Hazard Identification:	This product i							t as D	ANG	EROU	IS GO	ODS	according to th
		classification c	iteria of NOH	SC: 1088 (200	04) and A									oil contains < 39
		(w/w%) DMSO		0										
		DANGER! MA												
2.2	Label Elements:	Hazard Statem												
		Precautionary												
		IF ON SKIN -												
		call a POISON section 4 of t												$\langle \langle \rangle \rangle$
		continuously w												
		continue rinsing												
		treatment, stora									9			
2.3	Other Warnings:	KEEP LOCKE	D UP AND OL	JT OF REACH	I OF CHIL	DREN								
		3. CO	MPOSITI	ON & INC	GREDI	ENT	INF	ORN	ΙΑΤΙ	ON				
										SURE L	IMITS II	N AIR (m	ıg/m³)	I
						ACC			NOHSC			OSHA		-
						рр	m	ES-	ppm ES-	ES-		ppm		
HEM	ICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	TWA		PEAK	PEL	STEL	IDLH	OTHER
	UM GREASE LUBRICATING	NA	NA	NA	60-100	NA	NA	NF	NF	NF	NA	NA	NA	
	OIL													
	TAINS ONE OR MORE OF TH											1		
	LLATES (PETROLEUM), 'ENT-DEWAXED HEAVY	64742-65-0	SE7500000	265-169-7	NA	5	10	NF	NF	NF	100	10	NA	RESP MIST
	FFINIC	REACH Reg. N	o. 01-21194712	99-27										
	DUAL OILS (PETROLIUM)	64742-01-4	NA	265-101-6	NA	5	10	NF	NF	NF	5	10	NA	RESP MIST
	ENT-REFINED	REACH Reg. N	o. 01-21194887	07-21										
	LLATES (PETROLEUM),	64741-88-4	PY8040500	265-090-8	NA	5	10	NF	NF	NF	5	10	NA	RESP MIST
	'ENT-DEWAXED HEAVY	REACH Reg. N	o. 01-21194887	06-23										
ARP		-	NA	272-028-3	NA	NA	NA	NF	NF	NF	NA	NA	NA	
INC	ALKYLDITHIOPHOSPHATE			Dam. 1; Aq. Chro						INI	INA	INA.		
		TRADE SECRE			NA	NA	NA	NF	NF	NF	NA	NA	NA	
eox	T [®] PROPRIETARY MIX		o. Non-Hazardo	us/Proprietary		·						<u> </u>		·
4.1	First Aid:	Ingestion: I		FIRST AI				hac h	000 0	wallow	und (hrink n	lonty	of water or mi
	T list Alu.													ater or milk to a
														nber. Provide a
														stance that wa
			wallowed.					320.0						
				not likely; hov	wever, if p	oroduct	gets ir	n the	eyes,	flush	with c	opious	s amou	unts of lukewar
	1			st 15 minutes										
		<u>Skin</u> : V	Vash thorough	nly with soap a							flush	skin w	ith ple	nty of water for
		<u>Skin</u> : V Ie	Vash thorough east 15 minute	nly with soap a es.	and water.	In cas	e of co	ntact,	imme	diately			•	
		<u>Skin</u> : V Id <u>Inhalation</u> : F	Vash thorough east 15 minute Remove victim	nly with soap a es. to fresh air at	and water.	In cas oreathir	e of cong diffic	ontact, cult, ac	immeo dminist	diately er oxy	gen.		•	
1.2	Effects of Exposure:	<u>Skin</u> : V Id Inhalation: F a	Vash thorough east 15 minute Remove victim rtificial respira	nly with soap a es. to fresh air at ation. Keep pe	and water.	In cas preathir n, quiet	e of co ng diffic t and ge	ontact, cult, ac et me	immeo dminist dical at	diately er oxy ttentio	gen. n.	If brea	thing s	
2	Effects of Exposure:	Skin: V Inhalation: F Ingestion: I	Vash thorough east 15 minute Remove victim rtificial respira f product is sw	nly with soap a es. to fresh air at ation. Keep pe vallowed, may	and water. once. If the series on warr cause national series of the seri	In cas breathir <u>n, quiet</u> usea, te	e of co ng diffic t and ge empora	ontact, cult, ac <u>et mec</u> iry gas	immed dminist <u>dical at</u> strointe	diately er oxy ttentio	gen. n. irritati	If brea	thing s	

Eyes:

<u>Skin:</u>

Inhalation:

watering.

None expected.

some sensitive individuals.

Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and

May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in



Page 2 of 6 SDS-E-L260DNP

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 4.0 SDS Revisio

		4. FIRST AID MEASURES – cont'd							
4.3	Symptoms of Overexposure:	Ingestion: Nausea, intestinal discomfort, vomiting and/or diarrhea.							
		Eves: Overexposure in eyes may cause redness, itching and watering.							
		Skin: Symptoms of skin overexposure may include redness, itching, and irritation of affected areas	. Frostbite						
		like symptoms. The product can cause allergic skin reactions (e.g., rashes, welts, dermatiti							
		individuals.	,						
4.4	Acute Health Effects:	Non-irritating when used as directed. Moderate irritation to eyes and skin near affected areas. Addition	onally, high						
		concentrations of vapors can cause drowsiness, dizziness, headaches and nausea.							
4.5	Chronic Health Effects:	None reported by the manufacturer.							
4.6	Target Organs:	Eyes, Skin							
4.7	Medical Conditions Aggravated by Exposure:	Pre-existing dermatitis, other skin conditions, and disorders of the HEALTH	1						
		target organs (eyes, skin). FLAMMABILITY	0						
		PHYSICAL HAZARDS	0						
		PROTECTIVE EQUIPMENT	В						
		EYES SKIN							
		5. FIREFIGHTING MEASURES							
5.1	Fire & Explosion Hazards:	This product is not flammable. However, if involved in a fire, this product may decompose at high							
		temperatures to form toxic gases (e.g., CO,CO _x).							
5.2	Extinguishing Methods:	Water, Foam, CO ₂ , Dry Chemical. Use water spray to cool unopened containers.							
5.3	Firefighting Procedures:	Fight fires as for surrounding materials. As in any fire, wear MSHA/NIOSH approved self-contained	0						
		breathing apparatus (pressure-demand) and full protective gear. Keep containers cool until well							
		after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight							
		fire upwind. Avoid spraying water directly into storage containers because of danger of boil-over.	\rightarrow						
		Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive							
		pressure self-contained breathing apparatus to protect against potential hazardous combustion or	~						
		decomposition products and oxygen deficiencies.							
		6. ACCIDENTAL RELEASE MEASURES							
6.1	Spills:	Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal	Protective						
		Equipment.							
		For <u>small spills</u> (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggle Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and							
		appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal r							
		Wash all affected areas and outside of container with plenty of warm water and soap. Remove any container with plenty of warm water and soap.							
	clothing and wash thoroughly before reuse.								
		For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spi	II with inert						
		material (e.g., sand or earth). Transfer product to containers for recovery or disposal and solid diking material to							
		separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with							
		soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.							
	7. HANDLING & STORAGE INFORMATION								
7.1									
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	combustible materials. Avoid contamination from any source, including metals, dust and organic materials.							
		covered. Wash unintentional residues with soap and warm water.							
7.2	Storage & Handling:	Store at temperatures between 59 °F and 95 °F (15 °C and 35 °C) in a dry, well-ventilated location. Keep	away from						
		heat, sparks, open flame, and other sources of ignition. Container is not designed to contain pressure. D							
		pressure to empty container or it may rupture with explosive force. Normal shelf-life: 2-3 years.							
7.3	Special Precautions:	Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. Empty contra							
		contain product residues. Avoid contaminating soil or releasing this material into sewage and drainage sy	ystems and						
		bodies of water.							
1									



Page 3 of 6 SDS-E-L260DNP

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 4.0 SDS Revisio

.1	Evpoqueo Limito:	8. EXPOSURE CON									
1	Exposure Limits: ppm (mg/m ³)			GIH		NOHSC		DC1	OSHA	10.11	OTHER
	ppm (mg/m)	CHEMICAL NAME(S) DISTILLATES (PETROLEUM),	TLV	STEL	ES-TWA	ES-STEL	ES-PEAK	PEL	STEL	IDLH	
		SOLVENT-DEWAXED HEAVY	5	10	NF	NF	NF	100	10	NA	RESP MIST
		PARAFFINIC	Ŭ	10				100	10	1.07	
		RESIDUAL OILS (PETROLIUM)	5	10	NF	NF	NF	5	10	NA	RESP MIST
		SOLVENT-REFINED	5	10	INF	INF	INF	э	10	NA	RESP MIST
		DISTILLATES (PETROLEUM),	_					_			5505 MIGT
		SOLVENT-DEWAXED HEAVY PARAFFINIC	5	10	NF	NF	NF	5	10	NA	RESP MIST
3.2	Ventilation & Engineering	When working with large quantit	tion of n	roduct	nrovido ac	loguato vo	ntilation (o	a loci		l Ist vont	ilation fanc) En
	Controls:	that an eyewash station, sink or	washba	asin is a	vailable in	case of ex	xposure to e	eves.			
3.3	Respiratory Protection:	No special respiratory protection							r handli	ina. If	
		necessary, use only respirator									
		§1910.134, or applicable U.S.									
		provinces, E.C. member states,	or Aust	ralia.							
8.4	Eye Protection:	Wear protective eyewear (e.g.									
		product. Always use protective					leaks. Co	ontact I	enses p	oose a	
	Lland Drotastic	special hazard; soft lenses may									•
8.5	Hand Protection:	None required under normal									COM VI
		sensitive individuals. When h impervious plastic gloves.	anuing	large o	quantities	(e.g., ≥ 1	yalion (3.8	∟)), V		oner of	
3.6	Body Protection:	No apron required when hand	lina er	all aug	ntities \A	/hen hand	lling Jarge	auantii	ies (er	1 > 1	-
5.0	bouy riototion.	gallon), eye wash stations and									
		activities involving large quantit									
		and water.		ne preu		any enper			,	. ooup	
		9. PHYSICAI	L & C	HEM	ICAL I	PROPE	RTIES				
9.1	Appearance:	Amber liquid									
9.2	Odor:	Ethereal / hydrocarbon odor									
9.3	Odor Threshold:	NA									
9.4	pH:	NA									
9.5	Melting Point/Freezing Point:	NA									
9.6	Initial Boiling Point/Boiling Range:	>240 °C (464 °F)									
9.7	Flashpoint:	> 244 °C (471 °F) COC (Clevela	and Ope	en Cup)							
9.8	Upper/Lower Flammability			e «p/							
	Limits:	NA									
9.9	Vapor Pressure:	<0.01 mmHg									
9.10	Vapor Density:	NA									
9.11	Relative Density:	0.72									
9.12	Solubility:	Insoluble									
9.13	Partition Coefficient (log Pow):	NA									
9.14	Autoignition Temperature:	NA									
9.15	Decomposition Temperature:	NA									
9.16	Viscosity:	5.4-7.5 cSt									
9.17	Other Information:	NA									
		10. ST	ABIL	ITY 8		TIVIT	Y				
	0.1.11	This product is stable.									
10.1	Stability:				iberation (of das my	result in da	naerou	s press	ure.	
	Hazardous Decomposition Products:	Oxides of carbon (CO, CO ₂) and	d sulfur	(SO ₂). L		Ji gas ing i			0 0.000		
0.2	Hazardous Decomposition	Oxides of carbon (CO, CO ₂) and Will not occur.	d sulfur	(30 ₂). L		Ji gas illy i		gerea	0 0.000		
10.1 10.2 10.3 10.4	Hazardous Decomposition Products:							goroa	<u> </u>		



Other Requirements:

NA

15.8

SAFETY DATA SHEET

Page 4 of 6 SDS-E-L260DNP

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 4.0 SDS

Prepa	red to OSHA, ACC, ANSI, N	OHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 4.0 SDS Revision Date: 2/1/2018
		11. TOXICOLOGICAL INFORMATION
11.1	Routes of Entry:	Inhalation: YES Absorption: YES Ingestion: YES
11.2	Toxicity Data:	This product has NOT been tested on animals to obtain toxicology data. Toxicology data, found in scientific literature available for some of the components of the product and is not presented in this document.
11.3	Acute Toxicity:	Moderate irritation to eyes and skin near affected areas.
11.4	Chronic Toxicity:	This material may aggravate any pre-existing skin condition (e.g., dermatitis).
11.5	Suspected Carcinogen:	NO. The highly refined mineral oil contains < 3% (w/w%) DMSO extract, according to IP346.
11.6	Reproductive Toxicity:	This product is not reported to produce reproductive toxicity in humans.
	Mutagenicity:	This product is not reported to produce mutagenic effects in humans. This product contains Alkyl Dithiophosphar (ZDDPs). Several ZDDPs have been reported to have weak mutagenic activity in cultured mammalian cells but only concentrations that were toxic.
	Embryotoxicity:	This product is not reported to produce embryotoxic effects in humans.
	Teratogenicity:	This product is not reported to cause teratogenic effects in humans.
	Reproductive Toxicity:	This product is not reported to cause reproductive effects in humans.
11.7	Irritancy of Product:	The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) upon prolonged or repeated exposure.
11.8	Biological Exposure Indices:	NE
11.9	Physician Recommendations:	Treat symptomatically.
		12. ECOLOGICAL INFORMATION
12.1	Environmental Stability:	
12.1	Effects on Plants & Animals:	There is no specific data available for this product.
	Effects on Aquatic Life:	There are no specific data available for this product.
12.3	Effects on Aquatic Life:	Ethanol: EC ₅₀ (Daphnia magna (water flea), 48h): 7.7 - 11.2 mg/L; LC ₅₀ (Pimephales promelas (fathead minnow), 96h 100 mg/L; Alkyl Dimethyl Benzyl Ammonium Chloride: LC ₅₀ (Morone saxatilis (Striped bass, 96h): 10.4 - 19.1 mg/L
10 ·		13. DISPOSAL CONSIDERATIONS
13.1	Waste Disposal:	Review current local, state and federal laws, codes, statutes and regulations to determine current status and appropri disposal method for the ingredients listed in Section 2. Any disposal practice must be in compliance with local, state, a federal laws and regulations. Contact the appropriate agency for specific information. Treatment, transport, storage a disposal of hazardous waste must be provided by a licensed facility or waste hauler.
13.2	Special Considerations:	NA
		1
The	basic description (ID Nun	14. TRANSPORTATION INFORMATION mber, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Addition argument is the table of the second sec
desc 14.1	49 CFR (GND):	e required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.
14.2	IATA (AIR):	
14.2	IMDG (OCN):	
	· · · ·	NOT REGULATED
14.4	TDGR (Canadian GND):	NOT REGULATED
14.5	ADR/RID (EU):	NOT REGULATED
14.6	SCT (MEXICO):	NOT REGULATED
14.7	ADGR (AUS):	NOT REGULATED
		15. REGULATORY INFORMATION
15.1	SARA Reporting Requirements:	This product contains the following chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-to-know Act of 1986 and of CFR 372; 68649-42-3 Zinc Alkyldithiophosphate
15.2	SARA Threshold Planning Quantity:	There are no specific Threshold Planning Quantities for the components of this product.
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.
15.4	CERCLA Reportable Quantity	NA
	(RQ):	
15.5	Other Federal Requirements:	This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR Subchapter G, (Cosmetics).
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List.
15.7	State Regulatory Information:	No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following statistic criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substance List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnese Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (N Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substance List (WI). This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or other state of California to cause cancer.
		reproductive harm. For more information go to www.P65Warnings.ca.gov.



Page 5 of 6 SDS-E-L260DNP

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 4.0 SDS Re

		16. OTHER INFO	DRMATION
16.1	Other Information:	gloves and eye protection. IF ON SKIN – Wash advice/attention. IF SWALLOWED: Immediately Specific Treatment: refer to Section 4 of the Safe	ND ENTERS AIRWAYS. Avoid contact with the eyes. Wear protective h with plenty of soap and water. If skin irritation occurs: get medical call a POISON CENTER or doctor/physician. Do NOT induce vomiting. ety Data Sheet (First Aid). IF IN EYES - Rinse continuously with water present and easy to do – continue rinsing. Store locked up. KEEP EN .
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.	
16.3	Disclaimer:	government regulations must be reviewed for Laboratories, Inc.'s knowledge, the information accuracy, suitability or completeness is not guar provided. The information contained herein rela	SHA's Hazard Communication Standard, 29 CFR §1910.1200. Other applicability to this product. To the best of ShipMate's & CAIG contained herein is reliable and accurate as of this date; however, anteed and no warranties of any type, either expressed or implied, are ites only to the specific product(s). If this product(s) is combined with be considered. Data may be changed from time to time. Be sure to
16.4	Prepared for:	CAIG Laboratories, Inc. 12200 Thatcher Court Poway, CA 92064-6876 Tel: +1 (800) CAIG-123 (244-4123) Fax: +1 (858) 486-8398 fax http://www.caig.com/	CARGE INC.
16.5	Prepared by:	ShipMate, Inc. P.O. Box 787 Sisters, Oregon 97759-0787 USA Tel: +1 (310) 370-3600 Fax: +1 (310) 370-5700 http://www.shipmate.com	ShipMate Dangerous Goods Training & Consulting



Page 6 of 6 SDS-E-L260DNP

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 4.0

SDS Revision Date: 2/1/2018

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number
RTECS No.	Registry of Toxic Effects of Chemical Substances Number
EINECS No.	European Inventory of Existing Commercial Chemical Substances Number

EXPOSURE LIMITS IN AIR:

ACGIH	American Conference on Governmental Industrial Hygienists
IDLH	Immediately Dangerous to Life and Health
NOHSC	National Occupational Health and Safety Commission (Australia)
OSHA	U.S. Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
STEL	Short Term Exposure Limit
TLV	Threshold Limit Value
TWA	Time Weighted Average

FIRST AID MEASURES:


CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.
	and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

_			
	0	Minimal Hazard	HEALTH
	1	Slight Hazard	FLAMMABILITY
	2	Moderate Hazard	PHYSICAL HAZARDS
	3	Severe Hazard	PERSONAL PROTECTION
	4	Extreme Hazard	

PERSONAL PROTECTION RATINGS:



OTHER STANDARD ABBREVIATIONS:


Carc	Carcinogenic
Irrit	Irritant
NA	Not Available
NR	No Results
ND	Not Determined
NE	Not Established
NF	Not Found
SCBA	Self-Contained Breathing Apparatus
Sens	Sensitization
STOT RE	Specific Target Organ Toxicity – Repeat Exposure
STOT SE	Specific Target Organ Toxicity – Single Exposure

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILI	FLAMMABILITY LIMITS IN AIR:						
Autoignition Temperature	Minimum temperature required to initiate combustion in air with no other source of ignition						
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source						
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will explode or ignite in the presence of an ignition source						

HAZARD RATINGS:

0	Minimal Hazard	FLAMMABI
1	Slight Hazard	FLAMIMADI
2	Moderate Hazard	
3	Severe Hazard	
4	Extreme Hazard	
ACD	Acidic	
ALK	Alkaline	
COR	Corrosive	
W	Use No Water	HEALTH
OX	Oxidizer]
TREFOIL	Radioactive	



TOXICOLOGICAL INFORMATION:

LD ₅₀ Lethal Dose (solids & liquids) which kills 50% of the exposed ani				
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal			
ppm	Concentration expressed in parts of material per million parts			
TD _{Io} Lowest dose to cause a symptom				
TCLo Lowest concentration to cause a symptom				
TD _{io} , LD _{io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects			
TC, TC _o , LC _{io} , & LC _o				
IARC	International Agency for Research on Cancer			
NTP	National Toxicology Program			
RTECS	Registry of Toxic Effects of Chemical Substances			
BCF	Bioconcentration Factor			
TLm	Median threshold limit			
log Kow or log Koc	Coefficient of Oil/Water Distribution			

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System			
DOT	U.S. Department of Transportation			
тс	Transport Canada			
EPA	U.S. Environmental Protection Agency			
DSL	Canadian Domestic Substance List			
NDSL	Canadian Non-Domestic Substance List			
PSL	Canadian Priority Substances List			
TSCA	U.S. Toxic Substance Control Act			
EU	European Union (European Union Directive 67/548/EEC)			
WGK	Wassergefährdungsklassen (German Water Hazard Class)			

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

\bigcirc	۲	٢		Ē	۲		Ř
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond					
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment