Product Change Notification - SYST-18WHXS579

Date: 19 Apr 2017

Product Category: 8-bit PIC Microcontrollers

乙 Affected CPNs:

Notification subject: Data Sheet - PIC18(L)F26/45/46K40 28/40/44-Pin, Low-Power High-Performance MCU with XLP

Data Sheet Document Revision

Notification text: SYST-18WHXS579

> Microchip has released a new DeviceDoc for the PIC18(L)F26/45/46K40 28/40/44-Pin, Low-Power High-Performance MCU with XLP of devices. If you are using one of these devices please read the document located at PIC18(L)F26/45/46K40 28/40/44-Pin, Low-Power High-Performance MCU with XLP.

Notification Status: Final

Description of Change:

1) Updated the Cover page.
2) Updated Example 13-1, Figures 6-1 and 11-11, Registers 3-6, 3-13,19-1, and 26-9, Sections 1.1.2, 4.3, 13.8, 23.5, 26.5.1, 26.10, 31.1.2, and 31.1.6 and Tables 4-1, 10-5, 37-11 and 37-15.

3) New Timer 2 chapter 4) Removed Sections 4.4.2 and 31.2.3.

5) Added Sections 23.5.1

Impacts to Data Sheet: None

Reason for Change: To Improve Manufacturability Change Implementation Status: Complete Date Document Changes Effective: 19 April 2017

NOTE: Please be advised that this is a change to the document only the product has not been changed.

Markings to Distinguish Revised from Unrevised Devices: N/A

Attachment(s): PIC18(L)F26/45/46K40 28/40/44-Pin, Low-Power High-Performance MCU with XLP

Please contact your local Microchip sales office with questions or concerns regarding this notification.

Terms and Conditions:

If you wish to change your product/process change notification (PCN) profile please log on to our website at http://www.microchip.com/PCN sign into myMICROCHIP to open the myMICROCHIP home page, then select a profile option from the left navigation bar.

To opt out of future offer or information emails (other than product change notification emails), click here to go to microchipDIRECT and login, then click on the "My account" link, click on "Update profile" and un-check the box that states "Future offers or information about Microchip's products or services."

 $SYST-18WHXS579 - Data\ Sheet\ -\ PIC18(L)F26/45/46K40\ 28/40/44-Pin,\ Low-Power\ High-Performance\ MCU\ with\ XLP\ Data\ Sheet\ Document\ Revision$

Affected Catalog Part Numbers (CPN)

PIC18LF45K40T-I/PT

PIC18LF45K40T-I/MV

PIC18LF45K40T-I/ML

PIC18LF45K40-I/PT

PIC18LF45K40-I/P

PIC18LF45K40-I/MV

PIC18LF45K40-I/ML

PIC18LF45K40-E/PT

PIC18LF45K40-E/P

PIC18LF45K40-E/MV

PIC18LF45K40-E/ML

PIC18F45K40T-I/PT

PIC18F45K40T-I/MV

PIC18F45K40T-I/ML

PIC18F45K40-I/PT

PIC18F45K40-I/P

PIC18F45K40-I/MV

PIC18F45K40-I/ML

PIC18F45K40-E/PT

PIC18F45K40-E/P

PIC18F45K40-E/MV

PIC18F45K40-E/ML

PIC18LF26K40T-I/SS

PIC18LF26K40T-I/SO

PIC18LF26K40T-I/MV

PIC18LF26K40T-I/ML

PIC18LF26K40-I/SS

PIC18LF26K40-I/SP

PIC18LF26K40-I/SO

PIC18LF26K40-I/MV

PIC18LF26K40-I/ML

PIC18LF26K40-E/SS

PIC18LF26K40-E/SP

PIC18LF26K40-E/SO

PIC18LF26K40-E/MV

PIC18LF26K40-E/ML

PIC18F26K40T-I/SS

PIC18F26K40T-I/SO

PIC18F26K40T-I/MV

PIC18F26K40T-I/ML

PIC18F26K40T-E/MV

PIC18F26K40-I/SS

PIC18F26K40-I/SP

PIC18F26K40-I/SO

PIC18F26K40-I/MV

PIC18F26K40-I/ML

PIC18F26K40-E/SS

Date: Wednesday, April 19, 2017

SYST-18WHXS579-Data~Sheet-PIC18(L)F26/45/46K40~28/40/44-Pin, Low-Power~High-Performance~MCU~with~XLP~Data~Algorithm and the contraction of the c**Sheet Document Revision** PIC18F26K40-E/SO PIC18F26K40-E/MV PIC18F26K40-E/ML PIC18LF46K40T-I/PT PIC18LF46K40T-I/MV PIC18LF46K40T-I/ML PIC18LF46K40-I/PT PIC18LF46K40-I/P PIC18LF46K40-I/MV PIC18LF46K40-I/ML PIC18LF46K40-E/PT PIC18LF46K40-E/P PIC18LF46K40-E/MV PIC18LF46K40-E/ML PIC18F46K40T-I/PT PIC18F46K40T-I/MV PIC18F46K40T-I/ML PIC18F46K40-I/PT PIC18F46K40-I/P PIC18F46K40-I/MV PIC18F46K40-I/ML PIC18F46K40-E/PT PIC18F46K40-E/P PIC18F46K40-E/MV PIC18F46K40-E/ML