NOTES: 1. PACKAGE EACH CABLE ASSEMBLY INDIVIDUALLY IN BAG. TAG IN BAG WITH "AMPENOL CONNEX 2. CABLE ASSEMBLY TO BE 100% TESTED FOR HI-POT, CONTINUITY, SHORTS AND OPEN.	175108-25-XX.XX AND DATE COL	D.F."	75108-25-XX. DRAWING NO. ANGLE PROJ.	XX REV	REVIS DESCRIPTION RELEASE TO MFG.	DATE ECO APPR 25-Aug-11 HR
						SC ALE 0.500
	[LENGTH FROM TABLE				-
0.75" MAX [19.05] MM TYP(2)						3
	175 175 175 175 175	LENGT PART NUMBER 5108-25-06.00 5108-25-12.00 5108-25-18.00 5108-25-24.00 5108-25-36.00 5108-25-48.00	H TABLE LENGTH (IN.) 6.00 12.00 18.00 24.00 36.00 48.00	TOLERANCE ±0.150 ±0.250 ±0.250 ±0.500 ±0.500		
DESIGN REQUIREMENTS: FREQUENCY TO GHZ X CONTINUITY VSWR : 1 MAX X HI-POT : 500 VRMS INS. LOSS dB MAX OTHER					009-954-348 A/R 3 009-881-352 A/R 2 172147 2 1 PART NUMBER QTY ITEM	HEAT SHRINK TUBING RG-400 CABLE N CRIMP JACK DESCRIPTION FINISH
UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES AND TOLERANCES ARE: 2 PLACE DECIMAL 3 PLACE DECIMAL ANGLES ±.015 (0,381 mm) ±.005 (0,127 mm) ± 1° NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol Corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. The furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights or permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.	TASK#731	DRAWN HARI R ENGINEER HARI R APPROVED CAD FILE Root Folder:/ C	able Assembly:/	DATE 25-Aug-11 DATE 25-Aug-11 DATE	TITLE N CRIMP JACK TO N CRIMP JACK USINI RG 400 CABLE, VARIOUS LENGTHS DWG SIZEDRA B	SCALE: 2.0:1 SHEET I OF I