


Rittal – The System.

Faster – better – everywhere.



We've upgraded our fan-and-filter unit range, and we'd love you to reap the benefits as soon as possible. With this in mind, the TopTherm fan-and-filter unit range will be **discontinued as of April 30th, 2025**.

Blue e+ fan-and-filter units are available in AC/DC, EC, and EMC variants. Specifically, fan-and-filter units with EC technology **deliver significant time and cost benefits** because their **IoT compatibility** boosts **energy efficiency** and **system security**.

We recommend switching to **our new Blue e+ generation of fan-and-filter units** as soon as possible, and they are available off-the-shelf now.

The conversion tables below make upgrading as simple as possible.

Your local Rittal representative will be happy to assist with any queries relating to the product changeover.

For all technical queries relating to our products, please **contact customer service**.

Conversion aid for TopTherm fan-and-filter units

Designation	Air throughput	Rated operating voltage	RAL	Model No. OLD	Model No. NEW
Blue e+ fan-and-filter units	20 m³/h	230 V	7035	3237.100	3237.700
		115 V		3237.110	3237.710
		24 V (DC)		3237.124	3237.724
		230 V	9005	3237.108	3237.708
		115 V		3237.118	3237.718
	55 m³/h	230 V	7035	3238.100	3238.700
		115 V		3238.110	3238.710
		24 V (DC)		3238.124	3238.724
		230 V	9005	3238.108	3238.708
		115 V		3238.118	3238.718
	100 m³/h	230 V	7035	3239.100	3239.700
		115 V		3239.110	3239.710
		24 V (DC)		3239.124	3239.724
		230 V	9005	3239.108	3239.708
		115 V		3239.118	3239.718
	175 m³/h	230 V	7035	3240.100	3240.700
		115 V		3240.110	3240.710
		24 V (DC)		3240.124	3240.724
		230 V	9005	3240.108	3240.708
		115 V		3240.118	3240.718
	225 m³/h	230 V	7035	3241.100	3241.700
		115 V		3241.110	3241.710
		24 V (DC)		3241.124	3241.724
		230 V	9005	3241.108	3241.708
		115 V		3241.118	3241.718
	540 m³/h	230 V	7035	3243.100	3243.700
		115 V		3243.110	3243.710
		230 V	9005	3243.108	3243.708
		115 V		3243.118	3243.718
	700 m³/h	230 V	7035	3244.100	3244.700
		115 V		3244.110	3244.710
		400V		3244.140	3244.740
		230 V	9005	3244.108	3244.708
		115 V		3244.118	3244.718

Conversion aid for TopTherm EMC fan-and-filter units

Designation	Air throughput	Rated operating voltage	RAL	Model No. OLD	Model No. NEW
Blue e+ EMC fan-and-filter units	20 m³/h	230 V	7035	3237.600	3237.800
		115 V		-	3237.810
	55 m³/h	230 V	7035	3238.600	3238.800
		115 V		-	3238.810
		24 V (DC)		3238.624	3238.824
	100 m³/h	230 V	7035	3239.600	3239.800
		115 V		-	3239.810
		24 V (DC)		3239.624	3239.824
	175 m³/h	230 V	7035	3240.600	3240.800
		115 V		-	3240.810
	225 m³/h	230 V	7035	3241.600	3241.800
		115 V		-	3241.810
	540 m³/h	230 V	7035	3243.600	3243.800
		115 V		-	3243.810
	700 m³/h	230 V	7035	3244.600	3244.800
		115 V		-	3244.810
	930 m³/h	230 V	7035	3245.600	3245.800
		115 V		-	3245.810

Conversion aid for TopTherm EC fan-and-filter units

Designation	Air throughput	Rated operating voltage	RAL	Model No. OLD	Model No. NEW
Blue e+ EC fan-and-filter units	63 m³/h	230 V	7035	3238.500	3238.700*
	110 m³/h	230 V	7035	3239.500	3239.700*
	218 m³/h	100 - 240 V	7035	3240.500	3240.900
	272 m³/h	100 - 240 V	7035	3241.500	3241.900
	625 m³/h	100 - 240 V	7035	3243.500	3243.900
	867 m³/h	100 - 240 V	7035	3244.500	3244.900
	1161 m³/h	230 V	7035	3245.500	3245.900
		115 V		3245.510	3245.910
		230 V	9005	3245.508	3245.908
		115 V		3245.518	3245.918

* The product variant is not available as an EC version. You can use the standard version as an alternative.

Conversion aid for TopTherm outlet filters

Designation	To fit fan-and-filter units	RAL /	Model No.	Model No.
		version	OLD	NEW
Blue e+ outlet filters	3237.xxx	7035	3237.200	3237.300
		9005	3237.208	3237.308
		EMC	3237.060	3237.400
	3238.xxx	7035	3238.200	3238.300
		9005	3238.208	3238.308
		EMC	3238.060	3238.400
	3239.xxx	7035	3239.200	3239.300
		9005	3239.208	3239.308
		EMC	3239.060	3239.400
	3240./3241.xxx	7035	3240.200	3240.300
		9005	3240.208	3240.308
		EMC	3240.060	3240.400
	3243./3244./	7035	3243.200	3243.300
	3245.xxx	9005	3243.208	3243.308
		EMC	3243.060	3243.400

Subscribe to our monthly newsletter for the latest Rittal news, product launches, and conversations on the hottest topics in manufacturing and industrial automation.

SUBSCRIBE TO OUR NEWSLETTER



FRIEDHELM LOH GROUP

Rittal LLC, Woodfield Corporate Center, 425 N Martingale Rd, Suite 400, Schaumburg, Illinois
60173

P: 800-477-4000 - F: 800-477-4003

[Unsubscribe](#) | [Manage Preferences](#)