



VOL 2 WIRE & CABLE

BELDEN
SENDING ALL THE RIGHT SIGNALS



2014EDGE CATALOG

1829AC 0101000 – #18 GIFHDLDP SH FR PVC



#18 GIFHDLDP SH FR PVC

Belden

Coaxial Cables 18AWG 1C SOLID 1000ft SPOOL BLACK

Part Number	Weight	Min. Quantity
1829AC 0101000	0.031	N-A



#18 LDPE/GIFHDLDP SH PE

Belden

#18 LDPE/GIFHDLDP SH PE

Part Number	Weight	Min. Quantity
1829BC 0101000	N-A	N-A



#18 GIFHDLDP SH FR PVC

Belden

Coaxial Cables 18AWG 1C SHIELD 1000ft BOX BLACK

Part Number	Weight	Min. Quantity
1829AC 010U1000	0.03	N-A



1829P

Belden

18 AWG solid .040 bare copper-covered steel conductor; foam FEP insulation; Duobond 00 II (100% coverage) and an aluminum braid shield (60% coverage); Flamarrest 00 jacket.

Part Number	Weight	Min. Quantity
1829P	N-A	N-A



1829B

Belden

Series 6; 18 AWG solid .040 bare copper-covered steel conductor; gas-injected foam polyethylene insulation; Duobond 00 II & #43; aluminum braid shield (60% & #37; coverage); polyethylene jacket.

Part Number	Weight	Min. Quantity
1829B	N-A	N-A



#18 FFEP SH FLRST

Belden

#18 FFEP SH FLRST

Part Number	Weight	Min. Quantity
1829P 8771000	N-A	N-A



#18 GIFHDLDP SH PE

Belden

#18 GIFHDLDP SH PE

Part Number	Weight	Min. Quantity
1829B 0101000	N-A	N-A



#18 FFEP SH FLRST

Belden

#18 FFEP SH FLRST

Part Number	Weight	Min. Quantity
1829P 877U1000	N-A	N-A



1829BC

Belden

Series 6; 18 AWG solid .040 bare copper conductor; gas-injected foam polyethylene insulation; Duobond 00 II & #43; aluminum braid shield (60% & #37; coverage); black polyethylene jacket.

Part Number	Weight	Min. Quantity
1829BC	N-A	N-A



1829R

Belden

18 AWG solid bare copper-covered steel conductor; gas-injected foam polyethylene insulation; Duobond 00 II (100% & #37; coverage) and an aluminum braid shield (60% & #37; coverage); PVC jacket.

Part Number	Weight	Min. Quantity
1829R	N-A	N-A



1837A 0031000 – #18 GIFHDLDP SH FS PE




#18 GIFHDLDP SH FR PVC

Belden

#18 GIFHDLDP SH FR PVC

Part Number	Weight	Min. Quantity
1829R 008U1000	N-A	N-A



183079A

Belden

22 AWG solid bare copper conductors; FHDPE insulation; Beldfoil 0.001 (100% coverage) plus a tinned copper braid shield (65% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
183079A	N-A	N-A




#18 GIFHDLDP SH FR PVC

Belden

Coaxial Cables 18AWG 1C SHIELD 1000ft BOX WHITE

Part Number	Weight	Min. Quantity
1829R 009U1000	N-A	N-A



ARMORED 1PR #22 FRFPEFRPESH PVC

Belden

ARMORED 1PR #22 FRFPEFRPESH PVC

Part Number	Weight	Min. Quantity
183079A 0072000	N-A	N-A



#18 GIFHDLDP SH FR PVC

Belden

#18 GIFHDLDP SH FR PVC

Part Number	Weight	Min. Quantity
1829R 010U1000	N-A	N-A



183092A

Belden

RG-6/U Type; 18 AWG solid bare copper-covered steel; foam Polyethylene insulation; Duobond 0.001 IV Quad Shield; inner PVC Jacket; continuously corrugated aluminum armor; outer PVC jacket.

Part Number	Weight	Min. Quantity
183092A	N-A	N-A



183076F

Belden

18 AWG stranded (7x26) tinned copper conductors; polyolefin insulation; Beldfoil 0.001 shield (100% coverage); tinned copper drain wire; binder; oil & sunlight resistant PVC inner jacket; continuous corrugated aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
183076F	N-A	N-A



1837A

Belden

Series 6; 18 AWG solid .040 bare copper-covered steel conductor; gas-injected foam polyethylene insulation; Duobond 0.001 II & #43; aluminum braid shield (60% coverage); polyethylene jacket (black or orange).

Part Number	Weight	Min. Quantity
1837A	N-A	N-A



ARMORED TWPR #18 PP FS PVC

Belden

ARMORED TWPR #18 PP FS PVC

Part Number	Weight	Min. Quantity
183076F 0032000	N-A	N-A



#18 GIFHDLDP SH FS PE

Belden

#18 GIFHDLDP SH FS PE

Part Number	Weight	Min. Quantity
1837A 0031000	N-A	N-A

1837A 0101000 – #18 GIFHDLDP SH FS PE



#18 GIFHDLDP SH FS PE

Belden

#18 GIFHDLDP SH FS PE

Part Number	Weight	Min. Quantity
1837A 0101000	N-A	N-A



1839A

Belden

Series 6; 18 AWG solid .040 bare copper or bare copper-covered steel conductor (see below); gas-injected foam polyethylene insulation; Duobond 00 II & #43; AL braid shield (60% coverage); PVC jacket

Part Number	Weight	Min. Quantity
1839A	N-A	N-A



#18 GIFHDLDP SH PVC W/MSG

Belden

#18 GIFHDLDP SH PVC W/MSG

Part Number	Weight	Min. Quantity
1839A 0101000	N-A	N-A



1839AC

Belden

Series 6; 18 AWG solid .040 bare copper or bare copper-covered steel conductor (see below); gas-injected foam polyethylene insulation; Duobond 00 II plus an aluminum braid shield (60% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
1839AC	N-A	N-A



#18 PE/GIFPE SH PVC W/MSG

Belden

#18 PE/GIFPE SH PVC W/MSG

Part Number	Weight	Min. Quantity
1839AC 0081000	N-A	N-A



#18 PE/GIFPE SH PVC W/MSG

Belden

#18 PE/GIFPE SH PVC W/MSG

Part Number	Weight	Min. Quantity
1839AC 0101000	N-A	N-A



1840A

Belden

Series 6; 18 AWG solid .040 bare copper or bare copper-covered steel conductor (see below); gas-injected foam polyethylene insulation; Duobond 00 II & #43; AL braid shield (60% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
1840A	N-A	N-A



2 #18 GIFPE SH PVC W/MSG

Belden

2 #18 GIFPE SH PVC W/MSG

Part Number	Weight	Min. Quantity
1840A 0101000	N-A	N-A



2 #18 GIFPE SH PVC W/MSG

Belden

Coaxial Cables 18AWG 2C SHIELD 500ft SPOOL BLACK

Part Number	Weight	Min. Quantity
1840A 010500	N-A	N-A



1840AC

Belden

Series 6; 18 AWG solid .040 bare copper or bare copper-covered steel conductor (see below); gas-injected foam polyethylene insulation; Duobond 00 II plus an aluminum braid shield (60% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
1840AC	N-A	N-A



1841AX 0101000 – 2 #18 GIFHDLDP SH FR PVC

**2 #18 GIFPE SH PVC W/MSGR**

Belden

2 #18 GIFPE SH PVC W/MSGR

Part Number	Weight	Min. Quantity
1840AC 008500	N-A	N-A

**DUAL#18 LDPE/GIFHDLDP SHFRPVC**

Belden

DUAL#18 LDPE/GIFHDLDP SHFRPVC

Part Number	Weight	Min. Quantity
1841AC 008500	N-A	N-A

**2 #18 GIFPE SH PVC W/MSGR**

Belden

2 #18 GIFPE SH PVC W/MSGR

Part Number	Weight	Min. Quantity
1840AC 009500	N-A	N-A

**DUAL#18 LDPE/GIFHDLDP SHFRPVC**

Belden

DUAL#18 LDPE/GIFHDLDP SHFRPVC

Part Number	Weight	Min. Quantity
1841AC 009500	N-A	N-A

**2 #18 GIFPE SH PVC W/MSGR**

Belden

2 #18 GIFPE SH PVC W/MSGR

Part Number	Weight	Min. Quantity
1840AC 010500	N-A	N-A

**DUAL#18 LDPE/GIFHDLDP SHFRPVC**

Belden

DUAL#18 LDPE/GIFHDLDP SHFRPVC

Part Number	Weight	Min. Quantity
1841AC 0101000	N-A	N-A

**2 #18 GIFHDLDP SH FR PVC**

Belden

2 #18 GIFHDLDP SH FR PVC

Part Number	Weight	Min. Quantity
1841A 0101000	N-A	N-A

**DUAL#18 LDPE/GIFHDLDP SHFRPVC**

Belden

DUAL#18 LDPE/GIFHDLDP SHFRPVC

Part Number	Weight	Min. Quantity
1841AC 010500	N-A	N-A

**1841AC**

Belden

Series 6; 18 AWG solid .040 bare copper or bare copper-covered steel conductor (see below); gas-injected foam polyethylene insulation; Duobond 00 II & #43; AL braid shield (60% coverage); PVC jacket (black; gray or white).

Part Number	Weight	Min. Quantity
1841AC	N-A	N-A

**2 #18 GIFHDLDP SH FR PVC**

Belden

2 #18 GIFHDLDP SH FR PVC

Part Number	Weight	Min. Quantity
1841AX 0101000	N-A	N-A



1843A – 1843A

**1843A****Belden**

Series 6; 18 AWG solid .040 bare copper-covered steel conductor; gas-injected foam polyethylene insulation; Duobond shield & #43; aluminum braid shield (60 & #37; coverage); polyethylene jacket

Part Number	Weight	Min. Quantity
1843A	N-A	N-A

**2 #18 GIFHDLDP SH LDPE****Belden**


2 #18 GIFHDLDP SH LDPE

Part Number	Weight	Min. Quantity
1843A 0101000	N-A	N-A

**1850F****Belden**


24 AWG stranded (7x32) TC conductor; Datalene insulation; pairs individually shielded with bonded Beldfoil with a drain wire and have numbered and color-coded PVC jackets; overall Beldfoil shield/drain wire + overall PVC jacket w/nylon rip cord.

Part Number	Weight	Min. Quantity
1850F	N-A	N-A

**16 FS PR #24 PVC FS PVC****Belden**

Multi-Paired Cables 24AWG 16PR SHIELD 1000ft SPOOL VIOLET

Part Number	Weight	Min. Quantity
1850F Z4B1000	407	N-A

**16 FS PR #24 PVC FS PVC****Belden**


Multi-Paired Cables 24AWG 16PR SHIELD 500ft SPOOL VIOLET

Part Number	Weight	Min. Quantity
1850F Z4B500	208	N-A

**1852F****Belden**


24 AWG stranded (7x32) TC conductor; Datalene insulation; pairs individually shielded with bonded Beldfoil with a drain wire and have numbered and color-coded PVC jackets; overall Beldfoil shield/drain wire & #43; overall PVC jacket w/nylon rip cord.

Part Number	Weight	Min. Quantity
1852F	N-A	N-A

**24 FS PR #24 PVC FS PVC****Belden**

Multi-Paired Cables 24AWG 24PR SHIELD 1000ft SPOOL VIOLET

Part Number	Weight	Min. Quantity
1852F Z4B1000	645	N-A

**4 FS PR #24 PVC FS PVC****Belden**

Multi-Paired Cables 24AWG 24PR SHIELD 500ft SPOOL VIOLET

Part Number	Weight	Min. Quantity
1852F Z4B500	321	N-A

**1855A****Belden**

23 AWG solid .023 bare copper conductor; gas-injected foam HDPE insulation; Duofoil shield & #43; tinned copper braid shield (95 & #37; coverage); PVC jacket.

Part Number	Weight	Min. Quantity
1855A	N-A	N-A

**#23 PE/GIFHDPE SH FR PVC****Belden**

Coaxial Cables 23AWG 1C SHIELD 1000ft SPOOL BROWN

Part Number	Weight	Min. Quantity
1855A 0011000	0.038	N-A

1855A N3U1000 – #23 PE/GIFHDPE SH FR PVC



#23 PE/GIFHDPE SH FR PVC

Belden

Coaxial Cables 23AWG 1C SHIELD 1000ft SPOOL RED

Part Number	Weight	Min. Quantity
1855A 0021000	0.038	N-A



#23 PE/GIFHDPE SH FR PVC

Belden

Coaxial Cables 23AWG 1C SHIELD 1000ft SPOOL GRAY

Part Number	Weight	Min. Quantity
1855A 0081000	N-A	N-A



#23 PE/GIFHDPE SH FR PVC

Belden

Coaxial Cables 23AWG 1C SHIELD 1000ft SPOOL ORNGE

Part Number	Weight	Min. Quantity
1855A 0031000	0.038	N-A



#23 PE/GIFHDPE SH FR PVC

Belden

Coaxial Cables 23AWG 1C SHIELD 1000ft SPOOL WHITE

Part Number	Weight	Min. Quantity
1855A 0091000	0.038	N-A



#23 PE/GIFHDPE SH FR PVC

Belden

Coaxial Cables 23AWG 1C SHIELD 1000ft SPOOL YELLOW

Part Number	Weight	Min. Quantity
1855A 0041000	0.038	N-A



#23 PE/GIFHDPE SH FR PVC

Belden

Coaxial Cables 23AWG 1C SHIELD 1000ft SPOOL BLACK

Part Number	Weight	Min. Quantity
1855A 0101000	0.038	N-A



#23 PE/GIFHDPE SH FR PVC

Belden

Coaxial Cables 23AWG 1C SHIELD 1000ft SPOOL LT.BLUE

Part Number	Weight	Min. Quantity
1855A 0061000	0.038	N-A



#23 PE/GIFHDPE SH FR PVC

Belden

Coaxial Cables 23AWG 1C SHIELD 500ft SPOOL BLACK

Part Number	Weight	Min. Quantity
1855A 010500	0.019	N-A



#23 PE/GIFHDPE SH FR PVC

Belden

Coaxial Cables 23AWG 1C SHIELD 1000ft SPOOL VIOLET

Part Number	Weight	Min. Quantity
1855A 0071000	0.038	N-A



#23 PE/GIFHDPE SH FR PVC

Belden

Coaxial Cables 23AWG 1C SHIELD 1000ft SPOOL GREEN

Part Number	Weight	Min. Quantity
1855A N3U1000	0.038	N-A

1855ABHD3-ENH – CONN; 3PC; 22-24 AWG



CONN; 3PC; 22-24 AWG

Belden

CONN; 3PC; 22-24 AWG

Part Number	Weight	Min. Quantity
1855ABHD3-ENH	N-A	N-A



1855P

Belden

23 AWG solid .023 bare copper conductor; gas-injected foam FEP insulation; Duofoil 0.001 (100%#37; coverage) plus a tinned copper braid shield (95%#37; coverage); flexible Flammarrest 0.001 jacket.

Part Number	Weight	Min. Quantity
1855P	N-A	N-A



#23 FFEP SH FLRST

Belden

Coaxial Cables 23AWG 1C SOLID 1000ft SPOOL YELLOW

Part Number	Weight	Min. Quantity
1855P 0041000	22	N-A



#23 FFEP SH FLRST

Belden

Coaxial Cables 23AWG 1C SOLID 1000ft SPOOL LT BLUE

Part Number	Weight	Min. Quantity
1855P 0061000	22	N-A



#23 FFEP SH FLRST

Belden

Coaxial Cables 23AWG 1C SOLID 1000ft SPOOL BROWN

Part Number	Weight	Min. Quantity
1855P 0011000	22	N-A



#23 FFEP SH FLRST

Belden

Coaxial Cables 23AWG 1C SOLID 1000ft SPOOL VIOLET

Part Number	Weight	Min. Quantity
1855P 0071000	22	N-A



#23 FFEP SH FLRST

Belden

Coaxial Cables 23AWG 1C SOLID 1000ft SPOOL RED

Part Number	Weight	Min. Quantity
1855P 0021000	22	N-A



#23 FFEP SH FLRST

Belden

Coaxial Cables 23AWG 1C SOLID 1000ft SPOOL GRAY

Part Number	Weight	Min. Quantity
1855P 0081000	22	N-A



#23 FFEP SH FLRST

Belden

Coaxial Cables 23AWG 1C SOLID 1000ft SPOOL ORANGE

Part Number	Weight	Min. Quantity
1855P 0031000	22	N-A



#23 FFEP SH FLRST

Belden

Coaxial Cables 23AWG 1C SOLID 1000ft SPOOL BLACK

Part Number	Weight	Min. Quantity
1855P 0101000	22	N-A

1855S6 0001000 – BONDED FILLER COMPOSITE



#23 FFEP SH FLRST

Belden

Coaxial Cables 23AWG 1C SOLID 1000ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
1855P 8771000	22	N-A



1855S5

Belden

23 AWG solid .0230Ω bare copper conductors; gas-injected foam HDPE insulation; Duofoil0Ω (100% coverage) plus a tinned copper braid shield (95% coverage); individual PVC jackets.

Part Number	Weight	Min. Quantity
1855S5	N-A	N-A



#23 FFEP SH FLRST

Belden

Coaxial Cables 23AWG 1C SOLID 1000ft BOX GREEN

Part Number	Weight	Min. Quantity
1855P N3U1000	22	N-A



BONDED FILLER COMPOSITE

Belden

Multi-Conductor Cables 23AWG 5C SHIELD 1000ft SPL NO COLOR

Part Number	Weight	Min. Quantity
1855S5 0001000	N-A	N-A




1855S3

Belden

23 AWG solid .023 bare copper conductors; gas-injected foam HDPE insulation; Duofoil0Ω (100% coverage) plus a tinned copper braid shield (95% coverage); individual PVC jackets.

Part Number	Weight	Min. Quantity
1855S3	N-A	N-A




BONDED FILLER COMPOSITE

Belden

Multi-Conductor Cables 23AWG 5C SHIELD 500ft SPOOL NO COLOR

Part Number	Weight	Min. Quantity
1855S5 000500	N-A	N-A



BONDED FILLER COMPOSITE

Belden

Multi-Conductor Cables 23AWG 3C SHIELD 1000ft SPL NO COLOR

Part Number	Weight	Min. Quantity
1855S3 0001000	N-A	N-A



1855S6

Belden

23 AWG solid .0230Ω bare copper conductors; gas-injected foam HDPE insulation; Duofoil0Ω (100% coverage) plus a tinned copper braid shield (95% coverage); individual PVC jackets.

Part Number	Weight	Min. Quantity
1855S6	N-A	N-A




BONDED FILLER COMPOSITE

Belden

Coaxial Cables 23AWG 3C SHIELD 500ft SPOOL NO COLOR

Part Number	Weight	Min. Quantity
1855S3 000500	N-A	N-A




BONDED FILLER COMPOSITE

Belden

Multi-Conductor Cables 23AWG 6C SHIELD 1000ft SPL NO COLOR

Part Number	Weight	Min. Quantity
1855S6 0001000	N-A	N-A

1855S6 000500 – BONDED FILLER COMPOSITE

**BONDED FILLER COMPOSITE****Belden**

Multi-Conductor Cables 23AWG 6C SHIELD 500ft SPOOL NO COLOR

Part Number	Weight	Min. Quantity
1855S6 000500	N-A	N-A

**#20 PE/GIFHDPELDPE PVC TRIAX****Belden**

#20 PE/GIFHDPELDPE PVC TRIAX

Part Number	Weight	Min. Quantity
1856A 0061000	N-A	N-A

**1856A****Belden**

20 AWG solid .032 bare copper conductor; gas-injected foam HDPE insulation; bare copper braid shields (95%#37; coverage); Belflex00Ω jacket.

Part Number	Weight	Min. Quantity
1856A	N-A	N-A

**#20 PE/GIFHDPELDPE PVC TRIAX****Belden**

#20 PE/GIFHDPELDPE PVC TRIAX

Part Number	Weight	Min. Quantity
1856A B591000	N-A	N-A

**#20 PE/GIFHDPELDPE PVC TRIAX****Belden**

#20 PE/GIFHDPELDPE PVC TRIAX

Part Number	Weight	Min. Quantity
1856A 0021000	N-A	N-A

**1856B****Belden**

20 AWG solid .032 bare copper conductor; gas-injected foam HDPE insulation; bare copper braid shields (95%#37; coverage); Belflex00Ω jacket.

Part Number	Weight	Min. Quantity
1856B	N-A	N-A

**#20 PE/GIFHDPELDPE PVC TRIAX****Belden**

#20 PE/GIFHDPELDPE PVC TRIAX

Part Number	Weight	Min. Quantity
1856A 0041000	N-A	N-A

**#20 PE/GIFHDLPE SH PVC TRIAX****Belden**

#20 PE/GIFHDLPE SH PVC TRIAX

Part Number	Weight	Min. Quantity
1856B 0021000	N-A	N-A

**#20 PE/GIFHDPELDPE PVC TRIAX****Belden**

#20 PE/GIFHDPELDPE PVC TRIAX

Part Number	Weight	Min. Quantity
1856A 0051000	N-A	N-A

**#20 PE/GIFHDLPE SH PVC TRIAX****Belden**

#20 PE/GIFHDLPE SH PVC TRIAX

Part Number	Weight	Min. Quantity
1856B 0041000	N-A	N-A



1857A 0071000 – #22 FLDPE VLDPE PVC TRIAX

#20 PE/GIFHDLPE SH PVC TRIAX



Belden

#20 PE/GIFHDLPE SH PVC TRIAX

Part Number	Weight	Min. Quantity
1856B 0051000	N-A	N-A

#22 FLDPE VLDPE PVC TRIAX



Belden

Coaxial Cables 22AWG 1C STRAND 1000ft SPOOL RED

Part Number	Weight	Min. Quantity
1857A 0021000	86	N-A

#20 PE/GIFHDLPE SH PVC TRIAX



Belden

#20 PE/GIFHDLPE SH PVC TRIAX

Part Number	Weight	Min. Quantity
1856B 0061000	N-A	N-A

#22 FLDPE VLDPE PVC TRIAX



Belden

Coaxial Cables 22AWG 1C STRAND 1000ft SPOOL YELLOW

Part Number	Weight	Min. Quantity
1857A 0041000	86	N-A

#20 PE/GIFHDLPE SH PVC TRIAX



Belden

#20 PE/GIFHDLPE SH PVC TRIAX

Part Number	Weight	Min. Quantity
1856B 0071000	N-A	N-A

#22 FLDPE VLDPE PVC TRIAX



Belden

Coaxial Cables 22AWG 1C STRAND 500ft SPOOL YELLOW

Part Number	Weight	Min. Quantity
1857A 004500	42.5	N-A

#20 PE/GIFHDLPE SH PVC TRIAX



Belden

#20 PE/GIFHDLPE SH PVC TRIAX

Part Number	Weight	Min. Quantity
1856B B591000	N-A	N-A

#22 FLDPE VLDPE PVC TRIAX



Belden

Coaxial Cables 22AWG 1C STRAND 1000ft SPOOL LT BLUE

Part Number	Weight	Min. Quantity
1857A 0061000	86	N-A

1857A



Belden

22 AWG stranded (19x34) .031 bare copper conductor; foam polyethylene insulation; bare copper braid shields (95% coverage); Belflex00Ω jacket.

Part Number	Weight	Min. Quantity
1857A	N-A	N-A



Belden

Coaxial Cables 22AWG 1C STRAND 1000ft SPOOL VIOLET

Part Number	Weight	Min. Quantity
1857A 0071000	86	N-A



1857A B591000 – #22 FLDPE VLDPE PVC TRIAX



#22 FLDPE VLDPE PVC TRIAX

Belden

Coaxial Cables 22AWG 1C STRAND 1000ft SPOOL FLT BLK

Part Number	Weight	Min. Quantity
1857A B591000	86	N-A



#15 GIFHDLPE PVC TRIAX

Belden

Coaxial Cables 15AWG 1C STRAND 1000ft SPOOL YELLOW

Part Number	Weight	Min. Quantity
1858A 0041000	154	N-A



#22 FLDPE VLDPE PVC TRIAX

Belden

Coaxial Cables 22AWG 1C STRAND 500ft SPOOL FLT BLK

Part Number	Weight	Min. Quantity
1857A B59500	42.5	N-A



#15 GIFHDLPE PVC TRIAX

Belden

Coaxial Cables 15AWG 1C STRAND 500ft SPOOL YELLOW

Part Number	Weight	Min. Quantity
1858A 004500	80.5	N-A



1858A

Belden

15 AWG stranded (19x27) .064 bare copper conductor; foam HDPE insulation; bare copper braid shields (95% coverage); Belflex 00Ω jacket.

Part Number	Weight	Min. Quantity
1858A	N-A	N-A



#15 GIFHDLPE PVC TRIAX

Belden

Coaxial Cables 15AWG 1C STRAND 1000ft SPOOL GREEN

Part Number	Weight	Min. Quantity
1858A 0051000	154	N-A



#15 GIFHDLPE PVC TRIAX

Belden

Coaxial Cables 15AWG 1C STRAND 1000ft SPOOL RED

Part Number	Weight	Min. Quantity
1858A 0021000	154	N-A



#15 GIFHDLPE PVC TRIAX

Belden

Coaxial Cables 15AWG 1C STRAND 1000ft SPOOL LT BLUE

Part Number	Weight	Min. Quantity
1858A 0061000	154	N-A



#15 GIFHDLPE PVC TRIAX

Belden

Coaxial Cables 15AWG 1C STRAND 500ft SPOOL RED

Part Number	Weight	Min. Quantity
1858A 002500	80.5	N-A



#15 GIFHDLPE PVC TRIAX

Belden

Coaxial Cables 15AWG 1C STRAND 500ft SPOOL LT BLUE

Part Number	Weight	Min. Quantity
1858A 006500	80.5	N-A





#15 GIFHDLPE PVC TRIAX

Belden

Coaxial Cables 15AWG 1C STRAND 1000ft SPL FLT BLCK

Part Number	Weight	Min. Quantity
1858A B591000	154	N-A



1860A

Belden

12 AWG stranded (19x25) ETP high-conductivity bare copper conductors; plenum; Flamarrest000 insulation; cabled.

Part Number	Weight	Min. Quantity
1860A	N-A	N-A



#15 GIFHDLPE PVC TRIAX

Belden

Coaxial Cables 15AWG 1C STRAND 500ft SPOOL FLT BLK

Part Number	Weight	Min. Quantity
1858A B59500	80.5	N-A



#12 TW PR FLRST BLK & NAT

Belden

Standard Circular Connector 12AWG 2C UNSHLD 1000ft SPOOL BK/NAT

Part Number	Weight	Min. Quantity
1860A D261000	N-A	N-A



1859A

Belden

15 AWG stranded (19x27) .064 bare copper conductor; plenum; foam FEP insulation; bare copper braid shields (95&#37; and 90&#37; coverage); fluorocopolymer jacket.

Part Number	Weight	Min. Quantity
1859A	N-A	N-A



1861A

Belden

14 AWG stranded (19x27) ETP high-conductivity bare copper conductors; plenum; Flamarrest000 insulation; cabled.

Part Number	Weight	Min. Quantity
1861A	N-A	N-A



#15 FFEP BRD SLF BRD PVDF

Belden

Coaxial Cables 15AWG 1C STRAND 1000ft SPOOL BLACK

Part Number	Weight	Min. Quantity
1859A 0101000	0.134	N-A



#14 TW PR FLRST BLK & NAT

Belden

Standard Circular Connector 14AWG 2C UNSHLD 1000ft SPOOL BK/NAT

Part Number	Weight	Min. Quantity
1861A D261000	N-A	N-A



#15 FFEP BRD SLF BRD PVDF

Belden

Coaxial Cables 15AWG 1C STRAND 500ft SPOOL BLACK

Part Number	Weight	Min. Quantity
1859A 010500	0.133	N-A



1862A

Belden

16 AWG stranded (19x29) ETP high-conductivity bare copper conductors; plenum; Flamarrest000 insulation; cabled.

Part Number	Weight	Min. Quantity
1862A	N-A	N-A



1862A D261000 – #16 TW PR FLRST BLK & NAT



#16 TW PR FLRST BLK & NAT

Belden

#16 TW PR FLRST BLK & NAT

Part Number	Weight	Min. Quantity
1862A D261000	N-A	N-A



1863A

Belden

18 AWG stranded (19x30) ETP high-conductivity bare copper conductors; plenum; Flamarrest[®] insulation; cabled; (color code: black; natural).

Part Number	Weight	Min. Quantity
1863A	N-A	N-A




#18 TW PR FLRST BLK & NAT

Belden

#18 TW PR FLRST BLK & NAT

Part Number	Weight	Min. Quantity
1863A D261000	N-A	N-A



1864A

Belden

24 AWG solid bare copper conductors; non-plenum; Polyolefin insulation; twisted pairs; rip cord; see color code chart (below); PVC jacket (light gray or blue)

Part Number	Weight	Min. Quantity
1864A	N-A	N-A



25 PR #24 PO PVC Nonbonded-Pair Mul...

Belden

Color: BLUE; LIGHT

Part Number	Weight	Min. Quantity
1864A 0061000	140	N-A



25 PR #24 PO PVC Nonbonded-Pair Mul...

Belden

Color: GRAY; DEC

Part Number	Weight	Min. Quantity
1864A F2V1000	140	N-A



1865A

Belden

25 AWG stranded (19x37) .021 bare copper conductor; gas-injected foam HDPE insulation; Duofoil[®] + tinned copper braid shield (95% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
1865A	N-A	N-A



#25 GIFHDPE SH FR PVC

Belden

#25 GIFHDPE SH FR PVC

Part Number	Weight	Min. Quantity
1865A 0011000	N-A	N-A



#25 GIFHDPE SH FR PVC

Belden

#25 GIFHDPE SH FR PVC

Part Number	Weight	Min. Quantity
1865A 0021000	N-A	N-A



#25 GIFHDPE SH FR PVC

Belden

#25 GIFHDPE SH FR PVC

Part Number	Weight	Min. Quantity
1865A 0031000	N-A	N-A

1871A H8M1000 – 25 PR #24 FEP FEP Nonbonded-Pair Mu...



#25 GIFHDPE SH FR PVC

Belden

#25 GIFHDPE SH FR PVC

Part Number	Weight	Min. Quantity
1865A 0041000	N-A	N-A



#25 GIFHDPE SH FR PVC

Belden

#25 GIFHDPE SH FR PVC

Part Number	Weight	Min. Quantity
1865A 0101000	N-A	N-A



#25 GIFHDPE SH FR PVC

Belden

#25 GIFHDPE SH FR PVC

Part Number	Weight	Min. Quantity
1865A 0061000	N-A	N-A



#25 GIFHDPE SH FR PVC

Belden

#25 GIFHDPE SH FR PVC

Part Number	Weight	Min. Quantity
1865A N3U1000	N-A	N-A



#25 GIFHDPE SH FR PVC

Belden

#25 GIFHDPE SH FR PVC

Part Number	Weight	Min. Quantity
1865A 0071000	N-A	N-A



CAT5 PATCH U/UTP CM UNREEL #26

Belden

CAT5 PATCH U/UTP CM UNREEL #26

Part Number	Weight	Min. Quantity
1867A F2VU1000	N-A	N-A




#25 GIFHDPE SH FR PVC

Belden

#25 GIFHDPE SH FR PVC

Part Number	Weight	Min. Quantity
1865A 0081000	N-A	N-A



1871A

Belden

24 AWG solid bare copper conductors; plenum; FEP Teflon insulation; twisted pairs; rip cord; FEP jacket (blue tint or white tint)

Part Number	Weight	Min. Quantity
1871A	N-A	N-A



#25 GIFHDPE SH FR PVC

Belden

#25 GIFHDPE SH FR PVC

Part Number	Weight	Min. Quantity
1865A 0091000	N-A	N-A



25 PR #24 FEP FEP Nonbonded-Pair Mu...

Belden

Color: BLUE; TINT

Part Number	Weight	Min. Quantity
1871A H8M1000	118	N-A

1871A H8N1000 – 25 PR #24 FEP FEP Nonbonded-Pair Mu...



25 PR #24 FEP FEP Nonbonded-Pair Mu...

Belden

Color: WHITE; TINT

Part Number	Weight	Min. Quantity
1871A H8N1000	118	N-A




CAT6+ 4PRB U/UTP CMR RIB

Belden

Multi-Paired Cables 23AWG 4PR SOLID 1000ft SPOOL ORANGE

Part Number	Weight	Min. Quantity
1872A 003A1000	0.036	N-A



1872A

Belden

23 AWG Bonded-Pairs; Solid Bare Copper Conductor; Non-Plenum; Polyolefin Insulation; Rip Cord; PVC Jacket

Part Number	Weight	Min. Quantity
1872A	N-A	N-A



CAT6+ 4PRB U/UTP CMR REEL

Belden

Multi-Paired Cables 23AWG 4PR UNSHLD 1000ft SPOOL YELLOW

Part Number	Weight	Min. Quantity
1872A 0041000	0.034	N-A



CAT6+ 4PRB U/UTP CMR REEL

Belden

Multi-Paired Cables 23AWG 4PR UNSHLD 1000ft SPOOL RED

Part Number	Weight	Min. Quantity
1872A 0021000	0.034	N-A



CAT6+ 4PRB U/UTP CMR RIB

Belden

Multi-Paired Cables 23AWG 4PR SOLID 1000ft SPOOL YELLOW

Part Number	Weight	Min. Quantity
1872A 004A1000	0.036	N-A



CAT6+ 4PRB U/UTP CMR RIB

Belden

Multi-Paired Cables 23AWG 4PR SOLID 1000ft SPOOL RED

Part Number	Weight	Min. Quantity
1872A 002A1000	0.036	N-A



CAT6+ 4PRB U/UTP CMR REEL

Belden

Multi-Paired Cables 23AWG 4PR UNSHLD 1000ft SPOOL GREEN

Part Number	Weight	Min. Quantity
1872A 0051000	0.034	N-A



CAT6+ 4PRB U/UTP CMR REEL

Belden

Multi-Paired Cables 23AWG 4PR UNSHLD 1000ft SPOOL ORANGE

Part Number	Weight	Min. Quantity
1872A 0031000	0.034	N-A



CAT6+ 4PRB U/UTP CMR RIB

Belden

Multi-Paired Cables 23AWG 4PR SOLID 1000ft SPOOL GREEN

Part Number	Weight	Min. Quantity
1872A 005A1000	0.036	N-A



1872A X6G1000 – CAT6+ 4PRB U/UTP CMR REEL

**CAT6+ 4PRB U/UTP CMR REEL****Belden**

Multi-Paired Cables 23AWG 4PR UNSHLD 1000ft SPOOL LT BLUE

Part Number	Weight	Min. Quantity
1872A 0061000	0.034	N-A

**CAT6+ 4PRB U/UTP CMR RIB****Belden**

Multi-Paired Cables 23AWG 4PR SOLID 1000ft SPOOL WHITE

Part Number	Weight	Min. Quantity
1872A 009A1000	0.036	N-A

**CAT6+ 4PRB U/UTP CMR RIB****Belden**

Multi-Paired Cables 23AWG 4PR SOLID 1000ft SPOOL LT BLUE

Part Number	Weight	Min. Quantity
1872A 006A1000	0.036	N-A

**CAT6+ 4PRB U/UTP CMR REEL****Belden**

Multi-Paired Cables 23AWG 4PR UNSHLD 1000ft SPOOL BLACK

Part Number	Weight	Min. Quantity
1872A 0101000	0.034	N-A

**CAT6+ 4PRB U/UTP CMR REEL****Belden**

Multi-Paired Cables 23AWG 4PR UNSHLD 1000ft SPOOL VIOLET

Part Number	Weight	Min. Quantity
1872A 0071000	0.034	N-A

**CAT6+ 4PRB U/UTP CMR REEL****Belden**

Multi-Paired Cables 23AWG 4PR UNSHLD 1000ft SPOOL DK GRY

Part Number	Weight	Min. Quantity
1872A F6H1000	0.034	N-A

**CAT6+ 4PRB U/UTP CMR RIB****Belden**

Multi-Paired Cables 23AWG 4PR SOLID 1000ft SPOOL VIOLET

Part Number	Weight	Min. Quantity
1872A 007A1000	0.036	N-A

**CAT6+ 4PRB U/UTP CMR RIB****Belden**

Multi-Paired Cables 23AWG 4PR UNSHLD 1000ft SPL GRY/DPRL

Part Number	Weight	Min. Quantity
1872A F6HA1000	0.036	N-A

**CAT6+ 4PRB U/UTP CMR REEL****Belden**

Multi-Paired Cables 23AWG 4PR UNSHLD 1000ft SPOOL WHITE

Part Number	Weight	Min. Quantity
1872A 0091000	0.034	N-A

**CAT6+ 4PRB U/UTP CMR REEL****Belden**

Multi-Paired Cables 23AWG 4PR SOLID 1000ft SPOOLGOLD

Part Number	Weight	Min. Quantity
1872A X6G1000	0.034	N-A



1872A X6GA1000 – CAT6+ 4PRB U/UTP CMR RIB



CAT6+ 4PRB U/UTP CMR RIB

Belden

Multi-Paired Cables 23AWG 4PR UNSHLD 1000ft SPOOL GOLD

Part Number	Weight	Min. Quantity
1872A X6GA1000	0.036	N-A




CAT6+ 4PRB U/UTP CMP RIB

Belden

Multi-Paired Cables 23AWG 4PR SOLID 1000ft SPOOL ORANGE

Part Number	Weight	Min. Quantity
1874A 003A1000	0.039	N-A



1874A

Belden

23 AWG Bonded-Pairs; Solid Bare Copper Conductor; Plenum; FEP Teflon Insulation; Rip Cord; Flamarrest(R) PVC Jacket.

Part Number	Weight	Min. Quantity
1874A	N-A	N-A



CAT6+ 4PRB U/UTP CMP REEL

Belden

Multi-Paired Cables 23AWG 4PR UNSHLD 1000ft SPOOL YELLOW

Part Number	Weight	Min. Quantity
1874A 0041000	0.037	N-A



CAT6+ 4PRB U/UTP CMP REEL

Belden

Multi-Paired Cables 23AWG 4PR UNSHLD 1000ft SPOOL RED

Part Number	Weight	Min. Quantity
1874A 0021000	0.037	N-A



CAT6+ 4PRB U/UTP CMP RIB

Belden

Multi-Paired Cables 23AWG 4PR SOLID 1000ft SPOOL YELLOW

Part Number	Weight	Min. Quantity
1874A 004A1000	0.039	N-A



CAT6+ 4PRB U/UTP CMP RIB

Belden

Multi-Paired Cables 23AWG 4PR SOLID 1000ft SPOOL RED

Part Number	Weight	Min. Quantity
1874A 002A1000	0.039	N-A



CAT6+ 4PRB U/UTP CMP REEL

Belden

Multi-Paired Cables 23AWG 4PR UNSHLD 1000ft SPOOL GREEN

Part Number	Weight	Min. Quantity
1874A 0051000	0.037	N-A



CAT6+ 4PRB U/UTP CMP REEL

Belden

Multi-Paired Cables 23AWG 4PR UNSHLD 1000ft SPOOL ORANGE

Part Number	Weight	Min. Quantity
1874A 0031000	0.037	N-A



CAT6+ 4PRB U/UTP CMP RIB

Belden

Multi-Paired Cables 23AWG 4PR SOLID 1000ft SPOOL GREEN

Part Number	Weight	Min. Quantity
1874A 005A1000	0.039	N-A



1874A F6H1000 – CAT6+ 4PRB U/UTP CMP REEL



CAT6+ 4PRB U/UTP CMP REEL

Belden

Multi-Paired Cables 23AWG 4PR UNSHLD 1000ft SPOOL VIOLET

Part Number	Weight	Min. Quantity
1874A 0071000	0.037	N-A



CAT6+ 4PRB U/UTP CMP REEL

Belden

Multi-Paired Cables 23AWG 4PR SOLID 1000ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
1874A 8771000	0.037	N-A



CAT6+ 4PRB U/UTP CMP RIB

Belden

Multi-Paired Cables 23AWG 4PR SOLID 1000ft SPOOL VIOLET

Part Number	Weight	Min. Quantity
1874A 007A1000	0.039	N-A



CAT6+ 4PRB U/UTP CMP RIB

Belden

Multi-Paired Cables 23AWG 4PR SOLID 1000ft SPOOL NATURAL

Part Number	Weight	Min. Quantity
1874A 877A1000	0.039	N-A



CAT6+ 4PRB U/UTP CMP REEL

Belden

Multi-Paired Cables 23AWG 4PR UNSHLD 1000ft SPOOL WHITE

Part Number	Weight	Min. Quantity
1874A 0091000	0.037	N-A



CAT6+ 4PRB U/UTP CMP REEL

Belden

Multi-Paired Cables 23AWG 4PR SOLID 1000ft SPOOL BLUE

Part Number	Weight	Min. Quantity
1874A D151000	0.037	N-A



CAT6+ 4PRB U/UTP CMP RIB

Belden

Multi-Paired Cables 23AWG 4PR SOLID 1000ft SPOOL WHITE

Part Number	Weight	Min. Quantity
1874A 009A1000	0.039	N-A



CAT6+ 4PRB U/UTP CMP RIB

Belden

Multi-Paired Cables 23AWG 4PR SOLID 1000ft SPOOL BLUE

Part Number	Weight	Min. Quantity
1874A D15A1000	0.039	N-A



CAT6+ 4PRB U/UTP CMP REEL

Belden

Multi-Paired Cables 23AWG 4PR UNSHLD 1000ft SPOOL BLACK

Part Number	Weight	Min. Quantity
1874A 0101000	0.037	N-A



CAT6+ 4PRB U/UTP CMP REEL

Belden

Multi-Paired Cables 23AWG 4PR SOLID 1000ft SPOOL DK GRAY


Part Number	Weight	Min. Quantity
1874A F6H1000	0.037	N-A

1874A F6HA1000 – CAT6+ 4PRB U/UTP CMP RIB

**CAT6+ 4PRB U/UTP CMP RIB****Belden**

Multi-Paired Cables 23AWG 4PR SOLID 1000ft SPOOL DK GRAY

Part Number	Weight	Min. Quantity
1874A F6HA1000	0.039	N-A

**CAT6+ PATCH U/UTP CMR REEL****Belden**


Multi-Paired Cables 24AWG 4PR UNSHLD 1000ft SPOOL LT BLUE

Part Number	Weight	Min. Quantity
1875GB 0061000	N-A	N-A

1875GB**Belden**

24 AWG Bonded-Pairs; Bonded Stranded (7x32) Tinned Copper Conductor; Polyolefin Insulation; PVC Jacket.

Part Number	Weight	Min. Quantity
1875GB	N-A	N-A

**CAT6+ PATCH U/UTP CMR RIB****Belden**


Multi-Paired Cables 24AWG 4PR UNSHLD 1000ft SPOOL LT BLUE

Part Number	Weight	Min. Quantity
1875GB 006A1000	N-A	N-A

**CAT6+ PATCH U/UTP CMR REEL****Belden**


Multi-Paired Cables 24AWG 4PR UNSHLD 1000ft SPOOL YELLOW

Part Number	Weight	Min. Quantity
1875GB 0041000	N-A	N-A

**CAT6+ PATCH U/UTP CMR RIB****Belden**


CAT6+ PATCH U/UTP CMR RIB

Part Number	Weight	Min. Quantity
1875GB 007A1000	N-A	N-A

**CAT6+ PATCH U/UTP CMR REEL****Belden**


Multi-Paired Cables 24AWG 4PR UNSHLD 1000ft SPOOL GREEN

Part Number	Weight	Min. Quantity
1875GB 0051000	N-A	N-A

**CAT6+ PATCH U/UTP CMR REEL****Belden**


Multi-Paired Cables 24AWG 4PR UNSHLD 1000ft SPOOL WHITE

Part Number	Weight	Min. Quantity
1875GB 0091000	N-A	N-A

**CAT6+ PATCH U/UTP CMR RIB****Belden**


CAT6+ PATCH U/UTP CMR RIB

Part Number	Weight	Min. Quantity
1875GB 005A1000	N-A	N-A


**CAT6+ PATCH U/UTP CMR REEL****Belden**

Multi-Paired Cables 24AWG 4PR UNSHLD 1000ft SPOOL BLACK

Part Number	Weight	Min. Quantity
1875GB 0101000	N-A	N-A




1883A 0071000 – 2 #24 PP FS FRPVC

**CAT6+ PATCH U/UTP CMR REEL****Belden**

Multi-Paired Cables 24AWG 4PR UNSHLD 1000ft SPOOL GRAY

Part Number	Weight	Min. Quantity
1875GB F2V1000	N-A	N-A

**2 #24 PP FS FRPVC****Belden**


Multi-Paired Cables 24AWG 1PR SHIELD 1000ft BOX BROWN

Part Number	Weight	Min. Quantity
1883A 001U1000	N-A	N-A

**CAT6+ PATCH U/UTP CMR REEL****Belden**

CAT6+ PATCH U/UTP CMR REEL

Part Number	Weight	Min. Quantity
1875GB F6H1000	N-A	N-A

**2 #24 PP FS FRPVC****Belden**

Multi-Paired Cables 24AWG 1PR SHIELD 1000ft BOX RED

Part Number	Weight	Min. Quantity
1883A 002U1000	N-A	N-A

**187923A****Belden**


24 AWG Bonded-Pairs solid bare copper conductors; polyolefin insulation; PVC inner jacket; rip cord; polyester wrap; aluminum interlocked armor; industrial grade outer PVC jacket. Sequential marking at one meter intervals.

Part Number	Weight	Min. Quantity
187923A	N-A	N-A

**2 #24 PP FS FRPVC****Belden**


2 #24 PP FS FRPVC

Part Number	Weight	Min. Quantity
1883A 0061000	N-A	N-A

**1883A****Belden**

24 AWG stranded (7x32) TC conductors; polypropylene insulation; twisted pair; overall Beldfoil shield (100&#37; coverage); 24 AWG stranded TC drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
1883A	N-A	N-A

**2 #24 PP FS FRPVC****Belden**

Multi-Paired Cables 24AWG 1PR SHIELD 1000ft BOX LT BLUE

Part Number	Weight	Min. Quantity
1883A 006U1000	N-A	N-A

**2 #24 PP FS FRPVC****Belden**

2 #24 PP FS FRPVC

Part Number	Weight	Min. Quantity
1883A 0011000	N-A	N-A


**2 #24 PP FS FRPVC****Belden**

2 #24 PP FS FRPVC

Part Number	Weight	Min. Quantity
1883A 0071000	N-A	N-A



1883A 007U1000 – 2 #24 PP FS FRPVC

**2 #24 PP FS FRPVC****Belden**


Multi-Paired Cables 24AWG 1PR SHIELD 1000ft BOX VIOLET

Part Number	Weight	Min. Quantity
1883A 007U1000	N-A	N-A

**2 #24 PP FS FRPVC****Belden**


2 #24 PP FS FRPVC

Part Number	Weight	Min. Quantity
1883A 0101000	N-A	N-A

**2 #24 PP FS FRPVC****Belden**


Multi-Paired Cables 24AWG 1PR SHIELD 1000ft SPOOL GRAY

Part Number	Weight	Min. Quantity
1883A 0081000	N-A	N-A

**2 #24 PP FS FRPVC****Belden**

Multi-Paired Cables 24AWG 1PR SHIELD 1000ft BOX BLACK

Part Number	Weight	Min. Quantity
1883A 010U1000	N-A	N-A

**2 #24 PP FS FRPVC****Belden**

Multi-Paired Cables 24AWG 1PR SHIELD 1000ft BOX GRAY

Part Number	Weight	Min. Quantity
1883A 008U1000	N-A	N-A

**2 #24 PP FS FRPVC****Belden**


2 #24 PP FS FRPVC

Part Number	Weight	Min. Quantity
1883A N3U1000	N-A	N-A

**2 #24 PP FS FRPVC****Belden**


2 #24 PP FS FRPVC

Part Number	Weight	Min. Quantity
1883A 0091000	N-A	N-A

**2 #24 PP FS FRPVC****Belden**

2 #24 PP FS FRPVC

Part Number	Weight	Min. Quantity
1883A N3UU1000	N-A	N-A

**2 #24 PP FS FRPVC****Belden**

Multi-Paired Cables 24AWG 1PR SHIELD 1000ft BOX WHITE

Part Number	Weight	Min. Quantity
1883A 009U1000	N-A	N-A

**189463****Belden**

20 AWG stranded (7x28) tinned copper conductors; polyethylene insulation; overall Beldfoil 100% (100% coverage) plus a tinned copper braid shield (55% coverage); PVC inner jacket; continuously corrugated aluminum armor; sunlight-resistant PVC outer jacket.

Part Number	Weight	Min. Quantity
189463	N-A	N-A

**ALUM ARMORED CABLE****Belden**

ALUM ARMORED CABLE

Part Number	Weight	Min. Quantity
189463 J222000	N-A	N-A

**1902A****Belden**

24 AWG stranded (41x40) bare copper conductor; polyolefin insulation; individually shielded with double serve 0.001 French Braid 0.001 (95% coverage); TC drain wire; numbered/color-coded PVC jackets; overall Black PVC jacket.

Part Number	Weight	Min. Quantity
1902A	N-A	N-A

**2#24 JKTD PR PVC****Belden**

2#24 JKTD PR PVC

Part Number	Weight	Min. Quantity
1902A B591000	N-A	N-A

**2#24 JKTD PR PVC****Belden**

Multi-Paired Cables 24AWG 2PR SHIELD 250ft SPOOL FLAT BLK

Part Number	Weight	Min. Quantity
1902A B59250	N-A	N-A

**2#24 JKTD PR PVC****Belden**

Multi-Paired Cables 24AWG 2PR SHIELD 500ft SPOOL FLAT BLK

Part Number	Weight	Min. Quantity
1902A B59500	N-A	N-A

**1904A****Belden**

24 AWG stranded (41x40) bare copper conductor; polyolefin insulation; individually shielded with double serve 0.001 French Braid 0.001 (93% coverage); TC drain wire; numbered/color-coded PVC jackets; overall Black PVC jacket.

Part Number	Weight	Min. Quantity
1904A	N-A	N-A

**4 #24 JKTD PR PVC****Belden**

4 #24 JKTD PR PVC

Part Number	Weight	Min. Quantity
1904A B591000	N-A	N-A

**4 #24 JKTD PR PVC****Belden**

Multi-Paired Cables 24AWG 4PR SHIELD 250ft SPOOL FLAT BLK

Part Number	Weight	Min. Quantity
1904A B59250	N-A	N-A

**4 #24 JKTD PR PVC****Belden**

Multi-Paired Cables 24AWG 4PR SHIELD 500ft SPOOL FLAT BLK

Part Number	Weight	Min. Quantity
1904A B59500	N-A	N-A

**1906A****Belden**

24 AWG stranded (41x40) bare copper conductor; polyolefin insulation; individually shielded with double serve 0.001 French Braid 0.001 (95% coverage); TC drain wire; numbered/color-coded PVC jackets; overall Black PVC jacket.

Part Number	Weight	Min. Quantity
1906A	N-A	N-A



1906A B591000 – 6 #24 JKTD PR PVC



6 #24 JKTD PR PVC

Belden

6 #24 JKTD PR PVC

Part Number	Weight	Min. Quantity
1906A B591000	N-A	N-A



6 #24 JKTD PR PVC

Belden

Multi-Paired Cables 24AWG 6PR SHIELD 250ft SPOOL FLAT BLK

Part Number	Weight	Min. Quantity
1906A B59250	N-A	N-A



6 #24 JKTD PR PVC

Belden

Multi-Paired Cables 24AWG 6PR SHIELD 500ft SPOOL FLAT BLK

Part Number	Weight	Min. Quantity
1906A B59500	N-A	N-A



1908A

Belden

24 AWG stranded (41x40) bare copper conductor; polyolefin insulation; individually shielded with double serve 0.001 French Braid 0.001 (93% coverage); TC drain wire; numbered/color-coded PVC jackets; overall Black PVC jacket.

Part Number	Weight	Min. Quantity
1908A	N-A	N-A



8 #24 JKTD PR PVC

Belden

8 #24 JKTD PR PVC

Part Number	Weight	Min. Quantity
1908A B591000	N-A	N-A



8 #24 JKTD PR PVC

Belden

Multi-Paired Cables 24AWG 8PR SHIELD 250ft SPOOL FLAT BLK

Part Number	Weight	Min. Quantity
1908A B59250	N-A	N-A



8 #24 JKTD PR PVC

Belden

Multi-Paired Cables 24AWG 8PR SHIELD 500ft SPOOL FLAT BLK

Part Number	Weight	Min. Quantity
1908A B59500	N-A	N-A



19105

Belden

S rubber jacket; 600V; 600ΩΩC; paper tape separator; smooth jacket; UL/CSA listed; color code: black; white; green.

Part Number	Weight	Min. Quantity
19105	N-A	N-A



3 #10 EPDM SBR TYPE S

Belden

Multi-Conductor Cables 10AWG 3C UNSHLD 250ft SPOOL BLACK

Part Number	Weight	Min. Quantity
19105 010250	N-A	N-A



19106

Belden

S rubber jacket; 600V; 600ΩΩC; paper tape separator; smooth jacket; UL/CSA listed; color code: black; white; green.

Part Number	Weight	Min. Quantity
19106	N-A	N-A

**3 #12 EPDM SBR TYPE S****Belden**

Multi-Conductor Cables 12AWG 3C UNSHLD 250ft SPOOL BLACK

Part Number	Weight	Min. Quantity
19106 010250	N-A	N-A

**19109****Belden**

S rubber jacket; 600V; 600ΩΩC; cotton serve separator; smooth jacket; UL/CSA listed; color code: black; white; green.

Part Number	Weight	Min. Quantity
19109	N-A	N-A

**19107****Belden**

S rubber jacket; 600V; 600ΩΩC; paper tape separator; smooth jacket; UL/CSA listed; color code: black; white; green.

Part Number	Weight	Min. Quantity
19107	N-A	N-A

**3 #18 EPDM CS SBR****Belden**

Multi-Conductor Cables 18AWG 3C UNSHLD 250ft SPOOL BLACK

Part Number	Weight	Min. Quantity
19109 010250	N-A	N-A

**3 14 30B S 60 N****Belden**

3 14 30B S 60 N

Part Number	Weight	Min. Quantity
19107 010250	N-A	N-A

**19115****Belden**

SP-1 rubber parallel lamp cord; UL listed; 300V; 600ΩΩC; one conductor polarity ribbed.

Part Number	Weight	Min. Quantity
19115	N-A	N-A

**19108****Belden**

S rubber jacket; 600V; 600ΩΩC; cotton serve separator; smooth jacket; UL/CSA listed; color code: black; white; green.

Part Number	Weight	Min. Quantity
19108	N-A	N-A

**2 #18 NAT RUBBER****Belden**

Multi-Conductor Cables 18AWG 2C UNSHLD 250ft SPOOL BLACK

Part Number	Weight	Min. Quantity
19115 010250	N-A	N-A

**3 #16 EPDM CS SBR****Belden**

Multi-Conductor Cables 16AWG 3C UNSHLD 250ft SPOOL BLACK

Part Number	Weight	Min. Quantity
19108 010250	N-A	N-A

**19120****Belden**

SV rubber jacket; 300V; 600ΩΩC; cotton serve separator; smooth jacket; UL/CSA listed; color code: black; white.

Part Number	Weight	Min. Quantity
19120	N-A	N-A

19120 010250 – 2 #18 EPDM CS SBR

**2 #18 EPDM CS SBR****Belden**

Multi-Conductor Cables 18AWG 2C UNSHLD 250ft SPOOL BLACK

Part Number	Weight	Min. Quantity
19120 010250	N-A	N-A

**2#18 PVC PARALLEL****Belden**

Multi-Conductor Cables 18AWG 2C UNSHLD 250ft SPOOL WHITE

Part Number	Weight	Min. Quantity
19122 009250	N-A	N-A

**19122****Belden**

SPT-1 PVC Parallel Lamp Cord; UL/CSA Listed; 300V; 600øØC; one conductor polarity ribbed.

Part Number	Weight	Min. Quantity
19122	N-A	N-A

**2#18 PVC PARALLEL****Belden**

Multi-Conductor Cables 18AWG 2C UNSHLD 1000ft SPOOL BLACK

Part Number	Weight	Min. Quantity
19122 0101000	N-A	N-A

**2#18 PVC PARALLEL****Belden**

2#18 PVC PARALLEL

Part Number	Weight	Min. Quantity
19122 0011000	N-A	N-A

**2#18 PVC PARALLEL****Belden**

Multi-Conductor Cables 18AWG 2C UNSHLD 250ft SPOOL BLACK

Part Number	Weight	Min. Quantity
19122 010250	N-A	N-A

**2#18 PVC PARALLEL****Belden**

Multi-Conductor Cables 18AWG 2C UNSHLD 250ft SPOOL BROWN

Part Number	Weight	Min. Quantity
19122 001250	N-A	N-A

**2#18 PVC PARALLEL****Belden**

Multi-Conductor Cables 18AWG 2C UNSHLD 250ft SPOOL GRAY/SLV

Part Number	Weight	Min. Quantity
19122 328250	N-A	N-A

**2#18 PVC PARALLEL****Belden**

2#18 PVC PARALLEL

Part Number	Weight	Min. Quantity
19122 0091000	N-A	N-A

**19123****Belden**

SPT-2 PVC parallel lamp cord; UL/CSA listed; 300V 600øØC; one conductor polarity ribbed.

Part Number	Weight	Min. Quantity
19123	N-A	N-A

**2 #18 PVC PARALLEL****Belden**

Multi-Conductor Cables 18AWG 2C UNSHLD 250ft SPOOL BROWN

Part Number	Weight	Min. Quantity
19123 001250	N-A	N-A

**3 #18 34B SJ 60 N****Belden**

Multi-Conductor Cables 18AWG 3C UNSHLD 250ft SPOOL BLACK

Part Number	Weight	Min. Quantity
19125 010250	N-A	N-A

**2 #18 PVC PARALLEL****Belden**

Multi-Conductor Cables 18AWG 2C UNSHLD 250ft SPOOL BLACK

Part Number	Weight	Min. Quantity
19123 010250	N-A	N-A

**19126****Belden**SPT-2 PVC parallel lamp cord; UL/CSA listed; 300V 600 Ω C; one conductor polarity ribbed.

Part Number	Weight	Min. Quantity
19126	N-A	N-A

**19124****Belden**SJ rubber jacket; 300V; 600 Ω C; paper tape separator; smooth jacket; UL/CSA listed; color code: black; white; green.

Part Number	Weight	Min. Quantity
19124	N-A	N-A

**2 #16 PVC PARALLEL****Belden**

Multi-Conductor Cables 16AWG 2C UNSHLD 250ft SPOOL BROWN

Part Number	Weight	Min. Quantity
19126 001250	N-A	N-A

**3 #16 34B SJ 60 N****Belden**

3 #16 34B SJ 60 N

Part Number	Weight	Min. Quantity
19124 010250	N-A	N-A

**2 #16 PVC PARALLEL****Belden**

Multi-Conductor Cables 16AWG 2C UNSHLD 250ft SPOOL BLACK

Part Number	Weight	Min. Quantity
19126 010250	N-A	N-A

**19125****Belden**SJ rubber jacket; 300V; 600 Ω C; paper tape separator; smooth jacket; UL/CSA listed; color code: black; white; green.

Part Number	Weight	Min. Quantity
19125	N-A	N-A

**19129****Belden**SJ rubber jacket; 300V; 600 Ω C; paper tape separator; smooth jacket; UL/CSA listed; color code: black; white; green.

Part Number	Weight	Min. Quantity
19129	N-A	N-A

19129 010250 – 3 #18 30B SJ 60 N

**3 #18 30B SJ 60 N****Belden**

Multi-Conductor Cables 18AWG 3C UNSHLD 250ft SPOOL BLACK

Part Number	Weight	Min. Quantity
19129 010250	N-A	N-A

**19130****Belden**

SJ rubber jacket; 300V; 600ΩC; paper tape separator; smooth jacket; UL/CSA listed; color code: black; white; green.

Part Number	Weight	Min. Quantity
19130	N-A	N-A

**1912A****Belden**

24 AWG stranded (41x40) bare copper conductor; polyolefin insulation; individually shielded with double serve 000French Braid000 (93&#37; coverage); TC drain wire; numbered/color-coded PVC jackets; overall Black PVC jacket.

Part Number	Weight	Min. Quantity
1912A	N-A	N-A

**3 #16 30B SJ 60 N****Belden**

Multi-Conductor Cables 16AWG 3C UNSHLD 250ft SPOOL BLACK

Part Number	Weight	Min. Quantity
19130 010250	N-A	N-A

**12#24 JKTD PR PVC****Belden**

12#24 JKTD PR PVC

Part Number	Weight	Min. Quantity
1912A B591000	N-A	N-A

**19140****Belden**

SVT PVC jacket; 300V; 600ΩC; paper tape separator; serrated jacket; UL/CSA listed; color code: black; white.

Part Number	Weight	Min. Quantity
19140	N-A	N-A

**12#24 JKTD PR PVC****Belden**

Multi-Paired Cables 24AWG 12PR SHIELD 250ft SPOOL FLAT BLK

Part Number	Weight	Min. Quantity
1912A B59250	N-A	N-A

**2 #18 SVT PORTABLE****Belden**

Multi-Conductor Cables 18AWG 2C UNSHLD 250ft SPOOL GRAY

Part Number	Weight	Min. Quantity
19140 008250	N-A	N-A

**12#24 JKTD PR PVC****Belden**

Multi-Paired Cables 24AWG 12PR SHIELD 500ft SPOOL FLAT BLK

Part Number	Weight	Min. Quantity
1912A B59500	N-A	N-A

**2 #18 SVT PORTABLE****Belden**

Multi-Conductor Cables 18AWG 2C UNSHLD 250ft SPOOL BLACK

Part Number	Weight	Min. Quantity
19140 010250	N-A	N-A

19203 010250 – 2 #16 34B SO 90 N

**1916A****Belden**

24 AWG stranded (41x40) bare copper conductor; polyolefin insulation; individually shielded with double serve 0.001 inch French Braid (0.001 inch coverage); TC drain wire; numbered/color-coded PVC jackets; overall Black PVC jacket.

Part Number	Weight	Min. Quantity
1916A	N-A	N-A

**16 #24 JKTD PRS PVC****Belden**

16 #24 JKTD PRS PVC

Part Number	Weight	Min. Quantity
1916A B591000	N-A	N-A

**16 #24 JKTD PRS PVC****Belden**

Multi-Paired Cables 24AWG 16PR SHIELD 250ft SPOOL FLAT BLK

Part Number	Weight	Min. Quantity
1916A B59250	N-A	N-A

**16 #24 JKTD PRS PVC****Belden**

Multi-Paired Cables 24AWG 16PR SHIELD 500ft SPOOL FLAT BLK

Part Number	Weight	Min. Quantity
1916A B59500	N-A	N-A

**19201****Belden**

50 oil-resistant rubber jacket; 600V; 90 Ohm/ft; paper tape separator; smooth jacket; UL/CSA listed; color code: black; white.

Part Number	Weight	Min. Quantity
19201	N-A	N-A

**2 #12 EPDM CPE TYPE SO****Belden**

2 #12 EPDM CPE TYPE SO

Part Number	Weight	Min. Quantity
19201 010250	N-A	N-A

**19202****Belden**

50 oil-resistant rubber jacket; 600V; 90 Ohm/ft; cotton serve separator; smooth jacket; UL/CSA listed; color code: black; white.

Part Number	Weight	Min. Quantity
19202	N-A	N-A

**2 #14 EPDM CPE TYPE SO****Belden**

2 #14 EPDM CPE TYPE SO

Part Number	Weight	Min. Quantity
19202 010250	N-A	N-A

**19203****Belden**

50 oil-resistant rubber jacket; 600V; 90 Ohm/ft; cotton serve separator; smooth jacket; UL/CSA listed; color code: black; white.

Part Number	Weight	Min. Quantity
19203	N-A	N-A

**2 #16 34B SO 90 N****Belden**

2 #16 34B SO 90 N

Part Number	Weight	Min. Quantity
19203 010250	N-A	N-A

19204 – 19204

**19204****Belden**

SO oil-resistant rubber jacket; 600V; 900 Ω C; cotton serve separator; smooth jacket; UL/CSA listed; color code: black; white.

Part Number	Weight	Min. Quantity
19204	N-A	N-A

**3 #12 EPDM CPE TYPE SO****Belden**

3 #12 EPDM CPE TYPE SO

Part Number	Weight	Min. Quantity
19206 010250	N-A	N-A

**2 #18 EPDM CPE TYPE SO****Belden**

2 #18 EPDM CPE TYPE SO

Part Number	Weight	Min. Quantity
19204 010250	N-A	N-A

**19207****Belden**

SO oil-resistant rubber jacket; 600V; 900 Ω C; paper tape separator; smooth jacket; UL/CSA listed; color code: black; white; green.

Part Number	Weight	Min. Quantity
19207	N-A	N-A

**19205****Belden**

SO oil-resistant rubber jacket; 600V; 900 Ω C; paper tape separator; smooth jacket; UL/CSA listed; color code: black; white; green.

Part Number	Weight	Min. Quantity
19205	N-A	N-A

**3 #14 EPDM NEO****Belden**

Multi-Conductor Cables 14AWG 3C UNSHLD 250ft SPOOL BLACK

Part Number	Weight	Min. Quantity
19207 010250	N-A	N-A

**3 #10 EPDM CPE TYPE SO****Belden**

3 #10 EPDM CPE TYPE SO

Part Number	Weight	Min. Quantity
19205 010250	N-A	N-A

**19208****Belden**

SO Oil-Resistant Rubber Jacket; 600V; 900 Ω C; cotton serve separator; smooth jacket; UL/CSA listed; color code: black; white; green.

Part Number	Weight	Min. Quantity
19208	N-A	N-A

**19206****Belden**

SO oil-resistant rubber jacket; 600V; 900 Ω C; paper tape separator; smooth jacket; UL/CSA listed; color code: black; white; green.

Part Number	Weight	Min. Quantity
19206	N-A	N-A

**3 #16 34B SO 90 N****Belden**

Multi-Conductor Cables 16AWG 3C UNSHLD 250ft SPOOL BLACK

Part Number	Weight	Min. Quantity
19208 010250	N-A	N-A

**19209****Belden**

S0 oil-resistant rubber jacket; 600V; 900 Ω C; cotton serve separator; smooth jacket; UL/CSA listed; color code: black; white; green.

Part Number	Weight	Min. Quantity
19209	N-A	N-A

**3 #18 34B S0 90 N****Belden**

Multi-Conductor Cables 18AWG 3C UNSHLD 250ft SPOOL BLACK

Part Number	Weight	Min. Quantity
19209 010250	N-A	N-A

**19216****Belden**

4-conductor S0 oil-resistant rubber jacket; 600V; 900 Ω C; paper tape separator; smooth jacket; UL/CSA listed; color code: black; white; green; red.

Part Number	Weight	Min. Quantity
19216	N-A	N-A

**4 #12 EPDM CPE TYPE S0****Belden**

Multi-Conductor Cables 12AWG 4C UNSHLD 200ft SPOOL BLACK

Part Number	Weight	Min. Quantity
19216 010200	N-A	N-A

**19217****Belden**

4-conductor S0 oil-resistant rubber jacket; 600V; 900 Ω C; paper tape separator; smooth jacket; UL/CSA listed; color code: black; white; green; red.

Part Number	Weight	Min. Quantity
19217	N-A	N-A

**4 #14 EPDM CPE TYPE S0****Belden**

4 #14 EPDM CPE TYPE S0

Part Number	Weight	Min. Quantity
19217 010200	N-A	N-A

**4 #14 EPDM CPE TYPE S0****Belden**

Multi-Conductor Cables 14AWG 4C UNSHLD 50ft SPOOL BLACK

Part Number	Weight	Min. Quantity
19217 01050	N-A	N-A

**19227****Belden**

SJO oil-resistant rubber jacket; smooth jacket; 300V 900 Ω C; paper tape separator; UL/CSA listed; color code: black; white.

Part Number	Weight	Min. Quantity
19227	N-A	N-A

**2 #18 EPDM CPE TYPE SJO****Belden**

Multi-Conductor Cables 18AWG 2C UNSHLD 250ft SPOOL BLACK

Part Number	Weight	Min. Quantity
19227 010250	N-A	N-A

**19228****Belden**

SJO oil-resistant rubber jacket; smooth jacket; 300V 900 Ω C; paper tape separator; UL/CSA listed; color code: black; white.

Part Number	Weight	Min. Quantity
19228	N-A	N-A

19228 010250 – 2 #16 EPDM CPE

**2 #16 EPDM CPE****Belden**

Multi-Conductor Cables 16AWG 2C UNSHLD 250ft SPOOL BLACK

Part Number	Weight	Min. Quantity
19228 010250	N-A	N-A

**19229****Belden**

SJO oil-resistant rubber jacket; 300V; 900ΩC; paper tape separator; smooth jacket; UL/CSA listed; color code: black; white; green.

Part Number	Weight	Min. Quantity
19229	N-A	N-A

**3 #18 30B SJO 90 N****Belden**

Multi-Conductor Cables 18AWG 3C UNSHLD 250ft SPOOL BLACK

Part Number	Weight	Min. Quantity
19229 010250	N-A	N-A

**19230****Belden**

SJO oil-resistant rubber jacket; 300V; 900ΩC; paper tape separator; smooth jacket; UL/CSA listed; color code: black; white; green.

Part Number	Weight	Min. Quantity
19230	N-A	N-A

**3 #16 30B SJO 90 N****Belden**

Multi-Conductor Cables 16AWG 3C UNSHLD 250ft SPOOL BLACK

Part Number	Weight	Min. Quantity
19230 010250	N-A	N-A

**1924A****Belden**

24 AWG stranded (41x40) bare copper conductor; polyolefin insulation; individually shielded with double serve 000French Braid000 (93% coverage); TC drain wire; numbered/color-coded PVC jackets; overall Black PVC jacket.

Part Number	Weight	Min. Quantity
1924A	N-A	N-A

**24 #24 JKTED PR PVC****Belden**

Multi-Paired Cables 24AWG 24PR SHIELD 500ft SPOOL FLAT BLK

Part Number	Weight	Min. Quantity
1924A B59500	N-A	N-A

**1932A****Belden**

24 AWG stranded (41x40) bare copper conductor; polyolefin insulation; individually shielded with double serve 000French Braid000 (93% coverage); TC drain wire; numbered/color-coded PVC jackets; overall Black PVC jacket.

Part Number	Weight	Min. Quantity
1932A	N-A	N-A

**32 #24 JKTD PR PVC****Belden**

Multi-Paired Cables 24AWG 32PR SHIELD 250ft SPOOL FLAT BLK

Part Number	Weight	Min. Quantity
1932A B59250	N-A	N-A

**19348****Belden**

SJT PVC jacket; 300V; 600ΩC; paper tape separator; serrated jacket; UL/CSA listed; color code: black; white; green (18 AWG); black; white; green/yellow (16 AWG).

Part Number	Weight	Min. Quantity
19348	N-A	N-A

**3#18 PVC TYP SJT****Belden**

Multi-Conductor Cables 18AWG 3C UNSHLD 250ft SPOOL GRAY

Part Number	Weight	Min. Quantity
19348 008250	N-A	N-A

**19350****Belden**

SVT PVC jacket; 300V; 600ΩΩC; paper tape separator; serrated jacket; UL/CSA listed; color code: black; white; green.

Part Number	Weight	Min. Quantity
19350	N-A	N-A

**3#18 PVC TYP SJT****Belden**

Multi-Conductor Cables 18AWG 3C UNSHLD 250ft SPOOL BLACK

Part Number	Weight	Min. Quantity
19348 010250	N-A	N-A

**3 #18 STR PVC PVC SVT****Belden**

Multi-Conductor Cables 18AWG 3C UNSHLD 250ft SPOOL GRAY

Part Number	Weight	Min. Quantity
19350 008250	N-A	N-A

**19349****Belden**

SJT PVC jacket; 300V; 600ΩΩC; paper tape separator; serrated jacket; UL/CSA listed; color code: black; white; green (18 AWG); black; white; green/yellow (16 AWG).

Part Number	Weight	Min. Quantity
19349	N-A	N-A

**19352****Belden**

SJT PVC jacket; 300V; 600ΩΩC; paper tape separator; smooth jacket; UL/CSA listed; international color code: light blue; brown; green/yellow.

Part Number	Weight	Min. Quantity
19352	N-A	N-A

**3 #16 PVC SJT****Belden**

Multi-Conductor Cables 16AWG 3C UNSHLD 250ft SPOOL GRAY

Part Number	Weight	Min. Quantity
19349 008250	N-A	N-A

**3#18 PVC PVC SJT****Belden**

Multi-Conductor Cables 18AWG 3C UNSHLD 250ft SPOOL BLACK

Part Number	Weight	Min. Quantity
19352 010250	N-A	N-A

**3#16 PVC SJT****Belden**

Multi-Conductor Cables 16AWG 3C UNSHLD 250ft SPOOL BLACK


Part Number	Weight	Min. Quantity
19349 010250	N-A	N-A

**19353****Belden**

SJT PVC jacket; 300V; 600ΩΩC; paper tape separator; smooth jacket; UL/CSA listed; international color code: light blue; brown; green/yellow.

Part Number	Weight	Min. Quantity
19353	N-A	N-A

19353 010250 – 3#16 PVC PVC SJT

**3#16 PVC PVC SJT****Belden**

Multi-Conductor Cables 16AWG 3C UNSHLD 250ft SPOOL BLACK

Part Number	Weight	Min. Quantity
19353 010250	N-A	N-A

**3 #18 STR PVC PVC SJT****Belden**

3 #18 STR PVC PVC SJT

Part Number	Weight	Min. Quantity
19362 010500	N-A	N-A

**19354****Belden**

SJT PVC jacket; 300V; 600ΩΩC; paper tape separator; smooth jacket; UL/CSA listed; international color code: light blue; brown; green/yellow.

Part Number	Weight	Min. Quantity
19354	N-A	N-A

**19363****Belden**

SJT PVC jacket; shielded; 300V; 600ΩΩC; BeldfoilΩΩ shield (100&#37; coverage); smooth jacket; 20 AWG drain wire (7x28); UL/CSA listed; international color code: light blue; brown; green/yellow.

Part Number	Weight	Min. Quantity
19363	N-A	N-A

**3#14 PVC PVC SJT****Belden**

Multi-Conductor Cables 14AWG 3C UNSHLD 250ft SPOOL BLACK

Part Number	Weight	Min. Quantity
19354 010250	N-A	N-A

**3 #16 STR PVC PVC SJT****Belden**

Multi-Conductor Cables 16AWG 3C SHIELD 250ft SPOOL BLACK

Part Number	Weight	Min. Quantity
19363 010250	N-A	N-A

**19362****Belden**

SJT PVC jacket; shielded; 300V; 600ΩΩC shielded; BeldfoilΩΩ shield (100&#37; coverage); smooth jacket; 20 AWG drain wire (7x28); UL/CSA listed; international color code: light blue; brown; green/yellow.

Part Number	Weight	Min. Quantity
19362	N-A	N-A

**19364****Belden**

SJT PVC jacket; shielded; 300V; 600ΩΩC shielded; BeldfoilΩΩ shield (100&#37; coverage); smooth jacket; 20 AWG drain wire (7x28); UL/CSA listed; international color code: light blue; brown; green/yellow.

Part Number	Weight	Min. Quantity
19364	N-A	N-A

**3#18 STR PVC PVC SJT****Belden**

Multi-Conductor Cables 18AWG 3C UNSHLD 250ft SPOOL BLACK


Part Number	Weight	Min. Quantity
19362 010250	N-A	N-A

**3#14 PVC PVC SJT****Belden**

Multi-Conductor Cables 14AWG 3C SHIELD 250ft SPOOL BLACK

Part Number	Weight	Min. Quantity
19364 010250	N-A	N-A

19404 010250 – 2 #16 CPE TYPE HPN 90C

**19401****Belden**


3-conductor SVT PVC jacket; shielded; 300V; 600ΩC shielded; Beldfoil Shield (100% Coverage); smooth jacket; 22 AWG drain wire (7x30); UL/CSA listed; international color code: light blue; brown; green/yellow.

Part Number	Weight	Min. Quantity
19401	N-A	N-A

**3 #18 PVC PVC SVT****Belden**

3 #18 PVC PVC SVT

Part Number	Weight	Min. Quantity
19401 0101000	N-A	N-A

**3 #18 PVC PVC SVT****Belden**

Multi-Conductor Cables 18AWG 3C SHIELD 250ft SPOOL BLACK

Part Number	Weight	Min. Quantity
19401 010250	N-A	N-A

**19402****Belden**


SVT PVC jacket; 300V; 600ΩC; paper tape separator; smooth jacket; UL/CSA listed; international color code: light blue; brown; green/yellow.

Part Number	Weight	Min. Quantity
19402	N-A	N-A

**3 #18 PVC PVC SVT****Belden**

Multi-Conductor Cables 18AWG 3C UNSHLD 250ft SPOOL BLACK

Part Number	Weight	Min. Quantity
19402 010250	N-A	N-A

**19403****Belden**

3-conductor SVT PVC jacket; shielded; 300V; 600ΩC; Duofoil Shield (100% coverage) ~ braid coverage (88%); smooth jacket; 22 AWG drain wire (7x30); UL/CSA listed; international color code: light blue; brown; green/yellow.

Part Number	Weight	Min. Quantity
19403	N-A	N-A

**3 #18 STR PVC PVC SVT****Belden**

3 #18 STR PVC PVC SVT

Part Number	Weight	Min. Quantity
19403 010250	N-A	N-A

**19404****Belden**

HPN CPE heater cord; UL/CSA listed; 300V; 900ΩC.

Part Number	Weight	Min. Quantity
19404	N-A	N-A

**2 #16 CPE TYPE HPN 90C****Belden**

2 #16 CPE TYPE HPN 90C

Part Number	Weight	Min. Quantity
19404 0101000	N-A	N-A

**2 #16 CPE TYPE HPN 90C****Belden**

2 #16 CPE TYPE HPN 90C

Part Number	Weight	Min. Quantity
19404 010250	N-A	N-A

19405 – 19405

**19405****Belden**HPN CPE heater cord; UL/CSA listed; 300V; 900 Ω C.

Part Number	Weight	Min. Quantity
19405	N-A	N-A


**19501****Belden**STOW Belflex00 Ω matte black premium PVC; 600V; 1050 Ω C; paper tape separator; smooth jacket; UL/CSA listed; international color code: light blue; brown.

Part Number	Weight	Min. Quantity
19501	N-A	N-A

**2 #18 CPE TYPE HPN 90C****Belden**

2 #18 CPE TYPE HPN 90C

Part Number	Weight	Min. Quantity
19405 0101000	N-A	N-A

**2 #16 PVC TYPE STOW-A****Belden**

2 #16 PVC TYPE STOW-A

Part Number	Weight	Min. Quantity
19501 B59250	N-A	N-A

**2 #18 CPE TYPE HPN 90C****Belden**

Multi-Conductor Cables 18AWG 2C UNSHLD 250ft SPOOL BLACK


Part Number	Weight	Min. Quantity
19405 010250	N-A	N-A

**19502****Belden**STOW Belflex00 Ω matte black premium PVC; 600V; 1050 Ω C; paper tape separator; smooth jacket; UL/CSA listed; international color code: light blue; brown.

Part Number	Weight	Min. Quantity
19502	N-A	N-A


**19500****Belden**STOW Belflex00 Ω matte black premium PVC; 600V; 1050 Ω C; paper tape separator; smooth jacket; UL/CSA listed; international color code: light blue; brown.

Part Number	Weight	Min. Quantity
19500	N-A	N-A

**2 #14 PVC TYPE STOW-A****Belden**

2 #14 PVC TYPE STOW-A

Part Number	Weight	Min. Quantity
19502 B59250	N-A	N-A


**2 18 34B STOW-A 105 E****Belden**

2 18 34B STOW-A 105 E

Part Number	Weight	Min. Quantity
19500 B59250	N-A	N-A

**19503****Belden**STOW Belflex00 Ω matte black premium PVC; 600V; 1050 Ω C; paper tape separator; smooth jacket; UL/CSA listed; international color code: light blue; brown; green/yellow.

Part Number	Weight	Min. Quantity
19503	N-A	N-A

**3 #18 PVC TYPE STOW-A****Belden**

Multi-Conductor Cables 18AWG 3C UNSHLD 250ft SPOOL BLACK

Part Number	Weight	Min. Quantity
19503 B59250	N-A	N-A

**19504****Belden**

STOW Belflex00Ω matte black premium PVC; 600V; 1050ΩΩC; paper tape separator; smooth jacket; UL/CSA listed; international color code: light blue; brown; green/yellow.

Part Number	Weight	Min. Quantity
19504	N-A	N-A

**3 #16 PVC TYPE STOW 105C****Belden**

Multi-Conductor Cables 16AWG 3C UNSHLD 250ft SPOOL FLAT BLK

Part Number	Weight	Min. Quantity
19504 B59250	N-A	N-A

**19505****Belden**

STOW Belflex00Ω matte black premium PVC; 600V; 1050ΩΩC; paper tape separator; smooth jacket; UL/CSA listed; international color code: light blue; brown; green/yellow.

Part Number	Weight	Min. Quantity
19505	N-A	N-A

**3 #14 PVC TYPE STOW-A****Belden**


3 #14 PVC TYPE STOW-A

Part Number	Weight	Min. Quantity
19505 B59250	N-A	N-A

**19506****Belden**

SJTOW Belflex00Ω matte black premium PVC; smooth jacket; 300V; 1050ΩΩC; paper tape separator; UL/CSA listed; international color code: light blue; brown.

Part Number	Weight	Min. Quantity
19506	N-A	N-A

**2 18 34B SJTOW 105****Belden**


Multi-Conductor Cables 18AWG 2C UNSHLD 250ft SPOOL FLAT BLK

Part Number	Weight	Min. Quantity
19506 B59250	N-A	N-A

**19507****Belden**

SJTOW Belflex00Ω matte black premium PVC; 300V; 1050ΩΩC; paper tape separator; smooth jacket; UL/CSA listed; international color code: light blue; brown.

Part Number	Weight	Min. Quantity
19507	N-A	N-A

**2 #16 PVC SJTOW-A 105****Belden**

Multi-Conductor Cables 16AWG 2C UNSHLD 250ft SPOOL FLAT BLK

Part Number	Weight	Min. Quantity
19507 B59250	N-A	N-A


**19508****Belden**

SJTOW Belflex00Ω matte black premium PVC; 300V; 1050ΩΩC; paper tape separator; smooth jacket; UL/CSA listed; international color code: light blue; brown.

Part Number	Weight	Min. Quantity
19508	N-A	N-A

19508 B59250 – 2 14 30B SJTOW-A 105 E

2 14 30B SJTOW-A 105 E



Belden

Multi-Conductor Cables 14AWG 2C UNSHLD 250ft SPOOL FLAT BLK

Part Number	Weight	Min. Quantity
19508 B59250	N-A	N-A

19509



Belden

SJTOW Belflex 000 matte black premium PVC; 300V; 10500ΩC; paper tape separator; smooth jacket; UL/CSA listed; color code: light blue; brown; green/yellow.

Part Number	Weight	Min. Quantity
19509	N-A	N-A

3 #18 PVC TYPE SJTOW-A



Belden

Multi-Conductor Cables 18AWG 3C UNSHLD 250ft SPOOL BLACK

Part Number	Weight	Min. Quantity
19509 B59250	N-A	N-A

19510



Belden

SJTOW Belflex 000 matte black premium PVC; 300V; 10500ΩC; paper tape separator; smooth jacket; UL/CSA listed; international color code: light blue; brown; green/yellow.

Part Number	Weight	Min. Quantity
19510	N-A	N-A

3 16 34B SJTOW-A 105 E



Belden

Multi-Conductor Cables 16AWG 3C UNSHLD 250ft SPOOL BLACK

Part Number	Weight	Min. Quantity
19510 B59250	N-A	N-A

19511



Belden

SJTOW Belflex 000 matte black premium PVC; 300V; 10500ΩC; paper tape separator; smooth jacket; UL/CSA listed; international color code: light blue; brown; green/yellow.

Part Number	Weight	Min. Quantity
19511	N-A	N-A

3#14 PVC PVC SJTOW-A 105



Belden

Multi-Conductor Cables 14AWG 3C UNSHLD 250ft SPOOL BLACK

Part Number	Weight	Min. Quantity
19511 B59250	N-A	N-A

MM SC 5DB@850N Loopback



Belden

MM SC 5DB@850N LOOPBACK

Part Number	Weight	Min. Quantity
19901053	N-A	N-A

MM SC 8DB@1310 Loopback



Belden

MM SC 8DB@1310 LOOPBACK

Part Number	Weight	Min. Quantity
19901084	N-A	N-A

SM SC 5DB@1310 Loopback



Belden

SM SC 5DB@1310 LOOPBACK

Part Number	Weight	Min. Quantity
19917051	N-A	N-A

2100A 0031000 – 300V/PR/01/18AWG/7T/XLPE/ORGBL

**MM LC 10DB@850 Loopback**

Belden

MM LC 10DB@850 LOOPBACK

Part Number	Weight	Min. Quantity
19938103	N-A	N-A

**SNS RG59 50 PACK GRAINGER**

Belden

SNS RG59 50 PACK GRAINGER

Part Number	Weight	Min. Quantity
1UKD7	N-A	N-A

**MM MT-RJ 10DB@1300NM**

Belden

MM MT-RJ 10DB@1300NM

Part Number	Weight	Min. Quantity
19942104	N-A	N-A

**SNS ULTIMATE 50 PACK GRAINGER**

Belden

SNS ULTIMATE 50 PACK GRAINGER

Part Number	Weight	Min. Quantity
1UKD8	N-A	N-A

**SM LC 8DB@1310 Loopback**

Belden

SM LC 8DB@1310 LOOPBACK

Part Number	Weight	Min. Quantity
19989081	N-A	N-A

**LOCK; TEL62RN090A KEYED CH751**

Belden

LOCK; TEL62RN090A KEYED CH751

Part Number	Weight	Min. Quantity
20116	N-A	N-A

**SNS ULTIMATE 10 PACK GRAINGER**

Belden

SNS ULTIMATE 10 PACK GRAINGER

Part Number	Weight	Min. Quantity
1UKD4	N-A	N-A

**2100A**

Belden

1 pair; 18 AWG stranded (7x26) tinned copper conductors; XLP insulation; 100% Beldfoil shield; tinned copper drain wire; sunlight and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
2100A	N-A	N-A

**SNAP-N-SEAL ULTIMATE BNC RG6 4**

Belden

SNAP-N-SEAL ULTIMATE BNC RG6 4

Part Number	Weight	Min. Quantity
1UKD6	N-A	N-A

**300V/PR/01/18AWG/7T/XLPE/ORGBL**

Belden

300V/PR/01/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2100A 0031000	N-A	N-A

2100A 0035000 – 300V/PR/01/18AWG/7T/XLPE/ORGBL



300V/PR/01/18AWG/7T/XLPE/ORGBL

Belden

300V/PR/01/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2100A 0035000	N-A	N-A



300V/PR/02/18AWG/7T/XLPE/ORGBL

Belden

300V/PR/02/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2101A 0035000	N-A	N-A



300V/PR/01/18AWG/7T/XLPE/ORGBL

Belden

300V/PR/01/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2100A 0061000	N-A	N-A



300V/PR/02/18AWG/7T/XLPE/ORGBL

Belden

300V/PR/02/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2101A 0061000	N-A	N-A



300V/PR/01/18AWG/7T/XLPE/ORGBL

Belden

300V/PR/01/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2100A 0065000	N-A	N-A



300V/PR/02/18AWG/7T/XLPE/ORGBL

Belden

300V/PR/02/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2101A 0065000	N-A	N-A



2101A

Belden

2 pair; 18 AWG stranded (7x26) tinned copper conductors; XLP insulation; individual and overall Beldfoil 0.001 shields (100% coverage); tinned copper drain wire; sunlight- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
2101A	N-A	N-A



2102A

Belden

5 pair; 18 AWG stranded (7x26) tinned copper conductors; XLP insulation; individual and overall Beldfoil 0.001 shields (100% coverage); tinned copper drain wire; sunlight- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
2102A	N-A	N-A



300V/PR/02/18AWG/7T/XLPE/ORGBL

Belden

300V/PR/02/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2101A 0031000	N-A	N-A



300V/PR/05/18AWG/7T/XLPE/ORGBL

Belden

300V/PR/05/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2102A 0031000	N-A	N-A



2104A 0031000 – 300V/PR/12/18AWG/7T/XLPE/ORGBL



300V/PR/05/18AWG/7T/XLPE/ORGBL

Belden

300V/PR/05/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2102A 0035000	N-A	N-A



300V/PR/08/18AWG/7T/XLPE/ORGBL

Belden

300V/PR/08/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2103A 0035000	N-A	N-A



300V/PR/05/18AWG/7T/XLPE/ORGBL

Belden

300V/PR/05/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2102A 0061000	N-A	N-A



300V/PR/08/18AWG/7T/XLPE/ORGBL

Belden

300V/PR/08/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2103A 0061000	N-A	N-A



300V/PR/05/18AWG/7T/XLPE/ORGBL

Belden

300V/PR/05/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2102A 0065000	N-A	N-A



300V/PR/08/18AWG/7T/XLPE/ORGBL

Belden

300V/PR/08/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2103A 0065000	N-A	N-A



2103A

Belden

8 pair; 18 AWG stranded (7x26) tinned copper conductors; XLP insulation; individual and overall Beldfoil shields (100%#37; coverage); tinned copper drain wire; sunlight- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
2103A	N-A	N-A



2104A

Belden

12 pair; 18 AWG stranded (7x26) tinned copper conductors; XLP insulation; individual and overall Beldfoil shields (100%#37; coverage); tinned copper drain wire; sunlight- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
2104A	N-A	N-A



300V/PR/08/18AWG/7T/XLPE/ORGBL

Belden

300V/PR/08/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2103A 0031000	N-A	N-A



300V/PR/12/18AWG/7T/XLPE/ORGBL

Belden

300V/PR/12/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2104A 0031000	N-A	N-A

2104A 0035000 – 300V/PR/12/18AWG/7T/XLPE/ORGBL



300V/PR/12/18AWG/7T/XLPE/ORGBL

Belden

300V/PR/12/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2104A 0035000	N-A	N-A



300V/PR/16/18AWG/7T/XLPE/ORGBL

Belden

300V/PR/16/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2105A 0035000	N-A	N-A



300V/PR/12/18AWG/7T/XLPE/ORGBL

Belden

300V/PR/12/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2104A 0061000	N-A	N-A



300V/PR/16/18AWG/7T/XLPE/ORGBL

Belden

300V/PR/16/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2105A 0061000	N-A	N-A



300V/PR/12/18AWG/7T/XLPE/ORGBL

Belden

300V/PR/12/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2104A 0065000	N-A	N-A



300V/PR/16/18AWG/7T/XLPE/ORGBL

Belden

300V/PR/16/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2105A 0065000	N-A	N-A



2105A

Belden

16 pair; 18 AWG stranded (7x26) tinned copper conductors; XLP insulation; individual and overall Beldfoil shields (100% coverage); tinned copper drain wire; sunlight- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
2105A	N-A	N-A



2106A

Belden

20 pair; 18 AWG stranded (7x26) tinned copper conductors; XLP insulation; individual and overall Beldfoil shields (100% coverage); tinned copper drain wire; sunlight- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
2106A	N-A	N-A



300V/PR/16/18AWG/7T/XLPE/ORGBL

Belden

300V/PR/16/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2105A 0031000	N-A	N-A



300V/PR/20/18AWG/7T/XLPE/ORGBL

Belden

300V/PR/20/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2106A 0031000	N-A	N-A



**300V/PR/20/18AWG/7T/XLPE/ORGBL****Belden**

300V/PR/20/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2106A 0035000	N-A	N-A

**300V/PR/24/18AWG/7T/XLPE/ORGBL****Belden**

300V/PR/24/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2107A 0061000	N-A	N-A

**300V/PR/20/18AWG/7T/XLPE/ORGBL****Belden**

300V/PR/20/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2106A 0061000	N-A	N-A

**2108A****Belden**

50 pair; 18 AWG stranded (7x26) tinned copper conductors; XLP insulation; individual and overall Beldfoil shields (100% coverage); tinned copper drain wire; sunlight- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
2108A	N-A	N-A

**300V/PR/20/18AWG/7T/XLPE/ORGBL****Belden**

300V/PR/20/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2106A 0065000	N-A	N-A

**300V/PR/50/18AWG/7T/XLPE/ORGBL****Belden**

300V/PR/50/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2108A 0031000	N-A	N-A

**2107a****Belden**

24 pair; 18 AWG Stranded (7x26) Tinned Copper; 300V; Individually Foil Shielded Pairs; Overall Beldfoil Shield; Tinned Copper Drain Wires; XLP Insulation; Sunlight- and oil-resistant TPE jacket

Part Number	Weight	Min. Quantity
2107a	N-A	N-A

**300V/PR/50/18AWG/7T/XLPE/ORGBL****Belden**

300V/PR/50/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2108A 0061000	N-A	N-A

**300V/PR/24/18AWG/7T/XLPE/ORGBL****Belden**

300V/PR/24/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2107A 0031000	N-A	N-A

**2109A****Belden**

1 pair; 16 AWG Stranded (7x24) Tinned Copper; 300V; 100% Beldfoil Shield; Tinned Copper Drain Wires; XLP Insulation; Sunlight- and oil-resistant TPE jacket

Part Number	Weight	Min. Quantity
2109A	N-A	N-A



2109A 0031000 – 300V/PR/01/16AWG/7T/XLPE/ORGBL



300V/PR/01/16AWG/7T/XLPE/ORGBL

Belden

300V/PR/01/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2109A 0031000	N-A	N-A



300V/PR/02/16AWG/7T/XLPE/ORGBL

Belden

300V/PR/02/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2110A 0031000	N-A	N-A



300V/PR/01/16AWG/7T/XLPE/ORGBL

Belden

300V/PR/01/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2109A 0035000	N-A	N-A



300V/PR/02/16AWG/7T/XLPE/ORGBL

Belden

300V/PR/02/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2110A 0035000	N-A	N-A



300V/PR/01/16AWG/7T/XLPE/ORGBL

Belden

300V/PR/01/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2109A 0061000	N-A	N-A



300V/PR/02/16AWG/7T/XLPE/ORGBL

Belden

300V/PR/02/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2110A 0061000	N-A	N-A



300V/PR/01/16AWG/7T/XLPE/ORGBL

Belden

300V/PR/01/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2109A 0065000	N-A	N-A



300V/PR/02/16AWG/7T/XLPE/ORGBL

Belden

300V/PR/02/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2110A 0065000	N-A	N-A



2110A

Belden

2 pair; 16 AWG Stranded (7x24) Tinned Copper; 300V; Individually Foil Shielded Pairs; Overall Beldfoil (100% Shield Coverage); Tinned Copper Drain Wires; XLP Insulation; Sunlight- and oil-resistant TPE jacket

Part Number	Weight	Min. Quantity
2110A	N-A	N-A



2111A

Belden

5 pair; 16 AWG Stranded (7x24) Tinned Copper; 300V; Individually Foil Shielded Pairs; Overall Beldfoil (100% Shield Coverage); Tinned Copper Drain Wires; XLP Insulation; Sunlight- and oil-resistant TPE jacket

Part Number	Weight	Min. Quantity
2111A	N-A	N-A



**300V/PR/05/16AWG/7T/XLPE/ORGBL****Belden**

300V/PR/05/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2111A 0031000	N-A	N-A

**300V/PR/08/16AWG/7T/XLPE/ORGBL****Belden**

300V/PR/08/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2112A 0031000	N-A	N-A

**300V/PR/05/16AWG/7T/XLPE/ORGBL****Belden**

300V/PR/05/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2111A 0035000	N-A	N-A

**300V/PR/08/16AWG/7T/XLPE/ORGBL****Belden**

300V/PR/08/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2112A 0035000	N-A	N-A

**300V/PR/05/16AWG/7T/XLPE/ORGBL****Belden**

300V/PR/05/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2111A 0061000	N-A	N-A

**300V/PR/08/16AWG/7T/XLPE/ORGBL****Belden**

300V/PR/08/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2112A 0061000	N-A	N-A

**300V/PR/05/16AWG/7T/XLPE/ORGBL****Belden**

300V/PR/05/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2111A 0065000	N-A	N-A

**300V/PR/08/16AWG/7T/XLPE/ORGBL****Belden**

300V/PR/08/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2112A 0065000	N-A	N-A

**2112A****Belden**

8 pair; 16 AWG Stranded (7x24) Tinned Copper; 300V; Individually Foil Shielded Pairs; Overall Beldfoil (100% Shield Coverage); Tinned Copper Drain Wires; XLP Insulation; Sunlight- and oil-resistant TPE jacket

Part Number	Weight	Min. Quantity
2112A	N-A	N-A

**2113A****Belden**

12 pair; 16 AWG Stranded (7x24) Tinned Copper; 300V; Individually Foil Shielded Pairs; Overall Beldfoil (100% Shield Coverage); Tinned Copper Drain Wires; XLP Insulation; Sunlight- and oil-resistant TPE jacket

Part Number	Weight	Min. Quantity
2113A	N-A	N-A



2113A 0031000 – 300V/PR/12/16AWG/7T/XLPE/ORGBL

**300V/PR/12/16AWG/7T/XLPE/ORGBL****Belden**

300V/PR/12/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2113A 0031000	N-A	N-A

**300V/PR/16/16AWG/7T/XLPE/ORGBL****Belden**

300V/PR/16/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2114A 0031000	N-A	N-A

**300V/PR/12/16AWG/7T/XLPE/ORGBL****Belden**

300V/PR/12/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2113A 0035000	N-A	N-A

**300V/PR/16/16AWG/7T/XLPE/ORGBL****Belden**

300V/PR/16/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2114A 0061000	N-A	N-A

**300V/PR/12/16AWG/7T/XLPE/ORGBL****Belden**

300V/PR/12/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2113A 0061000	N-A	N-A

**2115a****Belden**

20 pair; 16 AWG Stranded (7x24) Tinned Copper; 300V; Individually Foil Shielded Pairs; Overall Beldfoil (100% Shield Coverage); Tinned Copper Drain Wires; XLP Insulation; Sunlight- and oil-resistant TPE jacket

Part Number	Weight	Min. Quantity
2115a	N-A	N-A

**300V/PR/12/16AWG/7T/XLPE/ORGBL****Belden**

300V/PR/12/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2113A 0065000	N-A	N-A

**300V/PR/20/16AWG/7T/XLPE/ORGBL****Belden**

300V/PR/20/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2115A 0031000	N-A	N-A

**2114a****Belden**

16 pair; 16 AWG Stranded (7x24) Tinned Copper; 300V; Individually Foil Shielded Pairs; Overall Beldfoil (100% Shield Coverage); Tinned Copper Drain Wires; XLP Insulation; Sunlight- and oil-resistant TPE jacket

Part Number	Weight	Min. Quantity
2114a	N-A	N-A

**300V/PR/20/16AWG/7T/XLPE/ORGBL****Belden**

300V/PR/20/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2115A 0061000	N-A	N-A



2118A 0061000 – 600V/PR/01/18AWG/7T/XLPE/ORGBL



2116a

Belden

24 pair; 16 AWG Stranded (7x24) Tinned Copper; 300V; Individually Foil Shielded Pairs; Overall Beldfoil (100% Shield Coverage); Tinned Copper Drain Wires; XLP Insulation; Sunlight- and oil-resistant TPE jacket

Part Number	Weight	Min. Quantity
2116a	N-A	N-A



300V/PR/24/16AWG/7T/XLPE/ORGBL

Belden

300V/PR/24/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2116A 0031000	N-A	N-A



300V/PR/24/16AWG/7T/XLPE/ORGBL

Belden

300V/PR/24/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2116A 0061000	N-A	N-A



2117a

Belden

36 pair; 16 AWG Stranded (7x24) Tinned Copper; 300V; Individually Foil Shielded Pairs; Overall Beldfoil (100% Shield Coverage); Tinned Copper Drain Wires; XLP Insulation; Sunlight- and oil-resistant TPE jacket

Part Number	Weight	Min. Quantity
2117a	N-A	N-A



300V/PR/36/16AWG/7T/XLPE/ORGBL

Belden

300V/PR/36/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2117A 0031000	N-A	N-A



300V/PR/36/16AWG/7T/XLPE/ORGBL

Belden

300V/PR/36/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2117A 0061000	N-A	N-A



2118A

Belden

1 pair; 18 AWG Stranded (7x26) tinned copper; 100% Beldfoil Shield; TC Drain Wires; XLP insulation; sunlight- and oil-resistant TPE jacket

Part Number	Weight	Min. Quantity
2118A	N-A	N-A



600V/PR/01/18AWG/7T/XLPE/ORGBL

Belden

600V/PR/01/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2118A 0031000	N-A	N-A



600V/PR/01/18AWG/7T/XLPE/ORGBL

Belden

600V/PR/01/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2118A 0035000	N-A	N-A



600V/PR/01/18AWG/7T/XLPE/ORGBL

Belden

600V/PR/01/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2118A 0061000	N-A	N-A

2118A 0065000 – 600V/PR/01/18AWG/7T/XLPE/ORGBL



600V/PR/01/18AWG/7T/XLPE/ORGBL

Belden

600V/PR/01/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2118A 0065000	N-A	N-A



600V/PR/02/18AWG/7T/XLPE/ORGBL

Belden

600V/PR/02/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2119A 0065000	N-A	N-A



2119A

Belden

2 pair; 18 AWG Stranded (7x26) tinned copper; individually foil shielded pairs; overall Beldfoil shield; TC Drain Wires; XLP insulation; sunlight- and oil-resistant TPE jacket

Part Number	Weight	Min. Quantity
2119A	N-A	N-A



2120A

Belden

5 pair; 18 AWG; Stranded (7x26) Tinned Copper; Individually Foil Shielded Pairs; Overall Beldfoil Shield; Tinned Copper Drain Wires; XLP Insulation; Sunlight- and oil-resistant TPE jacket

Part Number	Weight	Min. Quantity
2120A	N-A	N-A



600V/PR/02/18AWG/7T/XLPE/ORGBL

Belden

600V/PR/02/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2119A 0031000	N-A	N-A



600V/PR/05/18AWG/7T/XLPE/ORGBL

Belden

600V/PR/05/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2120A 0031000	N-A	N-A



600V/PR/02/18AWG/7T/XLPE/ORGBL

Belden

600V/PR/02/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2119A 0035000	N-A	N-A



600V/PR/05/18AWG/7T/XLPE/ORGBL

Belden

600V/PR/05/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2120A 0035000	N-A	N-A



600V/PR/02/18AWG/7T/XLPE/ORGBL

Belden

600V/PR/02/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2119A 0061000	N-A	N-A



600V/PR/05/18AWG/7T/XLPE/ORGBL

Belden

600V/PR/05/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2120A 0061000	N-A	N-A



2122A 0061000 – 600V/PR/12/18AWG/7T/XLPE/ORGBL



600V/PR/05/18AWG/7T/XLPE/ORGBL

Belden

600V/PR/05/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2120A 0065000	N-A	N-A



600V/PR/08/18AWG/7T/XLPE/ORGBL

Belden

600V/PR/08/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2121A 0065000	N-A	N-A



2121A

Belden

8 pair; 18 AWG; Stranded (7x26) Tinned Copper; Individually Foil Shielded Pairs; Overall Beldfoil Shield; Tinned Copper Drain Wires; XLP Insulation; Sunlight- and oil-resistant TPE jacket

Part Number	Weight	Min. Quantity
2121A	N-A	N-A



2122A

Belden

12 pair; 18 AWG; Stranded (7x26) Tinned Copper; Individually Foil Shielded Pairs; Overall Beldfoil Shield; Tinned Copper Drain Wires; XLP Insulation; Sunlight- and oil-resistant TPE jacket

Part Number	Weight	Min. Quantity
2122A	N-A	N-A



600V/PR/08/18AWG/7T/XLPE/ORGBL

Belden

600V/PR/08/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2121A 0031000	N-A	N-A



600V/PR/12/18AWG/7T/XLPE/ORGBL

Belden

600V/PR/12/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2122A 0031000	N-A	N-A



600V/PR/08/18AWG/7T/XLPE/ORGBL

Belden

600V/PR/08/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2121A 0035000	N-A	N-A



600V/PR/12/18AWG/7T/XLPE/ORGBL

Belden

600V/PR/12/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2122A 0035000	N-A	N-A



600V/PR/08/18AWG/7T/XLPE/ORGBL

Belden

600V/PR/08/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2121A 0061000	N-A	N-A



600V/PR/12/18AWG/7T/XLPE/ORGBL

Belden

600V/PR/12/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2122A 0061000	N-A	N-A

2122A 0065000 – 600V/PR/12/18AWG/7T/XLPE/ORGBL



600V/PR/12/18AWG/7T/XLPE/ORGBL

Belden

600V/PR/12/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2122A 0065000	N-A	N-A



600V/PR/16/18AWG/7T/XLPE/ORGBL

Belden

600V/PR/16/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2123A 0065000	N-A	N-A



2123A

Belden

16 pair; 18 AWG; Stranded (7x26) Tinned Copper; Individually Foil Shielded Pairs; Overall Beldfoil Shield; Tinned Copper Drain Wires; XLP Insulation; Sunlight- and oil-resistant TPE jacket

Part Number	Weight	Min. Quantity
2123A	N-A	N-A



2124A

Belden

20 pair; 18 AWG; Stranded (7x26) Tinned Copper; 600V; Individually Foil Shielded Pairs; Overall Beldfoil Shield; Tinned Copper Drain Wires; XLP Insulation; Sunlight- and oil-resistant TPE jacket

Part Number	Weight	Min. Quantity
2124A	N-A	N-A



600V/PR/16/18AWG/7T/XLPE/ORGBL

Belden

600V/PR/16/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2123A 0031000	N-A	N-A



600V/PR/20/18AWG/7T/XLPE/ORGBL

Belden

600V/PR/20/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2124A 0031000	N-A	N-A



600V/PR/16/18AWG/7T/XLPE/ORGBL

Belden

600V/PR/16/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2123A 0035000	N-A	N-A



600V/PR/20/18AWG/7T/XLPE/ORGBL

Belden

600V/PR/20/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2124A 0035000	N-A	N-A



600V/PR/16/18AWG/7T/XLPE/ORGBL

Belden

600V/PR/16/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2123A 0061000	N-A	N-A



600V/PR/20/18AWG/7T/XLPE/ORGBL

Belden

600V/PR/20/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2124A 0061000	N-A	N-A



2127A 0035000 – 600V/PR/01/16AWG/7T/XLPE/ORGBL



600V/PR/20/18AWG/7T/XLPE/ORGBL

Belden

600V/PR/20/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2124A 0065000	N-A	N-A



600V/PR/50/18AWG/7T/XLPE/ORGBL

Belden

600V/PR/50/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2126A 0031000	N-A	N-A



2125a

Belden

24 pair; 18 AWG; Stranded (7x26) Tinned Copper; 600V; Individually Foil Shielded Pairs; Overall Beldfoil Shield; Tinned Copper Drain Wires; XLP Insulation; Sunlight- and oil-resistant TPE jacket

Part Number	Weight	Min. Quantity
2125a	N-A	N-A



600V/PR/50/18AWG/7T/XLPE/ORGBL

Belden

600V/PR/50/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2126A 0061000	N-A	N-A



600V/PR/24/18AWG/7T/XLPE/ORGBL

Belden

600V/PR/24/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2125A 0031000	N-A	N-A



2127A

Belden

1 pair; 16 AWG; Stranded (7x24) Tinned Copper; 100% Beldfoil Shield; Tinned Copper Drain Wires; XLP Insulation; Sunlight- and oil-resistant TPE jacket

Part Number	Weight	Min. Quantity
2127A	N-A	N-A



600V/PR/24/18AWG/7T/XLPE/ORGBL

Belden

600V/PR/24/18AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2125A 0061000	N-A	N-A



600V/PR/01/16AWG/7T/XLPE/ORGBL

Belden

600V/PR/01/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2127A 0031000	N-A	N-A



2126a

Belden

50 pair; 18 AWG; Stranded (7x26) Tinned Copper; 600V; Individually Foil Shielded Pairs; Overall Beldfoil Shield; Tinned Copper Drain Wires; XLP Insulation; Sunlight- and oil-resistant TPE jacket

Part Number	Weight	Min. Quantity
2126a	N-A	N-A



600V/PR/01/16AWG/7T/XLPE/ORGBL

Belden

600V/PR/01/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2127A 0035000	N-A	N-A



2127A 0061000 – 600V/PR/01/16AWG/7T/XLPE/ORGBL



600V/PR/01/16AWG/7T/XLPE/ORGBL

Belden

600V/PR/01/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2127A 0061000	N-A	N-A



600V/PR/02/16AWG/7T/XLPE/ORGBL

Belden

600V/PR/02/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2128A 0061000	N-A	N-A



600V/PR/01/16AWG/7T/XLPE/ORGBL

Belden

600V/PR/01/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2127A 0065000	N-A	N-A



600V/PR/02/16AWG/7T/XLPE/ORGBL

Belden

600V/PR/02/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2128A 0065000	N-A	N-A



2128A

Belden

2 pair; 16 AWG; Stranded (7x24) Tinned Copper; 600V; Individually Foil Shielded Pairs; Overall Beldfoil Shield; Tinned Copper Drain Wires; XLP Insulation; Sunlight- and oil-resistant TPE jacket

Part Number	Weight	Min. Quantity
2128A	N-A	N-A



2129A

Belden

5 pair; 16 AWG; Stranded (7x24) Tinned Copper; Individually Foil Shielded Pairs; Overall Beldfoil Shield; Tinned Copper Drain Wires; XLP Insulation; Sunlight- and oil-resistant TPE jacket

Part Number	Weight	Min. Quantity
2129A	N-A	N-A



600V/PR/02/16AWG/7T/XLPE/ORGBL

Belden

600V/PR/02/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2128A 0031000	N-A	N-A



600V/PR/05/16AWG/7T/XLPE/ORGBL

Belden

600V/PR/05/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2129A 0031000	N-A	N-A



600V/PR/02/16AWG/7T/XLPE/ORGBL

Belden

600V/PR/02/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2128A 0035000	N-A	N-A



600V/PR/05/16AWG/7T/XLPE/ORGBL

Belden

600V/PR/05/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2129A 0035000	N-A	N-A



2131A 0035000 – 600V/PR/12/16AWG/7T/XLPE/ORGBL



600V/PR/05/16AWG/7T/XLPE/ORGBL

Belden

600V/PR/05/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2129A 0061000	N-A	N-A



600V/PR/08/16AWG/7T/XLPE/ORGBL

Belden

600V/PR/08/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2130A 0061000	N-A	N-A



600V/PR/05/16AWG/7T/XLPE/ORGBL

Belden

600V/PR/05/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2129A 0065000	N-A	N-A



600V/PR/08/16AWG/7T/XLPE/ORGBL

Belden

600V/PR/08/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2130A 0065000	N-A	N-A



2130A

Belden

8 pair; 16 AWG; Stranded (7x24) Tinned Copper; Individually Foil Shielded Pairs; Overall Beldfoil Shield; Tinned Copper Drain Wires; XLP Insulation; Sunlight- and oil-resistant TPE jacket

Part Number	Weight	Min. Quantity
2130A	N-A	N-A



2131A

Belden

12 pair; 16 AWG; Stranded (7x24) Tinned Copper; Individually Foil Shielded Pairs; Overall Beldfoil Shield; Tinned Copper Drain Wires; XLP Insulation; Sunlight- and oil-resistant TPE jacket

Part Number	Weight	Min. Quantity
2131A	N-A	N-A



600V/PR/08/16AWG/7T/XLPE/ORGBL

Belden

600V/PR/08/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2130A 0031000	N-A	N-A



600V/PR/12/16AWG/7T/XLPE/ORGBL

Belden

600V/PR/12/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2131A 0031000	N-A	N-A



600V/PR/08/16AWG/7T/XLPE/ORGBL

Belden

600V/PR/08/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2130A 0035000	N-A	N-A



600V/PR/12/16AWG/7T/XLPE/ORGBL

Belden

600V/PR/12/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2131A 0035000	N-A	N-A

2131A 0061000 – 600V/PR/12/16AWG/7T/XLPE/ORGBL

**600V/PR/12/16AWG/7T/XLPE/ORGBL****Belden**

600V/PR/12/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2131A 0061000	N-A	N-A

**2133a****Belden**

20 pair; 16 AWG; Stranded (7x24) Tinned Copper; 600V; Individually Foil Shielded Pairs; Overall Beldfoil Shield; Tinned Copper Drain Wires; XLP Insulation; Sunlight- and oil-resistant TPE jacket

Part Number	Weight	Min. Quantity
2133a	N-A	N-A

**600V/PR/12/16AWG/7T/XLPE/ORGBL****Belden**

600V/PR/12/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2131A 0065000	N-A	N-A

**600V/PR/20/16AWG/7T/XLPE/ORGBL****Belden**

600V/PR/20/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2133A 0031000	N-A	N-A

**2132A****Belden**

16 pair; 16 AWG; Stranded (7x24) Tinned Copper; 600V; Individually Foil Shielded Pairs; Overall Beldfoil Shield; Tinned Copper Drain Wires; XLP Insulation; Sunlight- and oil-resistant TPE jacket

Part Number	Weight	Min. Quantity
2132A	N-A	N-A

**600V/PR/20/16AWG/7T/XLPE/ORGBL****Belden**

600V/PR/20/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2133A 0061000	N-A	N-A

**600V/PR/16/16AWG/7T/XLPE/ORGBL****Belden**

600V/PR/16/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2132A 0031000	N-A	N-A

**2134a****Belden**

24 pair; 16 AWG; Stranded (7x24) Tinned Copper; 600V; Individually Foil Shielded Pairs; Overall Beldfoil Shield; Tinned Copper Drain Wires; XLP Insulation; Sunlight- and oil-resistant TPE jacket

Part Number	Weight	Min. Quantity
2134a	N-A	N-A

**600V/PR/16/16AWG/7T/XLPE/ORGBL****Belden**

600V/PR/16/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2132A 0061000	N-A	N-A

**600V/PR/24/16AWG/7T/XLPE/ORGBL****Belden**

600V/PR/24/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2134A 0031000	N-A	N-A

**600V/PR/24/16AWG/7T/XLPE/ORGBL****Belden**

600V/PR/24/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2134A 0061000	N-A	N-A

**2135A****Belden**

36 pair; 16 AWG; Stranded (7x24) Tinned Copper; 600V; Individually Foil Shielded Pairs; Overall Beldfoil Shield; Tinned Copper Drain Wires; XLP Insulation; Sunlight- and oil-resistant TPE jacket

Part Number	Weight	Min. Quantity
2135A	N-A	N-A

**600V/PR/36/16AWG/7T/XLPE/ORGBL****Belden**

600V/PR/36/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2135A 0031000	N-A	N-A

**600V/PR/36/16AWG/7T/XLPE/ORGBL****Belden**

600V/PR/36/16AWG/7T/XLPE/ORGBL

Part Number	Weight	Min. Quantity
2135A 0061000	N-A	N-A

**21450****Belden**

8 AWG stranded (7x16) bare copper conductors; separator tape; 10 AWG bare copper ground wire; FR-XLPE insulation; FR-PVC jacket.

Part Number	Weight	Min. Quantity
21450	N-A	N-A

**21451****Belden**

8 AWG stranded (7x16) bare copper conductors; separator tape; 10 AWG bare copper ground wire; FR-XLPE insulation; FR-PVC jacket.

Part Number	Weight	Min. Quantity
21451	N-A	N-A

**21453****Belden**

6 AWG stranded (7x14) bare copper conductors; separator tape; 8 AWG bare copper ground wire; FR-XLPE insulation; FR-PVC jacket.

Part Number	Weight	Min. Quantity
21453	N-A	N-A

**21454****Belden**

6 AWG stranded (7x14) bare copper conductors; separator tape; 8 AWG bare copper ground wire; FR-XLPE insulation; FR-PVC jacket.

Part Number	Weight	Min. Quantity
21454	N-A	N-A

**21455****Belden**

6 AWG stranded (7x14) bare copper conductors; separator tape; 8 AWG bare copper ground wire; FR-XLPE insulation; FR-PVC jacket.

Part Number	Weight	Min. Quantity
21455	N-A	N-A

**21456****Belden**

4 AWG stranded (7x12) bare copper conductors; separator tape; 8 AWG bare copper ground wire; FR-XLPE insulation; FR-PVC jacket.

Part Number	Weight	Min. Quantity
21456	N-A	N-A

21457 – 21457

**21457****Belden**

4 AWG stranded (7x12) bare copper conductors; separator tape; 8 AWG bare copper ground wire; FR-XLPE insulation; FR-PVC jacket.

Part Number	Weight	Min. Quantity
21457	N-A	N-A

**21503****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
21503	N-A	N-A

**21463****Belden**

2 AWG stranded (7x10) bare copper conductors; separator tape; 6 AWG bare copper ground wire; FR-XLPE insulation; FR-PVC jacket.

Part Number	Weight	Min. Quantity
21463	N-A	N-A

**21504****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; FR-XLPE insulation; FR-PVC jacket.

Part Number	Weight	Min. Quantity
21504	N-A	N-A

**21500****Belden**


14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket

Part Number	Weight	Min. Quantity
21500	N-A	N-A

**21505****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; FR-XLPE insulation; FR-PVC jacket.

Part Number	Weight	Min. Quantity
21505	N-A	N-A

**21501****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; FR-XLPE insulation; FR-PVC jacket.

Part Number	Weight	Min. Quantity
21501	N-A	N-A

**21506****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
21506	N-A	N-A

**21502****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; FR-XLPE insulation; FR-PVC jacket.

Part Number	Weight	Min. Quantity
21502	N-A	N-A

**21508****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; FR-XLPE insulation; FR-PVC jacket.

Part Number	Weight	Min. Quantity
21508	N-A	N-A

**21510****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; FR-XLPE insulation; FR-PVC jacket.

Part Number	Weight	Min. Quantity
21510	N-A	N-A

**1523A ALUM ARMOR****Belden**

1523A ALUM ARMOR

Part Number	Weight	Min. Quantity
21523A 0001000	N-A	N-A

**21513****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
21513	N-A	N-A

**21528****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; FR-XLPE insulation; FR-PVC jacket.

Part Number	Weight	Min. Quantity
21528	N-A	N-A

**21518****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; FR-XLPE insulation; FR-PVC jacket.

Part Number	Weight	Min. Quantity
21518	N-A	N-A

**21535****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
21535	N-A	N-A

**21523****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
21523	N-A	N-A

**21538****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
21538	N-A	N-A

**21523A****Belden**

14 AWG solid .064 bare copper-covered steel conductor; gas-injected foam polyethylene insulation; Duobond 060 II + aluminum braid shield (60% coverage); PVC jacket; aluminum interlocked armor.

Part Number	Weight	Min. Quantity
21523A	N-A	N-A

**21548****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
21548	N-A	N-A



21550 – 21550

**21550****Belden**

12 AWG stranded (7x20) bare copper conductors; separator tape; 14 AWG bare copper ground wire; FR-XLPE insulation; FR-PVC jacket.

Part Number	Weight	Min. Quantity
21550	N-A	N-A

**21558****Belden**

12 AWG stranded (7x20) bare copper conductors; separator tape; FR-XLPE insulation; FR-PVC jacket.

Part Number	Weight	Min. Quantity
21558	N-A	N-A

**21551****Belden**

12 AWG stranded (7x20) bare copper conductors; separator tape; 14 AWG bare copper ground wire; FR-XLPE insulation; FR-PVC jacket.

Part Number	Weight	Min. Quantity
21551	N-A	N-A

**21560****Belden**

12 AWG stranded (7x20) bare copper conductors; separator tape; FR-XLPE insulation; FR-PVC jacket.

Part Number	Weight	Min. Quantity
21560	N-A	N-A

**21552****Belden**

12 AWG stranded (7x20) bare copper conductors; separator tape; FR-XLPE insulation; FR-PVC jacket.

Part Number	Weight	Min. Quantity
21552	N-A	N-A

**21563****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
21563	N-A	N-A

**21554****Belden**

12 AWG stranded (7x20) bare copper conductors; separator tape; 14 AWG bare copper ground wire; FR-XLPE insulation; FR-PVC jacket.

Part Number	Weight	Min. Quantity
21554	N-A	N-A

**21568****Belden**

12 AWG stranded (7x20) bare copper conductors; separator tape; 14 AWG bare copper ground wire; FR-XLPE insulation; FR-PVC jacket.

Part Number	Weight	Min. Quantity
21568	N-A	N-A

**21556****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
21556	N-A	N-A

**21573****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
21573	N-A	N-A

**21578****Belden**

12 AWG stranded (7x20) bare copper conductors; separator tape; FR-XLPE insulation; FR-PVC jacket.

Part Number	Weight	Min. Quantity
21578	N-A	N-A

**21608****Belden**

10 AWG stranded (7x18) bare copper conductors; separator tape; FR-XLPE insulation; FR-PVC jacket.

Part Number	Weight	Min. Quantity
21608	N-A	N-A

**21600****Belden**

10 AWG stranded (7x18) bare copper conductors; separator tape; FR-XLPE insulation; FR-PVC jacket.

Part Number	Weight	Min. Quantity
21600	N-A	N-A

**21610****Belden**

10 AWG stranded (7x18) bare copper conductors; separator tape; FR-XLPE insulation; FR-PVC jacket.

Part Number	Weight	Min. Quantity
21610	N-A	N-A

**21601****Belden**

10 AWG stranded (7x18) bare copper conductors; separator tape; FR-XLPE insulation; FR-PVC jacket.

Part Number	Weight	Min. Quantity
21601	N-A	N-A

**21613****Belden**

10 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
21613	N-A	N-A

**21604****Belden**

10 AWG stranded (7x18) bare copper conductors; separator tape; FR-XLPE insulation; FR-PVC jacket.

Part Number	Weight	Min. Quantity
21604	N-A	N-A

**21618****Belden**

10 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
21618	N-A	N-A

**21606****Belden**

10 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
21606	N-A	N-A

**21623****Belden**

10 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
21623	N-A	N-A

21628 – 21628

**21628****Belden**

10 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
21628	N-A	N-A

**DUAL CABLE CLAMP****Belden**

DUAL CABLE CLAMP

Part Number	Weight	Min. Quantity
22-12121	N-A	N-A

**22100****Belden**


14 AWG stranded (7x22) bare copper conductors; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22100	N-A	N-A

**22101****Belden**

14 AWG stranded (7x22) bare copper conductors; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22101	N-A	N-A

**22102****Belden**

14 AWG stranded (7x22) bare copper conductors; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22102	N-A	N-A

**22103****Belden**

14 AWG stranded (7x22) bare copper conductors; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22103	N-A	N-A

**22104****Belden**

14 AWG stranded (7x22) bare copper conductors; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22104	N-A	N-A

**22105****Belden**

14 AWG stranded (7x22) bare copper conductors; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22105	N-A	N-A

**22106****Belden**

14 AWG stranded (7x22) bare copper conductors; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22106	N-A	N-A

**22107****Belden**

14 AWG stranded (7x22) bare copper conductors; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22107	N-A	N-A

**22108****Belden**

14 AWG stranded (7x22) bare copper conductors; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22108	N-A	N-A

**22121****Belden**

12 AWG stranded (7x20) bare copper conductors; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22121	N-A	N-A

**22110****Belden**

14 AWG stranded (7x22) bare copper conductors; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22110	N-A	N-A

**22122****Belden**

12 AWG stranded (7x20) bare copper conductors; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22122	N-A	N-A

**22114****Belden**

14 AWG stranded (7x22) bare copper conductors; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22114	N-A	N-A

**22123****Belden**

12 AWG stranded (7x20) bare copper conductors; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22123	N-A	N-A

**22118****Belden**

14 AWG stranded (7x22) bare copper conductors; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22118	N-A	N-A

**22124****Belden**

12 AWG stranded (7x20) bare copper conductors; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22124	N-A	N-A

**22120****Belden**

12 AWG stranded (7x20) bare copper conductors; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22120	N-A	N-A

**22125****Belden**

12 AWG stranded (7x20) bare copper conductors; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22125	N-A	N-A

22126 – 22126

**22126****Belden**

12 AWG stranded (7x20) bare copper conductors; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22126	N-A	N-A

**22138****Belden**

12 AWG stranded (7x20) bare copper conductors; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22138	N-A	N-A

**22127****Belden**

12 AWG stranded (7x20) bare copper conductors; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22127	N-A	N-A

**22140****Belden**

10 AWG stranded (7x18) bare copper conductors; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22140	N-A	N-A

**22128****Belden**

12 AWG stranded (7x20) bare copper conductors; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22128	N-A	N-A

**22141****Belden**

10 AWG stranded (7x18) bare copper conductors; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22141	N-A	N-A

**22130****Belden**

12 AWG stranded (7x20) bare copper conductors; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22130	N-A	N-A

**22142****Belden**

10 AWG stranded (7x18) bare copper conductors; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22142	N-A	N-A

**22134****Belden**

12 AWG stranded (7x20) bare copper conductors; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22134	N-A	N-A

**22143****Belden**

10 AWG stranded (7x18) bare copper conductors; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22143	N-A	N-A

**22144****Belden**

10 AWG stranded (7x18) bare copper conductors; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22144	N-A	N-A

**22150****Belden**

10 AWG stranded (7x18) bare copper conductors; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22150	N-A	N-A

**22145****Belden**

10 AWG stranded (7x18) bare copper conductors; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22145	N-A	N-A

**22152****Belden**

10 AWG stranded (7x18) bare copper conductors; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22152	N-A	N-A

**22146****Belden**

10 AWG stranded (7x18) bare copper conductors; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22146	N-A	N-A

**22154****Belden**

10 AWG stranded (7x18) bare copper conductors; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22154	N-A	N-A

**22147****Belden**

10 AWG stranded (7x18) bare copper conductors; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22147	N-A	N-A

**22160****Belden**

8 AWG stranded (7x16) bare copper conductors; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22160	N-A	N-A

**22148****Belden**

10 AWG stranded (7x18) bare copper conductors; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22148	N-A	N-A

**22161****Belden**

8 AWG stranded (7x16) bare copper conductors; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22161	N-A	N-A

22162 – 22162

**22162****Belden**

8 AWG stranded (7x16) bare copper conductors; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22162	N-A	N-A

**CASTER BASE KIT FOR 22X20D****Belden**

CASTER BASE KIT FOR 22X20D

Part Number	Weight	Min. Quantity
2220CB1	N-A	N-A

**22170****Belden**

6 AWG stranded (7x14) bare copper conductors; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22170	N-A	N-A

**2221****Belden**

26 AWG stranded (30x40) BC conductors cabled with fillers; Datalene 000 insulation; conductors cabled with fillers; TC French Braid Shield (95% coverage); Belflex 000 PVC jacket.

Part Number	Weight	Min. Quantity
2221	N-A	N-A

**22171****Belden**

6 AWG stranded (7x14) bare copper conductors; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22171	N-A	N-A

**1 PR #26 FHDPE BRD PVC****Belden**

Multi-Paired Cables 26AWG 1PR STRAND 1000ft BOX PURPLE

Part Number	Weight	Min. Quantity
2221 B02U1000	18	N-A

**22180****Belden**

4 AWG stranded (7x12) bare copper conductors; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22180	N-A	N-A

**1 PR #26 FHDPE BRD PVC****Belden**

Multi-Paired Cables 26AWG 1PR STRAND 1000ft BOX FLT BLACK

Part Number	Weight	Min. Quantity
2221 B59U1000	18	N-A

**22181****Belden**

4 AWG stranded (7x12) bare copper conductors; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22181	N-A	N-A

**1 PR #26 FHDPE BRD PVC****Belden**

Multi-Paired Cables 26AWG 1PR STRAND 1000ft BOX RED, MATTE

Part Number	Weight	Min. Quantity
2221 G7VU1000	18	N-A

**1 PR #26 FHDPE BRD PVC****Belden**

Multi-Paired Cables 26AWG 1PR STRAND 1000ft BOX GRN,MATTE

Part Number	Weight	Min. Quantity
2221 G7WU1000	18	N-A

**1 PR #26 FHDPE BRD PVC****Belden**

Multi-Paired Cables 26AWG 1PR STRAND 1000ft BOX BLUE

Part Number	Weight	Min. Quantity
2221 G7XU1000	18	N-A

**CASTER BASE ASSEMBLY****Belden**

CASTER BASE ASSEMBLY

Part Number	Weight	Min. Quantity
2231CB1	N-A	N-A

**RECESSED CASTER BASE FOR XMER****Belden**

RECESSED CASTER BASE FOR XMER

Part Number	Weight	Min. Quantity
2236CB1	N-A	N-A

**2222****Belden**

2 Twisted Pairs; 28AWG stranded (19x40) silver plated copper alloy conductor ; individually shielded with double serve and jacketed; solid polyolefin insulation; matte PVC Jacket.

Part Number	Weight	Min. Quantity
2222	N-A	N-A

**22404****Belden**

18 AWG pairs stranded (7x26) tinned copper conductors; individual Beldfoil 0.001Ω plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22404	N-A	N-A

**2 X 2 #28 PO DBSRV PVC****Belden**

2 X 2 #28 PO DBSRV PVC

Part Number	Weight	Min. Quantity
2222 B59250	N-A	N-A

**22405****Belden**

18 AWG pairs stranded (7x26) tinned copper conductors; individual Beldfoil 0.001Ω plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22405	N-A	N-A

**CASTER BASE ASSY****Belden**

CASTER BASE ASSY

Part Number	Weight	Min. Quantity
2226CB1	N-A	N-A

**22409****Belden**

16 AWG pairs stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22409	N-A	N-A



22410 – 22410

**22410****Belden**

16 AWG pairs stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22410	N-A	N-A

**22411****Belden**

16 AWG pairs stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22411	N-A	N-A

**22412****Belden**

16 AWG pairs stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22412	N-A	N-A

**22413****Belden**

16 AWG triads stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22413	N-A	N-A

**22414****Belden**

16 AWG triads stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22414	N-A	N-A

**22415****Belden**

16 AWG triads stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22415	N-A	N-A

**22416****Belden**

16 AWG pairs stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22416	N-A	N-A

**22417****Belden**

18 AWG pairs stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22417	N-A	N-A

**22418****Belden**

18 AWG pairs stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22418	N-A	N-A

**22419****Belden**

18 AWG pairs stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22419	N-A	N-A

**22421****Belden**

18 AWG pairs stranded (7x26) tinned copper conductors; individual Beldfoil shield plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22421	N-A	N-A

**22442****Belden**

18 AWG triads stranded (7x26) tinned copper conductors; individual Beldfoil shield plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22442	N-A	N-A

**22443****Belden**

18 AWG triads stranded (7x26) tinned copper conductors; individual Beldfoil shield plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22443	N-A	N-A

**22444****Belden**

18 AWG triads stranded (7x26) tinned copper conductors; individual Beldfoil shield plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22444	N-A	N-A

**22445****Belden**

18 AWG triads stranded (7x26) tinned copper conductors; individual Beldfoil shield plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22445	N-A	N-A

**22446****Belden**

16 AWG pairs stranded (7x24) tinned copper conductors; individual Beldfoil shield plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22446	N-A	N-A

**22447****Belden**

16 AWG pairs stranded (7x24) tinned copper conductors; individual Beldfoil shield plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22447	N-A	N-A

**22448****Belden**

16 AWG triads stranded (7x24) tinned copper conductors; individual Beldfoil shield plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22448	N-A	N-A

**22603****Belden**

16 AWG triads stranded (7x24) tinned copper conductors; PVC insulation; individual Beldfoil shield plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
22603	N-A	N-A

**22628****Belden**

16 AWG pairs stranded (7x24) tinned copper conductors; PVC insulation; individual Beldfoil shield plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
22628	N-A	N-A

22629 – 22629

**22629****Belden**

16 AWG pairs stranded (7x24) tinned copper conductors; PVC insulation; individual Beldfoil shield plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
22629	N-A	N-A

**22630****Belden**

16 AWG pairs stranded (7x24) tinned copper conductors; PVC insulation; individual Beldfoil shield plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
22630	N-A	N-A

**22631****Belden**

16 AWG pairs stranded (7x24) tinned copper conductors; PVC insulation; individual Beldfoil shield plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
22631	N-A	N-A

**22632****Belden**

16 AWG pairs stranded (7x24) tinned copper conductors; PVC insulation; individual Beldfoil shield plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
22632	N-A	N-A

**22633****Belden**

18 AWG pairs stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22633	N-A	N-A

**22634****Belden**

18 AWG pairs stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22634	N-A	N-A

**22635****Belden**

18 AWG pairs stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22635	N-A	N-A

**22636****Belden**

18 AWG pairs stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22636	N-A	N-A

**22637****Belden**

18 AWG pairs stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22637	N-A	N-A

**22638****Belden**

20 AWG pairs stranded (7x28) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22638	N-A	N-A

**22639****Belden**

20 AWG pairs stranded (7x28) tinned copper conductors; individual Beldfoil shield plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22639	N-A	N-A

**22640****Belden**

20 AWG pairs stranded (7x28) tinned copper conductors; individual Beldfoil shield plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22640	N-A	N-A

**22641****Belden**

20 AWG pairs stranded (7x28) tinned copper conductors; individual Beldfoil shield plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22641	N-A	N-A

**22643****Belden**

20 AWG pairs stranded (7x28) tinned copper conductors; individual Beldfoil shield plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22643	N-A	N-A

**22645****Belden**

18 AWG pairs stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22645	N-A	N-A

**22646****Belden**

16 AWG pairs stranded (7x24) tinned copper conductors; PVC insulation; individual Beldfoil shield plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
22646	N-A	N-A

**22647****Belden**

20 AWG pairs stranded (7x28) tinned copper conductors; individual Beldfoil shield plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22647	N-A	N-A

**22648****Belden**

18 AWG pairs stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22648	N-A	N-A

**22654****Belden**

18 AWG pairs stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.


Part Number	Weight	Min. Quantity
22654	N-A	N-A

**22660****Belden**

20 AWG triads stranded (7x28) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22660	N-A	N-A

22662 – 22662

**22662****Belden**

20 AWG triads stranded (7x28) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22662	N-A	N-A

**22663****Belden**


20 AWG triads stranded (7x28) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22663	N-A	N-A

**22670****Belden**


20 AWG pairs stranded (7x28) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22670	N-A	N-A

**22671****Belden**

20 AWG pairs stranded (7x28) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22671	N-A	N-A

**22672****Belden**

20 AWG triads stranded (7x28) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22672	N-A	N-A

**22673****Belden**

20 AWG triads stranded (7x28) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22673	N-A	N-A

**22674****Belden**

20 AWG triads stranded (7x28) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22674	N-A	N-A

**22675****Belden**

16 AWG triads stranded (7x24) tinned copper conductors; PVC insulation; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
22675	N-A	N-A

**22676****Belden**

20 AWG pairs stranded (7x28) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22676	N-A	N-A

**22677****Belden**

18 AWG triads stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22677	N-A	N-A

**22678****Belden**

18 AWG triads stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22678	N-A	N-A

**22679****Belden**

18 AWG triads stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22679	N-A	N-A

**22680****Belden**

18 AWG triads stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22680	N-A	N-A

**22681****Belden**

18 AWG triads stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22681	N-A	N-A

**22682****Belden**

18 AWG triads stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22682	N-A	N-A

**22683****Belden**

18 AWG triads stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22683	N-A	N-A

**22684****Belden**

18 AWG triads stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
22684	N-A	N-A

**22685****Belden**

16 AWG pairs stranded (7x24) tinned copper conductors; PVC insulation; individual Beldfoil 0.001 plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
22685	N-A	N-A

**22686****Belden**

16 AWG pairs stranded (7x24) tinned copper conductors; PVC insulation; individual Beldfoil 0.001 plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
22686	N-A	N-A

**22687****Belden**

16 AWG triads stranded (7x24) tinned copper conductors; PVC insulation; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
22687	N-A	N-A

22688 – 22688

**22688****Belden**

16 AWG triads stranded (7x24) tinned copper conductors; PVC insulation; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
22688	N-A	N-A

**B DROP WIRE CLAMP****Belden**

B DROP WIRE CLAMP

Part Number	Weight	Min. Quantity
23-44445	N-A	N-A

**22689****Belden**

16 AWG triads stranded (7x24) tinned copper conductors; PVC insulation; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
22689	N-A	N-A

**B DRP CLAMP (US WEST PKG)****Belden**

B DRP CLAMP (US WEST PKG)

Part Number	Weight	Min. Quantity
23-44454	N-A	N-A

**22690****Belden**

16 AWG triads stranded (7x24) tinned copper conductors; PVC insulation; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
22690	N-A	N-A

**B GROUND WIRE CLAMP 1/8****Belden**

B GROUND WIRE CLAMP 1/8

Part Number	Weight	Min. Quantity
23-80002	N-A	N-A

**B DROP ALUM COMM****Belden**

B DROP ALUM COMM

Part Number	Weight	Min. Quantity
23-44441	N-A	N-A

**2-3 PAIR TELEPHONE CABLE****Belden**

2-3 PAIR TELEPHONE CABLE

Part Number	Weight	Min. Quantity
23-80261	N-A	N-A

**B-DROP WIRE CLAMP ALUM(BELL)****Belden**

B-DROP WIRE CLAMP ALUM(BELL)

Part Number	Weight	Min. Quantity
23-44444	N-A	N-A

**6 PAIR S CLIP****Belden**

6 PAIR S CLIP

Part Number	Weight	Min. Quantity
23-80262	N-A	N-A

23-82350 – 6PR B DRP CLAMP DIMPLED 2/PK

E DROP WIRE CLAMP 1PR.

Belden

E DROP WIRE CLAMP 1PR.

Part Number	Weight	Min. Quantity
23-80361	N-A	N-A

CLMP 1 H OFFSET 5/32-7/32

Belden

CLMP 1 H OFFSET 5/32-7/32

Part Number	Weight	Min. Quantity
23-80403	N-A	N-A

A DROP WIRE CLAMP 1 PR.(SMALL)

Belden

A DROP WIRE CLAMP 1 PR.(SMALL)

Part Number	Weight	Min. Quantity
23-80362	N-A	N-A

CLMP 1 HOLE OFFSET 1/4-5/16

Belden

CLMP 1 HOLE OFFSET 1/4-5/16

Part Number	Weight	Min. Quantity
23-80405	N-A	N-A

EDROP CLAMP 50/BX(BELL) UM:PK

Belden

EDROP CLAMP 50/BX(BELL) UM:PK

Part Number	Weight	Min. Quantity
23-80363	N-A	N-A

CLMP 1 H OFFSET 5/16 -3/8

Belden

CLMP 1 H OFFSET 5/16 -3/8

Part Number	Weight	Min. Quantity
23-80406	N-A	N-A

S CLIP 1-2 PR TELEPHONE CABLE

Belden

S CLIP 1-2 PR TELEPHONE CABLE

Part Number	Weight	Min. Quantity
23-80366	N-A	N-A

CLAMP 1 H OFFSET 3/8-1/2'

Belden

CLAMP 1 H OFFSET 3/8-1/2'

Part Number	Weight	Min. Quantity
23-80407	N-A	N-A

LG 2PR E DROP WIRE CLAMP

Belden

LG 2PR E DROP WIRE CLAMP

Part Number	Weight	Min. Quantity
23-80370	N-A	N-A

6PR B DRP CLAMP DIMPLED 2/PK

Belden

6PR B DRP CLAMP DIMPLED 2/PK

Part Number	Weight	Min. Quantity
23-82350	N-A	N-A

23-82351 – 6PR B DROP CLMP DMPLD SHM

**6PR B DROP CLMP DMPLD SHM**

Belden

6PR B DROP CLMP DMPLD SHM

Part Number	Weight	Min. Quantity
23-82351	N-A	N-A

**HH 8 U 4 PR 24 SOLID DPC**

Belden

HH 8 U 4 PR 24 SOLID DPC

Part Number	Weight	Min. Quantity
23410013	N-A	N-A

**6PR E DROP WIRE CLAMP**

Belden

6PR E DROP WIRE CLAMP

Part Number	Weight	Min. Quantity
23-83361	N-A	N-A

**HH 12 U 4 PR 24 SOLID DP**

Belden

HH 12 U 4 PR 24 SOLID DP

Part Number	Weight	Min. Quantity
23410032	N-A	N-A

**SS B DROP WIRE CLAMP BULK**

Belden

SS B DROP WIRE CLAMP BULK

Part Number	Weight	Min. Quantity
23-88881	N-A	N-A

**HH 12 U 4 PR 24 SOLID DP**

Belden

HH 12 U 4 PR 24 SOLID DP

Part Number	Weight	Min. Quantity
23410033	N-A	N-A

**SS B DROP WIRE CLAMP**

Belden

SS B DROP WIRE CLAMP

Part Number	Weight	Min. Quantity
23-88885	N-A	N-A

**4 PR 24 SOLID (10FT) BLU**

Belden

4 PR 24 SOLID (10FT) BLU

Part Number	Weight	Min. Quantity
23418107	N-A	N-A

**SS B DROP WIRE CLAMP**

Belden

SS B DROP WIRE CLAMP

Part Number	Weight	Min. Quantity
23-88888	N-A	N-A

**4 PR 24 SOLID (25FT) BLU**

Belden

4 PR 24 SOLID (25FT) BLU

Part Number	Weight	Min. Quantity
23418257	N-A	N-A



23498505 – 4 PR 24 SOLID (50FT) GRE



4 PR 24 Solid (7FT) Green Modular C...

Belden

4 PR 24 SOLID (7FT) GRE

Part Number	Weight	Min. Quantity
23428077	N-A	N-A



4 PR 24 SOLID (15FT) GRE

Belden

4 PR 24 SOLID (15FT) GRE

Part Number	Weight	Min. Quantity
23498155	N-A	N-A



4 PR 24 Solid (10FT) Red Modular Co...

Belden

4 PR 24 SOLID (10FT) RED

Part Number	Weight	Min. Quantity
23438107	N-A	N-A



4 PR 24 SOLID (25FT) GRE

Belden

4 PR 24 SOLID (25FT) GRE

Part Number	Weight	Min. Quantity
23498255	N-A	N-A



4 PR 24 SOLID (7FT) GREY

Belden

4 PR 24 SOLID (7FT) GREY

Part Number	Weight	Min. Quantity
23498077	N-A	N-A



4 PR 24 SOLID (25FT) GRE

Belden

4 PR 24 SOLID (25FT) GRE

Part Number	Weight	Min. Quantity
23498257	N-A	N-A



4 PR 24 SOLID (10FT) GRE

Belden

4 PR 24 SOLID (10FT) GRE

Part Number	Weight	Min. Quantity
23498105	N-A	N-A



4 PR 24 SOLID (35FT) GRE

Belden

4 PR 24 SOLID (35FT) GRE

Part Number	Weight	Min. Quantity
23498355	N-A	N-A



4 PR 24 SOLID (10FT) GRE

Belden

4 PR 24 SOLID (10FT) GRE

Part Number	Weight	Min. Quantity
23498107	N-A	N-A



4 PR 24 SOLID (50FT) GRE

Belden

4 PR 24 SOLID (50FT) GRE

Part Number	Weight	Min. Quantity
23498505	N-A	N-A



23498507 – 4 PR 24 SOLID (50FT) GRE



4 PR 24 SOLID (50FT) GRE

Belden

4 PR 24 SOLID (50FT) GRE

Part Number	Weight	Min. Quantity
23498507	N-A	N-A



23503

Belden

20 AWG pairs stranded (7x28) tinned copper conductors; individual Beldfoil 0.001 plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
23503	N-A	N-A



4 PR 24 SOLID (100FT) GR

Belden

4 PR 24 SOLID (100FT) GR

Part Number	Weight	Min. Quantity
23498995	N-A	N-A



23505

Belden

18 AWG triads stranded (7x26) tinned copper conductors; individual Beldfoil 0.001 plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
23505	N-A	N-A



4 PR 24 Solid (100FT) Green Modular...

Belden

4 PR 24 SOLID (100FT) GR

Part Number	Weight	Min. Quantity
23498997	N-A	N-A



23506

Belden

20 AWG pairs stranded (7x28) tinned copper conductors; individual Beldfoil 0.001 plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
23506	N-A	N-A



23500

Belden

16 AWG pairs stranded (7x24) tinned copper conductors; individual Beldfoil 0.001 plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC inner jacket; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
23500	N-A	N-A



23507

Belden

16 AWG triads stranded (7x24) tinned copper conductors; individual Beldfoil 0.001 plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
23507	N-A	N-A



23501

Belden

16 AWG pairs stranded (7x24) tinned copper conductors; individual Beldfoil 0.001 plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC inner jacket; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
23501	N-A	N-A



23508

Belden

18 AWG triads stranded (7x26) tinned copper conductors; individual Beldfoil 0.001 plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
23508	N-A	N-A



23518047 – 4 PR 24 STRD (4FT) BLUE

**23509****Belden**

16 AWG pairs stranded (7x24) tinned copper conductors; individual Beldfoil shield plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC inner jacket; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
23509	N-A	N-A

**23510****Belden**

16 AWG pairs stranded (7x24) tinned copper conductors; individual Beldfoil shield plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC inner jacket; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
23510	N-A	N-A

**23511****Belden**

18 AWG pairs stranded (7x26) tinned copper conductors; individual Beldfoil shield plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
23511	N-A	N-A

**23512****Belden**

18 AWG triads stranded (7x26) tinned copper conductors; individual Beldfoil shield plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
23512	N-A	N-A

**23513****Belden**

20 AWG pairs stranded (7x28) tinned copper conductors; individual Beldfoil shield plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
23513	N-A	N-A

**23514****Belden**

20 AWG pairs stranded (7x28) tinned copper conductors; individual Beldfoil shield plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
23514	N-A	N-A

**23515****Belden**

18 AWG triads stranded (7x26) tinned copper conductors; individual Beldfoil shield plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
23515	N-A	N-A

**23516****Belden**

18 AWG triads stranded (7x26) tinned copper conductors; individual Beldfoil shield plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
23516	N-A	N-A

**4 PR 24 STRD (2FT) BLUE****Belden**

4 PR 24 STRD (2FT) BLUE

Part Number	Weight	Min. Quantity
23518027	N-A	N-A

**4 PR 24 STRD (4FT) BLUE****Belden**

4 PR 24 STRD (4FT) BLUE

Part Number	Weight	Min. Quantity
23518047	N-A	N-A

23518077 – 4 PR 24 STRD (7FT) BLUE



4 PR 24 STRD (7FT) BLUE

Belden

4 PR 24 STRD (7FT) BLUE

Part Number	Weight	Min. Quantity
23518077	N-A	N-A



23521

Belden

20 AWG pairs stranded (7x28) tinned copper conductors; individual Beldfoil 0.001 plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
23521	N-A	N-A



4 PR 24 STRD (10FT) BLUE

Belden

4 PR 24 STRD (10FT) BLUE

Part Number	Weight	Min. Quantity
23518107	N-A	N-A



23522

Belden

16 AWG triads stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC inner jacket; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
23522	N-A	N-A



4 PR 24 STRD (15FT) BLUE

Belden

4 PR 24 STRD (15FT) BLUE

Part Number	Weight	Min. Quantity
23518157	N-A	N-A



23523

Belden

18 AWG triads stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
23523	N-A	N-A



23519

Belden

18 AWG pairs stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
23519	N-A	N-A



23524

Belden

18 AWG pairs stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
23524	N-A	N-A



23520

Belden

16 AWG triads stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC inner jacket; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
23520	N-A	N-A




23525

Belden

16 AWG pairs stranded (7x24) tinned copper conductors; individual Beldfoil 0.001 plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC inner jacket; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
23525	N-A	N-A



**23526****Belden**

16 AWG triads stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC inner jacket; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
23526	N-A	N-A

**23527****Belden**

16 AWG pairs stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC inner jacket; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
23527	N-A	N-A

**23528****Belden**

18 AWG pairs stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
23528	N-A	N-A

**23529****Belden**

16 AWG triads stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC inner jacket; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
23529	N-A	N-A

**23530****Belden**

18 AWG pairs stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
23530	N-A	N-A

**23531****Belden**

18 AWG pairs stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
23531	N-A	N-A

**23532****Belden**

20 AWG pairs stranded (7x28) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
23532	N-A	N-A

**23533****Belden**

18 AWG pairs stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
23533	N-A	N-A

**23534****Belden**

20 AWG pairs stranded (7x28) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
23534	N-A	N-A

**23536****Belden**

18 AWG triads stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
23536	N-A	N-A

23537 – 23537

**23537****Belden**

18 AWG triads stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
23537	N-A	N-A

**23538****Belden**

16 AWG pairs stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC inner jacket; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
23538	N-A	N-A

**4 PR 24 STRD (4FT) Red Modular Cord****Belden**

4 PR 24 STRD (4FT) RED

Part Number	Weight	Min. Quantity
23538047	N-A	N-A

**4 PR 24 STRD (7FT) Red Modular Cord****Belden**

4 PR 24 STRD (7FT) RED

Part Number	Weight	Min. Quantity
23538077	N-A	N-A

**23539****Belden**

16 AWG pairs stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC inner jacket; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
23539	N-A	N-A

**23541****Belden**

16 AWG triads stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC inner jacket; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
23541	N-A	N-A

**23542****Belden**

18 AWG pairs stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
23542	N-A	N-A

**23543****Belden**


20 AWG pairs stranded (7x28) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
23543	N-A	N-A

**23544****Belden**

20 AWG pairs stranded (7x28) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
23544	N-A	N-A

**23545****Belden**

20 AWG triads stranded (7x28) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC insulation; PVC inner jacket; PVC outer jacket.

Part Number	Weight	Min. Quantity
23545	N-A	N-A



**23546****Belden**

20 AWG triads stranded (7x28) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC insulation; PVC inner jacket; PVC outer jacket.

Part Number	Weight	Min. Quantity
23546	N-A	N-A

**23547****Belden**

20 AWG triads stranded (7x28) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC insulation; PVC inner jacket; PVC outer jacket.

Part Number	Weight	Min. Quantity
23547	N-A	N-A

**23548****Belden**


20 AWG triads stranded (7x28) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC insulation; PVC inner jacket; PVC outer jacket.

Part Number	Weight	Min. Quantity
23548	N-A	N-A

4 PR 24 STRD (2FT) White Modular Co...**Belden**

4 PR 24 STRD (2FT) WHITE

Part Number	Weight	Min. Quantity
23548027	N-A	N-A

**23549****Belden**

20 AWG triads stranded (7x28) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC insulation; PVC inner jacket; PVC outer jacket.

Part Number	Weight	Min. Quantity
23549	N-A	N-A

**23550****Belden**

20 AWG triads stranded (7x28) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC insulation; PVC inner jacket; PVC outer jacket.

Part Number	Weight	Min. Quantity
23550	N-A	N-A

**23554****Belden**

18 AWG pairs stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
23554	N-A	N-A

**4 PR 24 STRD (5FT) Gray Modular Cor...****Belden**

4 PR 24 STRD (5FT) GREY

Part Number	Weight	Min. Quantity
23558059	N-A	N-A

**23567****Belden**

16 AWG triads stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC inner jacket; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
23567	N-A	N-A

**23568****Belden**

16 AWG pairs stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC inner jacket; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
23568	N-A	N-A

23568047 – 4 PR 24 STRD (4FT) Yellow Modular C...



4 PR 24 STRD (4FT) Yellow Modular C...

Belden

4 PR 24 STRD (4FT) YE

Part Number	Weight	Min. Quantity
23568047	N-A	N-A



23571

Belden

20 AWG triads stranded (7x28) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC insulation; PVC inner jacket; PVC outer jacket.

Part Number	Weight	Min. Quantity
23571	N-A	N-A



23575

Belden

20 AWG pairs stranded (7x28) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
23575	N-A	N-A



23578

Belden

16 AWG triads stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC inner jacket; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
23578	N-A	N-A



4 PR 24 STRD (2FT) GREY

Belden

4 PR 24 STRD (2FT) GREY

Part Number	Weight	Min. Quantity
23598027	N-A	N-A



4 PR 24 STRD (3FT) Gray Modular Cor...

Belden

4 PR 24 STRD (3FT) GREY

Part Number	Weight	Min. Quantity
23598037	N-A	N-A



4 PR 24 STRD (4FT) GREY

Belden

4 PR 24 STRD (4FT) GREY

Part Number	Weight	Min. Quantity
23598047	N-A	N-A



4 PR 24 STRD (7FT) GREY

Belden

4 PR 24 STRD (7FT) GREY

Part Number	Weight	Min. Quantity
23598074	N-A	N-A



4 PR 24 STRD (7FT) GREY

Belden

4 PR 24 STRD (7FT) GREY

Part Number	Weight	Min. Quantity
23598077	N-A	N-A



4 PR 24 STRD (10FT) Gray Modular Co...

Belden

4 PR 24 STRD (10FT) GREY

Part Number	Weight	Min. Quantity
23598100	N-A	N-A

23598667 – 4 PR 24 STRD (66FT) Gray Modular Co...

**4 PR 24 STRD (10FT) GREY**

Belden

4 PR 24 STRD (10FT) GREY

Part Number	Weight	Min. Quantity
23598107	N-A	N-A

**4 PR 24 STRD (25FT) GREY**

Belden

4 PR 24 STRD (25FT) GREY

Part Number	Weight	Min. Quantity
23598254	N-A	N-A

**4 PR 24 STRD (15FT) GREY**

Belden

4 PR 24 STRD (15FT) GREY

Part Number	Weight	Min. Quantity
23598154	N-A	N-A

**4 PR 24 STRD (25FT) GREY**

Belden

4 PR 24 STRD (25FT) GREY

Part Number	Weight	Min. Quantity
23598257	N-A	N-A

**4 PR 24 STRD (15FT) Gray Modular Co...**

Belden

4 PR 24 STRD (15FT) GREY

Part Number	Weight	Min. Quantity
23598155	N-A	N-A

**4 PR 24 STRD (35FT) GREY**

Belden

4 PR 24 STRD (35FT) GREY

Part Number	Weight	Min. Quantity
23598357	N-A	N-A

**4 PR 24 STRD (15FT) GREY**

Belden

4 PR 24 STRD (15FT) GREY

Part Number	Weight	Min. Quantity
23598157	N-A	N-A

**4 PR 24 STRD (50FT) GREY**

Belden

4 PR 24 STRD (50FT) GREY

Part Number	Weight	Min. Quantity
23598507	N-A	N-A

**4 PR 24 STRD (20FT) GREY**

Belden

4 PR 24 STRD (20FT) GREY

Part Number	Weight	Min. Quantity
23598207	N-A	N-A

**4 PR 24 STRD (66FT) Gray Modular Co...**

Belden

4 PR 24 STRD (66FT) GREY

Part Number	Weight	Min. Quantity
23598667	N-A	N-A

23598997 – 4 PR 24 STRD (100FT) Gray Modular C...



4 PR 24 STRD (100FT) Gray Modular C...

Belden

4 PR 24 STRD (100FT) GRE

Part Number	Weight	Min. Quantity
23598997	N-A	N-A



4P24 Gray Boot 150FT

Belden

4P24 GREY BOOT 150FT

Part Number	Weight	Min. Quantity
23898975	N-A	N-A



4P24 SOL DPCPS CMP 10FT

Belden

4P24 SOL DPCPS CMP 10FT

Part Number	Weight	Min. Quantity
23898105	N-A	N-A



1 HOLE CLAMP 3/16

Belden

1 HOLE CLAMP 3/16

Part Number	Weight	Min. Quantity
24-80003	N-A	N-A



4P24 DPC PS Gray Boot

Belden

4P24 DPC PS GREY BOOT

Part Number	Weight	Min. Quantity
23898945	N-A	N-A



CLAMP 1 HOLE STEEL 1/4

Belden

CLAMP 1 HOLE STEEL 1/4

Part Number	Weight	Min. Quantity
24-80004	N-A	N-A



4P24 DPC PS Gray Boot

Belden

4P24 DPC PS GREY BOOT

Part Number	Weight	Min. Quantity
23898955	N-A	N-A



CLAMP 1 HOLE STEEL 5/16

Belden

CLAMP 1 HOLE STEEL 5/16

Part Number	Weight	Min. Quantity
24-80005	N-A	N-A



4P24 Gray Boot 125FT

Belden

4P24 GREY BOOT 125FT

Part Number	Weight	Min. Quantity
23898965	N-A	N-A



1 HOLE CLAMP 3/8'

Belden

1 HOLE CLAMP 3/8'

Part Number	Weight	Min. Quantity
24-80006	N-A	N-A



24-80020 – CLAMP 1 HOLE STEEL 1-1/4'



CLAMP 1 HOLE STEEL 7/16'

Belden

CLAMP 1 HOLE STEEL 7/16'

Part Number	Weight	Min. Quantity
24-80007	N-A	N-A



1 HOLE CLAMP 3/4'

Belden

1 HOLE CLAMP 3/4'

Part Number	Weight	Min. Quantity
24-80012	N-A	N-A



1 HOLE CLAMP 1/2'

Belden

1 HOLE CLAMP 1/2'

Part Number	Weight	Min. Quantity
24-80008	N-A	N-A



CLAMP 1 HOLE STEEL 7/8

Belden

CLAMP 1 HOLE STEEL 7/8

Part Number	Weight	Min. Quantity
24-80014	N-A	N-A



CLAMP 1 HOLE STEEL 9/16'

Belden

CLAMP 1 HOLE STEEL 9/16'

Part Number	Weight	Min. Quantity
24-80009	N-A	N-A



CLAMP 1 HOLE STEEL 1'

Belden

CLAMP 1 HOLE STEEL 1'

Part Number	Weight	Min. Quantity
24-80016	N-A	N-A



1 HOLE CLAMP 5/8'

Belden

1 HOLE CLAMP 5/8'

Part Number	Weight	Min. Quantity
24-80010	N-A	N-A



CLAMP 1 HOLE STEEL 1-1/8'

Belden

CLAMP 1 HOLE STEEL 1-1/8'

Part Number	Weight	Min. Quantity
24-80018	N-A	N-A



CLAMP 1 HOLE STEEL 11/16'

Belden

CLAMP 1 HOLE STEEL 11/16'

Part Number	Weight	Min. Quantity
24-80011	N-A	N-A



CLAMP 1 HOLE STEEL 1-1/4'

Belden

CLAMP 1 HOLE STEEL 1-1/4'

Part Number	Weight	Min. Quantity
24-80020	N-A	N-A

24-88013 – SCREW&SNAP SERIES6 W/ 3/4 SCR



SCREW&SNAP SERIES6 W/ 3/4 SCR

Belden

SCREW&SNAP SERIES6 W/ 3/4 SCR

Part Number	Weight	Min. Quantity
24-88013	N-A	N-A



2412

Belden

23 AWG Solid Bare Copper Conductors; Polyolefin Insulation; Tape Separator; Ripcord; PVC Jacket.

Part Number	Weight	Min. Quantity
2412	N-A	N-A



SCREW&SNAP SERIES 59

Belden

SCREW&SNAP SERIES 59

Part Number	Weight	Min. Quantity
24-88014	N-A	N-A



CAT6+ 4PR U/UTP CMR RIB

Belden

Multi-Paired Cables 23AWG 4PR SOLID 1000ft SPOOL RED

Part Number	Weight	Min. Quantity
2412 002A1000	0.027	N-A



SCREW&SNAP 12-14

Belden

SCREW&SNAP 12-14

Part Number	Weight	Min. Quantity
24-88016	N-A	N-A



CAT6+ 4PR U/UTP CMR RIB

Belden

Multi-Paired Cables 23AWG 4PR SOLID 1000ft SPOOL ORANGE

Part Number	Weight	Min. Quantity
2412 003A1000	0.027	N-A



SCREW&SNAP SER 6Q

Belden

SCREW&SNAP SER 6Q

Part Number	Weight	Min. Quantity
24-88017	N-A	N-A



CAT6+ 4PR U/UTP CMR REEL

Belden

Multi-Paired Cables 23AWG 4PR UNSHLD 1000ft SPOOL YELLOW

Part Number	Weight	Min. Quantity
2412 0041000	0.024	N-A



SCREW&SNAP SERIES 11

Belden

SCREW&SNAP SERIES 11

Part Number	Weight	Min. Quantity
24-88027	N-A	N-A



CAT6+ 4PR U/UTP CMR REEL

Belden

Multi-Paired Cables 23AWG 4PR UNSHLD 2500ft SPOOL YELLOW

Part Number	Weight	Min. Quantity
2412 0042500	0.024	N-A

2412 0081000 – CAT6+ 4PR U/UTP CMR REEL

CAT6+ 4PR U/UTP CMR RIB



Belden

Multi-Paired Cables 23AWG 4PR SOLID 1000ft SPOOL YELLOW

Part Number	Weight	Min. Quantity
2412 004A1000	0.027	N-A

CAT6+ 4PR U/UTP CMR REEL



Belden

Multi-Paired Cables 23AWG 4PR UNSHLD 2500ft SPOOL LT BLUE

Part Number	Weight	Min. Quantity
2412 0062500	0.024	N-A

CAT6+ 4PR U/UTP CMR REEL




Belden

Multi-Paired Cables 23AWG 4PR UNSHLD 1000ft SPOOL DK GRN

Part Number	Weight	Min. Quantity
2412 0051000	0.024	N-A

CAT6+ 4PR U/UTP CMR RIB



Belden

Multi-Paired Cables 23AWG 4PR SOLID 1000ft SPOOL LT BLUE

Part Number	Weight	Min. Quantity
2412 006A1000	0.027	N-A

CAT6+ 4PR U/UTP CMR RIB




Belden

Multi-Paired Cables 23AWG 4PR UNSHLD 1000ft SPOOL DK GRN

Part Number	Weight	Min. Quantity
2412 005A1000	0.027	N-A

CAT6+ 4PR U/UTP CMR BOX



Belden

Multi-Paired Cables 23AWG 4PR SOLID 1000ft BOX LT BLUE

Part Number	Weight	Min. Quantity
2412 006U1000	0.023	N-A

CAT6+ 4PR U/UTP CMR REEL



Belden

Multi-Paired Cables 23AWG 4PR SOLID 1000ft SPOOL LT BLUE

Part Number	Weight	Min. Quantity
2412 0061000	0.024	N-A

CAT6+ 4PR U/UTP CMR RIB



Belden

Multi-Paired Cables 23AWG 4PR UNSHLD 1000ft SPOOL VIOLET

Part Number	Weight	Min. Quantity
2412 007A1000	0.027	N-A

CAT6+ 4PR U/UTP CMR REEL



Belden

Multi-Paired Cables 23AWG 4PR SOLID 1400SPOOL LT BLUE

Part Number	Weight	Min. Quantity
2412 0061400	N-A	N-A

CAT6+ 4PR U/UTP CMR REEL



Belden

Multi-Paired Cables 23AWG 4PR UNSHLD 1000ft SPOOL GRAY

Part Number	Weight	Min. Quantity
2412 0081000	0.024	N-A

2412 008A1000 – CAT6+ 4PR U/UTP CMR RIB

**CAT6+ 4PR U/UTP CMR RIB****Belden**

Multi-Paired Cables 23AWG 4PR UNSHLD 1000ft SPOOL GRAY

Part Number	Weight	Min. Quantity
2412 008A1000	0.027	N-A

**CAT6+ 4PR U/UTP CMR BOX****Belden**

Multi-Paired Cables 23AWG 4PR SOLID 1000ft BOX WHITE

Part Number	Weight	Min. Quantity
2412 009U1000	0.024	N-A

**CAT6+ 4PR U/UTP CMR BOX****Belden**

Multi-Paired Cables 23AWG 4PR SOLID 1000ft BOX GRAY

Part Number	Weight	Min. Quantity
2412 008U1000	0.024	N-A

**CAT6+ 4PR U/UTP CMR REEL****Belden**

Multi-Paired Cables 23AWG 4PR UNSHLD 1000ft SPOOL BLACK

Part Number	Weight	Min. Quantity
2412 0101000	0.024	N-A

**CAT6+ 4PR U/UTP CMR REEL****Belden**

Multi-Paired Cables 23AWG 4PR SOLID 1000ft SPOOL WHITE

Part Number	Weight	Min. Quantity
2412 0091000	0.024	N-A

**CAT6+ 4PR U/UTP CMR RIB****Belden**

Multi-Paired Cables 23AWG 4PR UNSHLD 1000ft SPOOL BLACK

Part Number	Weight	Min. Quantity
2412 010A1000	0.027	N-A

**CAT6+ 4PR U/UTP CMR REEL****Belden**

Multi-Paired Cables 23AWG 4PR UNSHLD 2500ft SPOOL WHITE

Part Number	Weight	Min. Quantity
2412 0092500	0.024	N-A

**CAT6+ 4PR U/UTP CMR BOX****Belden**

CAT6+ 4PR U/UTP CMR BOX

Part Number	Weight	Min. Quantity
2412 010U1000	N-A	N-A

**CAT6+ 4PR U/UTP CMR RIB****Belden**

Multi-Paired Cables 23AWG 4PR UNSHLD 1000ft SPOOL WHITE

Part Number	Weight	Min. Quantity
2412 009A1000	0.027	N-A

**2412F****Belden**

23 AWG Solid Bare Copper Conductors; Polyolefin Insulation; X-Spline Center Member; Inner Jacket; F/UTP Overall Foil Screen with Drain Wire; PVC Jacket.

Part Number	Weight	Min. Quantity
2412F	N-A	N-A

2413 002A1000 – CAT6+ 4PR U/UTP CMP RIB

**CAT6+ 4PR F/UTP CMR REEL**

Belden

CAT6+ 4PR F/UTP CMR REEL

Part Number	Weight	Min. Quantity
2412F 0021000	N-A	N-A

**CAT6+ 4PR F/UTP CMR REEL**

Belden

CAT6+ 4PR F/UTP CMR REEL

Part Number	Weight	Min. Quantity
2412F 0081000	N-A	N-A

**CAT6+ 4PR F/UTP CMR REEL**

Belden

CAT6+ 4PR F/UTP CMR REEL

Part Number	Weight	Min. Quantity
2412F 0031000	N-A	N-A

**CAT6+ 4PR F/UTP CMR REEL**

Belden

CAT6+ 4PR F/UTP CMR REEL

Part Number	Weight	Min. Quantity
2412F 0091000	N-A	N-A

**CAT6+ 4PR F/UTP CMR REEL**

Belden

CAT6+ 4PR F/UTP CMR REEL

Part Number	Weight	Min. Quantity
2412F 0041000	N-A	N-A

**CAT6+ 4PR F/UTP CMR REEL**

Belden

CAT6+ 4PR F/UTP CMR REEL

Part Number	Weight	Min. Quantity
2412F 0101000	N-A	N-A

**CAT6+ 4PR F/UTP CMR REEL**

Belden

CAT6+ 4PR F/UTP CMR REEL

Part Number	Weight	Min. Quantity
2412F 0051000	N-A	N-A

**2413**

Belden

23 AWG Solid Bare Copper Conductors; Dual FRPO/FEP Insulation; Tape Separator; Ripcord; Flamarrest 000 Jacket.

Part Number	Weight	Min. Quantity
2413	N-A	N-A

**CAT6+ 4PR F/UTP CMR REEL**

Belden

CAT6+ 4PR F/UTP CMR REEL

Part Number	Weight	Min. Quantity
2412F 0061000	N-A	N-A

**CAT6+ 4PR U/UTP CMP RIB**

Belden

Multi-Paired Cables 23AWG 4PR UNSHLD 1000ft SPOOL RED

Part Number	Weight	Min. Quantity
2413 002A1000	0.034	N-A



2413 0031000 – CAT6+ 4PR U/UTP CMP REEL

**CAT6+ 4PR U/UTP CMP REEL****Belden**

Multi-Paired Cables 23AWG 4PR UNSHLD 1000ft SPOOL ORANGE

Part Number	Weight	Min. Quantity
2413 0031000	0.032	N-A

**CAT6+ 4PR U/UTP CMP REEL****Belden**

Multi-Paired Cables 23AWG 4PR UNSHLD 1000ft SPOOL DK GRN

Part Number	Weight	Min. Quantity
2413 0051000	0.032	N-A

**CAT6+ 4PR U/UTP CMP RIB****Belden**

Multi-Paired Cables 23AWG 4PR UNSHLD 1000ft SPOOL ORANGE

Part Number	Weight	Min. Quantity
2413 003A1000	0.034	N-A

**CAT6+ 4PR U/UTP CMP REEL****Belden**

Multi-Paired Cables 23AWG 4PR UNSHLD 2500ft SPOOL DK GRN

Part Number	Weight	Min. Quantity
2413 0052500	0.03	N-A

**CAT6+ 4PR U/UTP CMP REEL****Belden**

Multi-Paired Cables 23AWG 4PR UNSHLD 1000ft SPOOL YELLOW

Part Number	Weight	Min. Quantity
2413 0041000	0.032	N-A

**CAT6+ 4PR U/UTP CMP RIB****Belden**

Multi-Paired Cables 23AWG 4PR UNSHLD 1000ft SPOOL DK GRN

Part Number	Weight	Min. Quantity
2413 005A1000	0.034	N-A

**CAT6+ 4PR U/UTP CMP REEL****Belden**

Multi-Paired Cables 23AWG 4PR UNSHLD 2500ft SPOOL YELLOW

Part Number	Weight	Min. Quantity
2413 0042500	N-A	N-A

**CAT6+ 4PR U/UTP CMP RIB****Belden**

Multi-Paired Cables 23AWG 4PR UNSHLD 1000ft SPOOLVIOLET

Part Number	Weight	Min. Quantity
2413 007A1000	0.034	N-A

**CAT6+ 4PR U/UTP CMP RIB****Belden**

Multi-Paired Cables 23AWG 4PR UNSHLD 1000ft SPOOL YELLOW


Part Number	Weight	Min. Quantity
2413 004A1000	0.034	N-A

**CAT6+ 4PR U/UTP CMP BOX****Belden**

CAT6+ 4PR U/UTP CMP BOX

Part Number	Weight	Min. Quantity
2413 007U1000	N-A	N-A

2413 010A1000 – CAT6+ 4PR U/UTP CMP RIB

**CAT6+ 4PR U/UTP CMP REEL****Belden**

Multi-Paired Cables 23AWG 4PR UNSHLD 1000ft SPOOL GRAY

Part Number	Weight	Min. Quantity
2413 0081000	0.032	N-A

**CAT6+ 4PR U/UTP CMP RIB****Belden**


Multi-Paired Cables 23AWG 4PR UNSHLD 1000ft SPOOL WHITE

Part Number	Weight	Min. Quantity
2413 009A1000	0.034	N-A

**CAT6+ 4PR U/UTP CMP RIB****Belden**

Multi-Paired Cables 23AWG 4PR UNSHLD 1000ft SPOOL GRAY

Part Number	Weight	Min. Quantity
2413 008A1000	0.034	N-A

**CAT6+ 4PR U/UTP CMP BOX****Belden**

Multi-Paired Cables 23AWG 4PR SOLID 1000ft BOX WHITE

Part Number	Weight	Min. Quantity
2413 009U1000	0.028	N-A

**CAT6+ 4PR U/UTP CMP BOX****Belden**

Multi-Paired Cables 23AWG 4PR SOLID 1000ft BOX GRAY

Part Number	Weight	Min. Quantity
2413 008U1000	0.028	N-A

**CAT6+ 4PR U/UTP CMP REEL****Belden**

Multi-Paired Cables 23AWG 4PR UNSHLD 1000ft SPOOL BLACK

Part Number	Weight	Min. Quantity
2413 0101000	0.032	N-A

**CAT6+ 4PR U/UTP CMP REEL****Belden**

Multi-Paired Cables 23AWG 4PR UNSHLD 1000ft SPOOL WHITE

Part Number	Weight	Min. Quantity
2413 0091000	0.032	N-A

**CAT6+ 4PR U/UTP CMP REEL****Belden**

Multi-Paired Cables 23AWG 4PR UNSHLD 2500ft SPOOL BLACK

Part Number	Weight	Min. Quantity
2413 0102500	0.03	N-A

**CAT6+ 4PR U/UTP CMP REEL****Belden**

Multi-Paired Cables 23AWG 4PR UNSHLD 2500ft SPOOL WHITE

Part Number	Weight	Min. Quantity
2413 0092500	0.03	N-A

**CAT6+ 4PR U/UTP CMP RIB****Belden**

Multi-Paired Cables 23AWG 4PR UNSHLD 1000ft SPOOL BLACK

Part Number	Weight	Min. Quantity
2413 010A1000	0.034	N-A

2413 010U1000 – CAT6+ 4PR U/UTP CMP BOX



CAT6+ 4PR U/UTP CMP BOX

Belden

CAT6+ 4PR U/UTP CMP BOX

Part Number	Weight	Min. Quantity
2413 010U1000	N-A	N-A



CAT6+ 4PR U/UTP CMP BOX

Belden

Multi-Paired Cables 23AWG 4PR SOLID 1000ft BOX BLUE

Part Number	Weight	Min. Quantity
2413 D15U1000	0.029	N-A



CAT6+ 4PR U/UTP CMP RIB

Belden

Multi-Paired Cables 23AWG 4PR UNSHLD 1000ft SPOOL PINK

Part Number	Weight	Min. Quantity
2413 012A1000	0.034	N-A



2413F

Belden

23 AWG Solid Bare Copper Conductors; Polyolefin Insulation; X-Spline Center Member ~ Inner Jacket ~ F/UTP Overall Foil Screen with Drain Wire; PVC Jacket.

Part Number	Weight	Min. Quantity
2413F	N-A	N-A



CAT6+ 4PR U/UTP CMP REEL

Belden

Multi-Paired Cables 23AWG 4PR UNSHLD 1000ft SPOOL BLUE

Part Number	Weight	Min. Quantity
2413 D151000	0.029	N-A



CAT6+ 4PR F/UTP CMP REEL

Belden

CAT6+ 4PR F/UTP CMP REEL

Part Number	Weight	Min. Quantity
2413F 0021000	N-A	N-A



CAT6+ 4PR U/UTP CMP REEL

Belden

Multi-Paired Cables 23AWG 4PR UNSHLD 2500ft SPOOL BLUE

Part Number	Weight	Min. Quantity
2413 D152500	0.027	N-A



CAT6+ 4PR F/UTP CMP REEL

Belden

CAT6+ 4PR F/UTP CMP REEL

Part Number	Weight	Min. Quantity
2413F 0031000	N-A	N-A



CAT6+ 4PR U/UTP CMP RIB

Belden

Multi-Paired Cables 23AWG 4PR UNSHLD 1000ft SPOOL BLUE

Part Number	Weight	Min. Quantity
2413 D15A1000	0.031	N-A



CAT6+ 4PR F/UTP CMP REEL

Belden

CAT6+ 4PR F/UTP CMP REEL

Part Number	Weight	Min. Quantity
2413F 0041000	N-A	N-A

2424 0061000 – CAT6+ 4PR U/UTP LSZH REEL

**CAT6+ 4PR F/UTP CMP REEL**

Belden

CAT6+ 4PR F/UTP CMP REEL

Part Number	Weight	Min. Quantity
2413F 0051000	N-A	N-A

**SOLID TOP FOR BSL**

Belden

SOLID TOP FOR BSL

Part Number	Weight	Min. Quantity
2418-TP-1-3	N-A	N-A

**CAT6+ 4PR F/UTP CMP REEL**

Belden

CAT6+ 4PR F/UTP CMP REEL

Part Number	Weight	Min. Quantity
2413F 0081000	N-A	N-A

**SOLID TOP W/10 DIAMETER**

Belden

SOLID TOP W/10 DIAMETER

Part Number	Weight	Min. Quantity
2418-TP-3-3	N-A	N-A

**CAT6+ 4PR F/UTP CMP REEL**

Belden

CAT6+ 4PR F/UTP CMP REEL

Part Number	Weight	Min. Quantity
2413F 0091000	N-A	N-A

**4 diameter fans black**

Belden

4 diameter fans black

Part Number	Weight	Min. Quantity
2418-TP-4-3	N-A	N-A

**CAT6+ 4PR F/UTP CMP REEL**

Belden

CAT6+ 4PR F/UTP CMP REEL

Part Number	Weight	Min. Quantity
2413F 0101000	N-A	N-A

**2424**

Belden

23 AWG Solid Bare Copper Conductors; Polyolefin Insulation; Twisted Pairs; Tape Separator; Ripcord; LSZH Jacket.

Part Number	Weight	Min. Quantity
2424	N-A	N-A

**CAT6+ 4PR F/UTP CMP REEL**

Belden

CAT6+ 4PR F/UTP CMP REEL

Part Number	Weight	Min. Quantity
2413F D151000	N-A	N-A

**CAT6+ 4PR U/UTP LSZH REEL**

Belden

CAT6+ 4PR U/UTP LSZH REEL

Part Number	Weight	Min. Quantity
2424 0061000	N-A	N-A



2424 0071000 – CAT6+ 4PR U/UTP LSZH REEL

**CAT6+ 4PR U/UTP LSZH REEL****Belden**

CAT6+ 4PR U/UTP LSZH REEL

Part Number	Weight	Min. Quantity
2424 0071000	N-A	N-A

**CAT6+ 4PR U/UTP LSZH REEL****Belden**

CAT6+ 4PR U/UTP LSZH REEL

Part Number	Weight	Min. Quantity
2424 0091000	N-A	N-A

**SOLID TOP FOR BUS; BUSD****Belden**

SOLID TOP FOR BUS; BUSD

Part Number	Weight	Min. Quantity
2430-TP-1-3	N-A	N-A

**2430-TP-6-3 PERFORATED****Belden**

2430-TP-6-3 PERFORATED

Part Number	Weight	Min. Quantity
2430-TP-6-3	N-A	N-A

**24500****Belden**

16 AWG pairs stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
24500	N-A	N-A

**24501****Belden**

16 AWG triads stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); interlocked armor; PVC insulation; PVC inner jacket; PVC outer jacket.

Part Number	Weight	Min. Quantity
24501	N-A	N-A

**24502****Belden**

16 AWG pairs stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
24502	N-A	N-A

**24503****Belden**

16 AWG pairs stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
24503	N-A	N-A

**24504****Belden**

16 AWG pairs stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
24504	N-A	N-A

**24505****Belden**

16 AWG pairs stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
24505	N-A	N-A



**24506****Belden**

16 AWG pairs stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
24506	N-A	N-A

**24507****Belden**

16 AWG triads stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); interlocked armor; PVC insulation; PVC inner jacket; PVC outer jacket.

Part Number	Weight	Min. Quantity
24507	N-A	N-A

**24508****Belden**

16 AWG triads stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); interlocked armor; PVC insulation; PVC inner jacket; PVC outer jacket.

Part Number	Weight	Min. Quantity
24508	N-A	N-A

**24509****Belden**

16 AWG triads stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); interlocked armor; PVC insulation; PVC inner jacket; PVC outer jacket.

Part Number	Weight	Min. Quantity
24509	N-A	N-A

**24510****Belden**

16 AWG pairs stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
24510	N-A	N-A

**24511****Belden**

18 AWG pairs stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
24511	N-A	N-A

**24512****Belden**

18 AWG pairs stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
24512	N-A	N-A

**24513****Belden**

18 AWG pairs stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
24513	N-A	N-A

**24514****Belden**

18 AWG pairs stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
24514	N-A	N-A

**24515****Belden**

18 AWG pairs stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
24515	N-A	N-A

24516 – 24516

**24516****Belden**

18 AWG triads stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
24516	N-A	N-A

**10GX12 4P23 CMR Gray****Belden**

10GX12 4P23 CMR GRY

Part Number	Weight	Min. Quantity
24816154H	N-A	N-A

**24517****Belden**

18 AWG triads stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
24517	N-A	N-A

**10GX12 4P23 CMR Gray****Belden**

10GX12 4P23 CMR GRY

Part Number	Weight	Min. Quantity
24816159H	N-A	N-A

**24518****Belden**

18 AWG triads stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
24518	N-A	N-A

**10GX12 4P23 CMR White****Belden**

10GX12 4P23 CMR WHT

Part Number	Weight	Min. Quantity
24816359H	N-A	N-A

**24519****Belden**

18 AWG triads stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
24519	N-A	N-A

**4PR23 CMR (10GX12 0062500) Enhanced...****Belden**

Color

Part Number	Weight	Min. Quantity
24816946H	40	N-A

**24520****Belden**

18 AWG pairs stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
24520	N-A	N-A

**4PR23 CMP (10GX13 0042500) Enhanced...****Belden**

Color

Part Number	Weight	Min. Quantity
24817763H	38	N-A

24920545 – D-INS CONN 25PR24 B25A 1



4PR23 CMP (10GX13 0041000) Enhanced...

Belden

Color

Part Number	Weight	Min. Quantity
24817795H	38	N-A



D-INS CONN 25PR24 A25B15

Belden

D-INS CONN 25PR24 A25B15

Part Number	Weight	Min. Quantity
24900655	N-A	N-A



4PR23 CMP (10GX13 D152500) Enhanced...

Belden

Color

Part Number	Weight	Min. Quantity
24817963H	95	N-A



D-INS CONN 25PR24 A25B22

Belden

D-INS CONN 25PR24 A25B22

Part Number	Weight	Min. Quantity
24900665	N-A	N-A



4PR23 LSOH (10GX24 0071000) Enhance...

Belden

4PR23 LSOH (10GX24 0071000) Enhanced Nonbonded-Pair Cable Multi-Conductor

Part Number	Weight	Min. Quantity
24818095	40	N-A



D-INS CONN 25PR24 A25B30

Belden

D-INS CONN 25PR24 A25B30

Part Number	Weight	Min. Quantity
24900685	N-A	N-A



A25B 3.0M Single End

Belden

A25B 3.0M SINGLE END

Part Number	Weight	Min. Quantity
24900565	N-A	N-A



D-INS Connector 25PR24 A25B53

Belden

D-INS CONN 25PR24 A25B53

Part Number	Weight	Min. Quantity
24900715	N-A	N-A



D-INS CONN 25PR24 A25B 7

Belden

D-INS CONN 25PR24 A25B 7

Part Number	Weight	Min. Quantity
24900605	N-A	N-A



D-INS CONN 25PR24 B25A 1

Belden

D-INS CONN 25PR24 B25A 1

Part Number	Weight	Min. Quantity
24920545	N-A	N-A

24920580 – D-INS CONN 25PR24 B25A 4

**D-INS CONN 25PR24 B25A 4**

Belden

D-INS CONN 25PR24 B25A 4

Part Number	Weight	Min. Quantity
24920580	N-A	N-A

**CLAMP 2 HOLE 5/8'**

Belden

CLAMP 2 HOLE 5/8'

Part Number	Weight	Min. Quantity
25-80100	N-A	N-A

**D-INS CONN 25PR24 B25A 9**

Belden

D-INS CONN 25PR24 B25A 9

Part Number	Weight	Min. Quantity
24920625	N-A	N-A

**CLAMP 2 HOLE 11/16**

Belden

CLAMP 2 HOLE 11/16

Part Number	Weight	Min. Quantity
25-80110	N-A	N-A

**D-INS Connector 25PR24 A25D15**

Belden

D-INS CONN 25PR24 A25D15

Part Number	Weight	Min. Quantity
24920940	N-A	N-A

**CLAMP 2 HOLE 3/4**

Belden

CLAMP 2 HOLE 3/4

Part Number	Weight	Min. Quantity
25-80120	N-A	N-A

**D-INS CONN 100PR24 A100C**

Belden

D-INS CONN 100PR24 A100C

Part Number	Weight	Min. Quantity
24930625	N-A	N-A

**CLAMP 2 HOLE 7/8'**

Belden

CLAMP 2 HOLE 7/8'

Part Number	Weight	Min. Quantity
25-80140	N-A	N-A

**CLAMP 2 HOLE 7/16**

Belden

CLAMP 2 HOLE 7/16

Part Number	Weight	Min. Quantity
25-80070	N-A	N-A

**CLAMP 2 HOLE 1**

Belden

CLAMP 2 HOLE 1

Part Number	Weight	Min. Quantity
25-80160	N-A	N-A



25-80902 – TWO HOLE STRAP ?9

**CLAMP 2 HOLE 1-1/8'**

Belden

CLAMP 2 HOLE 1-1/8'

Part Number	Weight	Min. Quantity
25-80180	N-A	N-A

**CLAMP 2 HOLE 2-1/4'**

Belden

CLAMP 2 HOLE 2-1/4'

Part Number	Weight	Min. Quantity
25-80360	N-A	N-A

**CLAMP 2 HOLE 1-1/4'**

Belden

CLAMP 2 HOLE 1-1/4'

Part Number	Weight	Min. Quantity
25-80200	N-A	N-A

**CLAMP 2 HOLE 2-1/2'**

Belden

CLAMP 2 HOLE 2-1/2'

Part Number	Weight	Min. Quantity
25-80400	N-A	N-A

**CLAMP 2 HOLE-1 1/2**

Belden

CLAMP 2 HOLE-1 1/2

Part Number	Weight	Min. Quantity
25-80240	N-A	N-A

**STRAP 2 HOLE 2-5/8'**

Belden

STRAP 2 HOLE 2-5/8'

Part Number	Weight	Min. Quantity
25-80420	N-A	N-A

**CLAMP 2 HOLE 1-5/8'**

Belden

CLAMP 2 HOLE 1-5/8'

Part Number	Weight	Min. Quantity
25-80260	N-A	N-A

**STRAP 2 HOLE 3-1/2'**

Belden

STRAP 2 HOLE 3-1/2'

Part Number	Weight	Min. Quantity
25-80560	N-A	N-A

**CLAMP 2 HOLE 1-7/8**

Belden

CLAMP 2 HOLE 1-7/8

Part Number	Weight	Min. Quantity
25-80300	N-A	N-A

**TWO HOLE STRAP ?9**

Belden

TWO HOLE STRAP ?9

Part Number	Weight	Min. Quantity
25-80902	N-A	N-A

25-81102 – STRAP 2H 11/16 SIZE ?11

**STRAP 2H 11/16 SIZE ?11**

Belden

STRAP 2H 11/16 SIZE 0011

Part Number	Weight	Min. Quantity
25-81102	N-A	N-A

**STRAP 2 HOLE ?42**

Belden

STRAP 2 HOLE 0042

Part Number	Weight	Min. Quantity
25-84292	N-A	N-A

**TWO HOLE STRAP #20**

Belden

TWO HOLE STRAP #20

Part Number	Weight	Min. Quantity
25-82002	N-A	N-A

**STRAP 2H 3-1/2' SIZE #56**

Belden

STRAP 2H 3-1/2' SIZE #56

Part Number	Weight	Min. Quantity
25-85602	N-A	N-A

**STRAP 2 HOLE ?20**

Belden

STRAP 2 HOLE 0020

Part Number	Weight	Min. Quantity
25-82092	N-A	N-A

**25000UE**

Belden

12 AWG stranded (19x25) bare copper conductors; PVC insulation; PVC jacket with ripcord; interlocking aluminum armor.

Part Number	Weight	Min. Quantity
25000UE	N-A	N-A

**TWO HOLE STRAP #24**

Belden

TWO HOLE STRAP #24

Part Number	Weight	Min. Quantity
25-82402	N-A	N-A

**5000Ue Aluminum Armor; Multi-Conduc...**

Belden

12 AWG stranded (19x25) bare copper conductors; PVC insulation; PVC jacket with ripcord; interlocking aluminum armor.

Part Number	Weight	Min. Quantity
25000UE 0001000	N-A	N-A

**TWO HOLE STRAP #42 2-5/8**

Belden

TWO HOLE STRAP #42 2-5/8

Part Number	Weight	Min. Quantity
25-84202	N-A	N-A

**COMPOSITE CABLE ALUM ARMOR**

Belden

COMPOSITE CABLE ALUM ARMOR

Part Number	Weight	Min. Quantity
2505PTZ 0001000	N-A	N-A

**5100Ue Aluminum Armor; Multi-Conduc...****Belden**

Color: NONE

Part Number	Weight	Min. Quantity
25100UE 0001000	N-A	N-A

**5339Q5 ALUMINUM ARMOR****Belden**

5339Q5 ALUMINUM ARMOR

Part Number	Weight	Min. Quantity
25339Q5 0001000	N-A	N-A

**25200UE ALUM ARMOR****Belden**

25200UE ALUM ARMOR

Part Number	Weight	Min. Quantity
25200UE 0001000	N-A	N-A

**25500****Belden**

18 AWG triads stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
25500	N-A	N-A

**5302UE ALUMINUM ARMOR****Belden**

5302UE ALUMINUM ARMOR

Part Number	Weight	Min. Quantity
25302UE 0001000	N-A	N-A

**25501****Belden**

18 AWG pairs stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
25501	N-A	N-A

**5304FE ALUM ARMOR****Belden**

5304FE ALUM ARMOR

Part Number	Weight	Min. Quantity
25304FE 0001000	N-A	N-A

**25502****Belden**

16 AWG triads stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); interlocked armor; PVC insulation; PVC inner jacket; PVC outer jacket.

Part Number	Weight	Min. Quantity
25502	N-A	N-A

**5306Ue Aluminum Armor; Multi-Conduc...****Belden**

Color: NONE

Part Number	Weight	Min. Quantity
25306UE 0001000	N-A	N-A

**25503****Belden**

18 AWG pairs stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
25503	N-A	N-A



25504 – 25504

**25504****Belden**

16 AWG pairs stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
25504	N-A	N-A

**25505****Belden**

18 AWG pairs stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
25505	N-A	N-A

**25506****Belden**

18 AWG pairs stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
25506	N-A	N-A

**25507****Belden**

16 AWG triads stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); interlocked armor; PVC insulation; PVC inner jacket; PVC outer jacket.

Part Number	Weight	Min. Quantity
25507	N-A	N-A

**25508****Belden**

16 AWG triads stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); interlocked armor; PVC insulation; PVC inner jacket; PVC outer jacket.

Part Number	Weight	Min. Quantity
25508	N-A	N-A

**25509****Belden**

16 AWG triads stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); interlocked armor; PVC insulation; PVC inner jacket; PVC outer jacket.

Part Number	Weight	Min. Quantity
25509	N-A	N-A

**25510****Belden**

16 AWG pairs stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
25510	N-A	N-A

**25511****Belden**

16 AWG pairs stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
25511	N-A	N-A

**25512****Belden**

16 AWG pairs stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
25512	N-A	N-A

**25513****Belden**

16 AWG pairs stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
25513	N-A	N-A

26-09020 – E CABLE LASHING CLAMP

**25514****Belden**

18 AWG pairs stranded (7x26) tinned copper conductors; individual Beldfoil shield plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
25514	N-A	N-A

**25517****Belden**

18 AWG pairs stranded (7x26) tinned copper conductors; individual Beldfoil shield plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
25517	N-A	N-A

**25518****Belden**

16 AWG pairs stranded (7x24) tinned copper conductors; individual Beldfoil shield plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
25518	N-A	N-A

**25519****Belden**

16 AWG pairs stranded (7x24) tinned copper conductors; individual Beldfoil shield plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
25519	N-A	N-A

**25520****Belden**

18 AWG triads stranded (7x26) tinned copper conductors; individual Beldfoil shield plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
25520	N-A	N-A

**25522****Belden**

18 AWG triads stranded (7x26) tinned copper conductors; individual Beldfoil shield plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
25522	N-A	N-A

**25523****Belden**

18 AWG triads stranded (7x26) tinned copper conductors; individual Beldfoil shield plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
25523	N-A	N-A

**D CABLE LASHING CLAMP****Belden****D CABLE LASHING CLAMP**

Part Number	Weight	Min. Quantity
26-09010	N-A	N-A

**DCABLE LASH CLAMP 1SIDE STAKED****Belden****DCABLE LASH CLAMP 1SIDE STAKED**

Part Number	Weight	Min. Quantity
26-09010NS	N-A	N-A

**E CABLE LASHING CLAMP****Belden****E CABLE LASHING CLAMP**

Part Number	Weight	Min. Quantity
26-09020	N-A	N-A

26-09022 – E LSH PLTS W/2 WASH;2 NUT

**E LSH PLTS W/2 WASH;2 NUT****Belden**

E LSH PLTS W/2 WASH;2 NUT

Part Number	Weight	Min. Quantity
26-09022	N-A	N-A

**26504****Belden**

16 AWG pairs stranded (7x24) tinned copper conductors; individual Beldfoil shield plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC inner jacket; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
26504	N-A	N-A

26500**Belden**

16 AWG pairs stranded (7x24) tinned copper conductors; individual Beldfoil shield plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC inner jacket; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
26500	N-A	N-A

**26505****Belden**

16 AWG pairs stranded (7x24) tinned copper conductors; individual Beldfoil shield plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC inner jacket; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
26505	N-A	N-A

**26501****Belden**

16 AWG pairs stranded (7x24) tinned copper conductors; individual Beldfoil shield plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC inner jacket; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
26501	N-A	N-A

**26506****Belden**

16 AWG pairs stranded (7x24) tinned copper conductors; individual Beldfoil shield plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC inner jacket; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
26506	N-A	N-A

**26502****Belden**

16 AWG triads stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC inner jacket; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
26502	N-A	N-A

**26507****Belden**

16 AWG pairs stranded (7x24) tinned copper conductors; individual Beldfoil shield plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC inner jacket; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
26507	N-A	N-A

**26503****Belden**

16 AWG pairs stranded (7x24) tinned copper conductors; individual Beldfoil shield plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC inner jacket; interlocked armor; PVC outer jacket.


Part Number	Weight	Min. Quantity
26503	N-A	N-A

**26508****Belden**

16 AWG pairs stranded (7x24) tinned copper conductors; individual Beldfoil shield plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC inner jacket; interlocked armor; PVC outer jacket.


Part Number	Weight	Min. Quantity
26508	N-A	N-A



**26509****Belden**

16 AWG triads stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC inner jacket; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
26509	N-A	N-A

**26510****Belden**

16 AWG triads stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC inner jacket; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
26510	N-A	N-A

**26511****Belden**

16 AWG triads stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC inner jacket; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
26511	N-A	N-A

**26512****Belden**

16 AWG triads stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC inner jacket; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
26512	N-A	N-A

**26513****Belden**

16 AWG triads stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); PVC insulation; PVC inner jacket; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
26513	N-A	N-A

**26514****Belden**

18 AWG pairs stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
26514	N-A	N-A

**26515****Belden**

18 AWG pairs stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
26515	N-A	N-A

**26516****Belden**

18 AWG pairs stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
26516	N-A	N-A

**26517****Belden**

18 AWG pairs stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
26517	N-A	N-A

**26518****Belden**

18 AWG pairs stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
26518	N-A	N-A

26519 – 26519

**26519****Belden**

18 AWG pairs stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
26519	N-A	N-A

**26520****Belden**

18 AWG pairs stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
26520	N-A	N-A

**26521****Belden**

18 AWG pairs stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
26521	N-A	N-A

**26522****Belden**

18 AWG triads stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
26522	N-A	N-A

**26523****Belden**

18 AWG triads stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
26523	N-A	N-A

**26524****Belden**

18 AWG triads stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
26524	N-A	N-A

**26525****Belden**

18 AWG triads stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
26525	N-A	N-A

**26526****Belden**

18 AWG triads stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
26526	N-A	N-A

**26527****Belden**

18 AWG triads stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
26527	N-A	N-A

**26528****Belden**

18 AWG triads stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
26528	N-A	N-A

**26529****Belden**

18 AWG triads stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
26529	N-A	N-A

**26534****Belden**

20 AWG pairs stranded (7x28) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
26534	N-A	N-A

**26530****Belden**

20 AWG pairs stranded (7x28) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
26530	N-A	N-A

**26535****Belden**

20 AWG pairs stranded (7x28) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
26535	N-A	N-A

**26531****Belden**

20 AWG pairs stranded (7x28) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
26531	N-A	N-A

**26536****Belden**

20 AWG pairs stranded (7x28) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
26536	N-A	N-A

**26532****Belden**

20 AWG pairs stranded (7x28) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
26532	N-A	N-A

**26537****Belden**

20 AWG pairs stranded (7x28) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
26537	N-A	N-A

**26533****Belden**

20 AWG pairs stranded (7x28) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
26533	N-A	N-A

**26538****Belden**

20 AWG pairs stranded (7x28) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
26538	N-A	N-A

26539 – 26539

**26539****Belden**

20 AWG triads stranded (7x28) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC insulation; PVC inner jacket; PVC outer jacket.

Part Number	Weight	Min. Quantity
26539	N-A	N-A

**26540****Belden**

20 AWG triads stranded (7x28) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC insulation; PVC inner jacket; PVC outer jacket.

Part Number	Weight	Min. Quantity
26540	N-A	N-A

**26541****Belden**

20 AWG triads stranded (7x28) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC insulation; PVC inner jacket; PVC outer jacket.

Part Number	Weight	Min. Quantity
26541	N-A	N-A

**26542****Belden**

20 AWG triads stranded (7x28) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC insulation; PVC inner jacket; PVC outer jacket.

Part Number	Weight	Min. Quantity
26542	N-A	N-A

**26543****Belden**

20 AWG triads stranded (7x28) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC insulation; PVC inner jacket; PVC outer jacket.

Part Number	Weight	Min. Quantity
26543	N-A	N-A

**26544****Belden**

20 AWG triads stranded (7x28) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC insulation; PVC inner jacket; PVC outer jacket.

Part Number	Weight	Min. Quantity
26544	N-A	N-A

**26545****Belden**

16 AWG triads stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC insulation; PVC inner jacket; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
26545	N-A	N-A

**26546****Belden**

20 AWG pairs stranded (7x28) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC insulation; PVC inner jacket; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
26546	N-A	N-A

**26547****Belden**

16 AWG triads stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC insulation; PVC inner jacket; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
26547	N-A	N-A

**26551****Belden**

16 AWG pairs stranded (7x24) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC insulation; PVC inner jacket; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
26551	N-A	N-A

**26553****Belden**

20 AWG triads stranded (7x28) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC insulation; PVC inner jacket; PVC outer jacket.

Part Number	Weight	Min. Quantity
26553	N-A	N-A

**26555****Belden**

18 AWG pairs stranded (7x26) tinned copper conductors; individual Beldfoil plus a polyester isolation tape; PVC insulation; PVC inner jacket; overall Beldfoil shield (100% coverage); drain wires; interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
26555	N-A	N-A

**Q SPAN CLAMP****Belden****Q SPAN CLAMP**

Part Number	Weight	Min. Quantity
27-00185	N-A	N-A

**O SPAN CLAMP****Belden****O SPAN CLAMP**

Part Number	Weight	Min. Quantity
27-00860	N-A	N-A

**E SPAN CLAMP****Belden****E SPAN CLAMP**

Part Number	Weight	Min. Quantity
27-00865	N-A	N-A

**C SPAN CLAMP****Belden****C SPAN CLAMP**

Part Number	Weight	Min. Quantity
27-00869	N-A	N-A

**27000****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27000	N-A	N-A


**27001****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27001	N-A	N-A

**Q SPAN CLAMP FOR LATIN AERICAN****Belden****Q SPAN CLAMP FOR LATIN AERICAN**

Part Number	Weight	Min. Quantity
2700185-LA	N-A	N-A

**27002****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.


Part Number	Weight	Min. Quantity
27002	N-A	N-A

27003 – 27003

**27003****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27003	N-A	N-A

**27004****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27004	N-A	N-A

**27005****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27005	N-A	N-A

**27006****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27006	N-A	N-A

**27007****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27007	N-A	N-A

**27008****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27008	N-A	N-A

**27009****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27009	N-A	N-A

**27010****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27010	N-A	N-A

**27011****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27011	N-A	N-A

**27012****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27012	N-A	N-A

**27013****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27013	N-A	N-A

**27014****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27014	N-A	N-A

**27015****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27015	N-A	N-A

**27016****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27016	N-A	N-A

**27017****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27017	N-A	N-A

**27018****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27018	N-A	N-A

**27019****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27019	N-A	N-A

**27020****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27020	N-A	N-A

**27021****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27021	N-A	N-A

**27022****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27022	N-A	N-A

27023 – 27023

**27023****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27023	N-A	N-A

**27024****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27024	N-A	N-A

**27025****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27025	N-A	N-A

**27026****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27026	N-A	N-A

**27027****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27027	N-A	N-A

**27028****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27028	N-A	N-A

**27029****Belden**

12 AWG stranded (7x20) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27029	N-A	N-A

**27030****Belden**

12 AWG stranded (7x20) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27030	N-A	N-A

**27031****Belden**

12 AWG stranded (7x20) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27031	N-A	N-A

**27032****Belden**

12 AWG stranded (7x20) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27032	N-A	N-A

**27033****Belden**

12 AWG stranded (7x20) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27033	N-A	N-A

**27038****Belden**

12 AWG stranded (7x20) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27038	N-A	N-A

**27034****Belden**

12 AWG stranded (7x20) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27034	N-A	N-A

**27039****Belden**

12 AWG stranded (7x20) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27039	N-A	N-A

**27035****Belden**

12 AWG stranded (7x20) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27035	N-A	N-A

**27040****Belden**

12 AWG stranded (7x20) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27040	N-A	N-A

**27036****Belden**

12 AWG stranded (7x20) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27036	N-A	N-A

**27041****Belden**

12 AWG stranded (7x20) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27041	N-A	N-A

**27037****Belden**

12 AWG stranded (7x20) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27037	N-A	N-A

**27042****Belden**

12 AWG stranded (7x20) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27042	N-A	N-A

27043 – 27043

**27043****Belden**

12 AWG stranded (7x20) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27043	N-A	N-A

**27044****Belden**

12 AWG stranded (7x20) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27044	N-A	N-A

**27045****Belden**

12 AWG stranded (7x20) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27045	N-A	N-A

**27046****Belden**

12 AWG stranded (7x20) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27046	N-A	N-A

**27047****Belden**

12 AWG stranded (7x20) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27047	N-A	N-A

**27048****Belden**

12 AWG stranded (7x20) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27048	N-A	N-A

**27049****Belden**

12 AWG stranded (7x20) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27049	N-A	N-A

**27050****Belden**

12 AWG stranded (7x20) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27050	N-A	N-A

**27051****Belden**

12 AWG stranded (7x20) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27051	N-A	N-A

**27052****Belden**

12 AWG stranded (7x20) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27052	N-A	N-A

**27053****Belden**

12 AWG stranded (7x20) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27053	N-A	N-A

**27054****Belden**

12 AWG stranded (7x20) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27054	N-A	N-A

**27055****Belden**

12 AWG stranded (7x20) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27055	N-A	N-A

**27056****Belden**

12 AWG stranded (7x20) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27056	N-A	N-A

**27057****Belden**

12 AWG stranded (7x20) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27057	N-A	N-A

**27058****Belden**

10 AWG stranded (7x18) bare copper conductors; separator tape; cross-linked polyethylene insulation; 12 AWG bare copper ground wire; PVC jacket.

Part Number	Weight	Min. Quantity
27058	N-A	N-A

**27059****Belden**

10 AWG stranded (7x18) bare copper conductors; separator tape; cross-linked polyethylene insulation; 12 AWG bare copper ground wire; PVC jacket.

Part Number	Weight	Min. Quantity
27059	N-A	N-A

**27060****Belden**

10 AWG stranded (7x18) bare copper conductors; separator tape; cross-linked polyethylene insulation; 12 AWG bare copper ground wire; PVC jacket.

Part Number	Weight	Min. Quantity
27060	N-A	N-A

**27061****Belden**

10 AWG stranded (7x18) bare copper conductors; separator tape; cross-linked polyethylene insulation; 12 AWG bare copper ground wire; PVC jacket.

Part Number	Weight	Min. Quantity
27061	N-A	N-A

**27062****Belden**

10 AWG stranded (7x18) bare copper conductors; separator tape; cross-linked polyethylene insulation; 12 AWG bare copper ground wire; PVC jacket.

Part Number	Weight	Min. Quantity
27062	N-A	N-A

27063 – 27063

**27063****Belden**

10 AWG stranded (7x18) bare copper conductors; separator tape; cross-linked polyethylene insulation; 12 AWG bare copper ground wire; PVC jacket.

Part Number	Weight	Min. Quantity
27063	N-A	N-A

**27064****Belden**

10 AWG stranded (7x18) bare copper conductors; separator tape; cross-linked polyethylene insulation; 12 AWG bare copper ground wire; PVC jacket.

Part Number	Weight	Min. Quantity
27064	N-A	N-A

**27065****Belden**

10 AWG stranded (7x18) bare copper conductors; separator tape; cross-linked polyethylene insulation; 12 AWG bare copper ground wire; PVC jacket.

Part Number	Weight	Min. Quantity
27065	N-A	N-A

**27066****Belden**

10 AWG stranded (7x18) bare copper conductors; separator tape; cross-linked polyethylene insulation; 12 AWG bare copper ground wire; PVC jacket.

Part Number	Weight	Min. Quantity
27066	N-A	N-A

**27067****Belden**

10 AWG stranded (7x18) bare copper conductors; separator tape; cross-linked polyethylene insulation; 12 AWG bare copper ground wire; PVC jacket.

Part Number	Weight	Min. Quantity
27067	N-A	N-A

**27068****Belden**

10 AWG stranded (7x18) bare copper conductors; separator tape; cross-linked polyethylene insulation; 12 AWG bare copper ground wire; PVC jacket.

Part Number	Weight	Min. Quantity
27068	N-A	N-A

**27069****Belden**

10 AWG stranded (7x18) bare copper conductors; separator tape; cross-linked polyethylene insulation; 12 AWG bare copper ground wire; PVC jacket.

Part Number	Weight	Min. Quantity
27069	N-A	N-A

**27070****Belden**

10 AWG stranded (7x18) bare copper conductors; separator tape; cross-linked polyethylene insulation; 12 AWG bare copper ground wire; PVC jacket.

Part Number	Weight	Min. Quantity
27070	N-A	N-A

**27071****Belden**

10 AWG stranded (7x18) bare copper conductors; separator tape; cross-linked polyethylene insulation; 12 AWG bare copper ground wire; PVC jacket.

Part Number	Weight	Min. Quantity
27071	N-A	N-A

**27072****Belden**

10 AWG stranded (7x18) bare copper conductors; separator tape; cross-linked polyethylene insulation; 12 AWG bare copper ground wire; PVC jacket.

Part Number	Weight	Min. Quantity
27072	N-A	N-A

**27073****Belden**

10 AWG stranded (7x18) bare copper conductors; separator tape; cross-linked polyethylene insulation; 12 AWG bare copper ground wire; PVC jacket.

Part Number	Weight	Min. Quantity
27073	N-A	N-A

**27074****Belden**

10 AWG stranded (7x18) bare copper conductors; separator tape; cross-linked polyethylene insulation; 12 AWG bare copper ground wire; PVC jacket.

Part Number	Weight	Min. Quantity
27074	N-A	N-A

**27075****Belden**

10 AWG stranded (7x18) bare copper conductors; separator tape; cross-linked polyethylene insulation; 12 AWG bare copper ground wire; PVC jacket.

Part Number	Weight	Min. Quantity
27075	N-A	N-A

**27076****Belden**

10 AWG stranded (7x18) bare copper conductors; separator tape; cross-linked polyethylene insulation; 12 AWG bare copper ground wire; PVC jacket.

Part Number	Weight	Min. Quantity
27076	N-A	N-A

**27077****Belden**

8 AWG stranded (7x16) bare copper conductors; separator tape; cross-linked polyethylene insulation; 10 AWG bare copper ground wire; PVC jacket.

Part Number	Weight	Min. Quantity
27077	N-A	N-A

**27078****Belden**

8 AWG stranded (7x16) bare copper conductors; separator tape; cross-linked polyethylene insulation; 10 AWG bare copper ground wire; PVC jacket.

Part Number	Weight	Min. Quantity
27078	N-A	N-A

**27079****Belden**

8 AWG stranded (7x16) bare copper conductors; separator tape; cross-linked polyethylene insulation; 10 AWG bare copper ground wire; PVC jacket.

Part Number	Weight	Min. Quantity
27079	N-A	N-A

**27080A****Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27080A	N-A	N-A

**27081A****Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27081A	N-A	N-A

**27081AS****Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; overall Beldfoil 0.001 inch shield (100%#37; coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
27081AS	N-A	N-A

27082A – 27082A

27082A**Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27082A	N-A	N-A

27086A**Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27086A	N-A	N-A

27082AS**Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; overall Beldfoil shield (100%#37; coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
27082AS	N-A	N-A

27087A**Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27087A	N-A	N-A

27083A**Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27083A	N-A	N-A

27088A**Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27088A	N-A	N-A

27084A**Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27084A	N-A	N-A

27089A**Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27089A	N-A	N-A

27085A**Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27085A	N-A	N-A

27090A**Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27090A	N-A	N-A

**27091A****Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27091A	N-A	N-A

**27096A****Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27096A	N-A	N-A

**27092A****Belden**

14 AWG stranded (7x22) bare copper; multi-conductor; PVC/Nylon insulated; PVC jacket.

Part Number	Weight	Min. Quantity
27092A	N-A	N-A

**27097A****Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27097A	N-A	N-A

**27093A****Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27093A	N-A	N-A

**27098A****Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27098A	N-A	N-A

**27094A****Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27094A	N-A	N-A

**27099A****Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27099A	N-A	N-A

**27095A****Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27095A	N-A	N-A

**27100A****Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27100A	N-A	N-A

27101A – 27101A

**27101A****Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27101A	N-A	N-A

**27106A****Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27106A	N-A	N-A

**27102A****Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27102A	N-A	N-A

**27107A****Belden**

14 AWG stranded (7x22) bare copper; multi-conductor; PVC/Nylon insulated; PVC jacket.

Part Number	Weight	Min. Quantity
27107A	N-A	N-A

**27103A****Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27103A	N-A	N-A

**27108A****Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27108A	N-A	N-A

**27104A****Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27104A	N-A	N-A

**27109A****Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27109A	N-A	N-A

**27105A****Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27105A	N-A	N-A

**27110A****Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27110A	N-A	N-A

27111A**Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27111A	N-A	N-A

27116A**Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27116A	N-A	N-A

27112A**Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27112A	N-A	N-A

27117A**Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27117A	N-A	N-A

27113A**Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27113A	N-A	N-A

27118A**Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27118A	N-A	N-A

27114A**Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27114A	N-A	N-A

27119A**Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27119A	N-A	N-A

27115A**Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27115A	N-A	N-A

27120A**Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27120A	N-A	N-A

27121A – 27121A

**27121A****Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27121A	N-A	N-A

**27126A****Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27126A	N-A	N-A

**27122A****Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27122A	N-A	N-A

**27127A****Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27127A	N-A	N-A

**27123A****Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27123A	N-A	N-A

**27128A****Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27128A	N-A	N-A

**27124A****Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27124A	N-A	N-A

**27129A****Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27129A	N-A	N-A

**27125A****Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27125A	N-A	N-A

**27130A****Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27130A	N-A	N-A

27131A**Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27131A	N-A	N-A

27136A**Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27136A	N-A	N-A

27132A**Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27132A	N-A	N-A

27137A**Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27137A	N-A	N-A

27133A**Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27133A	N-A	N-A

27138A**Belden**

10 AWG multi-conductor stranded (7x18) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27138A	N-A	N-A

27134A**Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27134A	N-A	N-A

27139A**Belden**

10 AWG multi-conductor stranded (7x18) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27139A	N-A	N-A

27135A**Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27135A	N-A	N-A

27140A**Belden**

10 AWG multi-conductor stranded (7x18) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27140A	N-A	N-A

27141A – 27141A

27141A**Belden**

10 AWG multi-conductor stranded (7x18) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27141A	N-A	N-A

27146A**Belden**

10 AWG multi-conductor stranded (7x18) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27146A	N-A	N-A

27142A**Belden**

10 AWG multi-conductor stranded (7x18) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27142A	N-A	N-A

27147A**Belden**

10 AWG multi-conductor stranded (7x18) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27147A	N-A	N-A

27143A**Belden**

10 AWG multi-conductor stranded (7x18) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27143A	N-A	N-A

27148A**Belden**

10 AWG multi-conductor stranded (7x18) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27148A	N-A	N-A

27144A**Belden**

10 AWG multi-conductor stranded (7x18) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27144A	N-A	N-A

27149A**Belden**

8 AWG multi-conductor stranded (7x16) bare copper conductors; 10 AWG bare copper ground wire; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27149A	N-A	N-A

27145A**Belden**


10 AWG multi-conductor stranded (7x18) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27145A	N-A	N-A

27150A**Belden**

8 AWG multi-conductor stranded (7x16) bare copper conductors; 10 AWG bare copper ground wire; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27150A	N-A	N-A

**27151A****Belden**

8 AWG multi-conductor stranded (7x16) bare copper conductors; 10 AWG bare copper ground wire; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27151A	N-A	N-A

**27156A****Belden**

4 AWG multi-conductor stranded (7x12) bare copper conductors; 8 AWG bare copper ground wire; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27156A	N-A	N-A

**27152A****Belden**

6 AWG multi-conductor stranded (7x14) bare copper conductors; 8 AWG bare copper ground wire; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27152A	N-A	N-A

**27157A****Belden**


4 AWG multi-conductor stranded (7x12) bare copper conductors; 8 AWG bare copper ground wire; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27157A	N-A	N-A

**27153A****Belden**

6 AWG multi-conductor stranded (7x14) bare copper conductors; 8 AWG bare copper ground wire; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27153A	N-A	N-A

**27158A****Belden**


2 AWG multi-conductor stranded (7x10) bare copper conductors; 6 AWG bare copper ground wire; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27158A	N-A	N-A

**27154A****Belden**

6 AWG multi-conductor stranded (7x14) bare copper conductors; 8 AWG bare copper ground wire; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27154A	N-A	N-A

**27159A****Belden**


2 AWG multi-conductor stranded (7x10) bare copper conductors; 6 AWG bare copper ground wire; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27159A	N-A	N-A

**27155A****Belden**

4 AWG multi-conductor stranded (7x12) bare copper conductors; 8 AWG bare copper ground wire; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27155A	N-A	N-A

**27160A****Belden**

2 AWG multi-conductor stranded (7x10) bare copper conductors; 6 AWG bare copper ground wire; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27160A	N-A	N-A

27161A – 27161A

**27161A****Belden**

1 AWG multi-conductor stranded (19x14) bare copper conductors; 6 AWG bare copper ground wire; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27161A	N-A	N-A

**27243****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27243	N-A	N-A

**27244****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27244	N-A	N-A

**27245****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27245	N-A	N-A

**27246****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27246	N-A	N-A

**27247****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27247	N-A	N-A

**27248****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27248	N-A	N-A

**27249****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27249	N-A	N-A

**27250****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27250	N-A	N-A

**27251****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27251	N-A	N-A

**27252****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27252	N-A	N-A

**27253****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27253	N-A	N-A

**27254****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27254	N-A	N-A

**27255****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; e cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27255	N-A	N-A

**27256****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; e cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27256	N-A	N-A

**27257****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; aluminum interlocked armor; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27257	N-A	N-A

**27258****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; aluminum interlocked armor; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27258	N-A	N-A

**27259****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; aluminum interlocked armor; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27259	N-A	N-A

**27260****Belden**

8 AWG stranded (7x16) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27260	N-A	N-A

**27261****Belden**

8 AWG stranded (7x16) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27261	N-A	N-A

27262 – 27262

**27262****Belden**

6 AWG stranded (7x14) bare copper conductors; 8 AWG bare copper ground wire; cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27262	N-A	N-A

**27263****Belden**

6 AWG stranded (7x14) bare copper conductors; 8 AWG bare copper ground wire; cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27263	N-A	N-A

**27264****Belden**

4 AWG stranded (7x12) bare copper conductors; 8 AWG bare copper ground wire; cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27264	N-A	N-A

**27265****Belden**

4 AWG stranded (7x12) bare copper conductors; 8 AWG bare copper ground wire; cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27265	N-A	N-A

**27267****Belden**

2 AWG stranded (7x10) bare copper conductors; 6 AWG bare copper ground wire; cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27267	N-A	N-A

**27268****Belden**

2 AWG stranded (7x10) bare copper conductors; 6 AWG bare copper ground wire; cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27268	N-A	N-A

**27269****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27269	N-A	N-A

**27270****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27270	N-A	N-A

**27271****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27271	N-A	N-A

**27272****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27272	N-A	N-A

**27273****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; e cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27273	N-A	N-A

**27274****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; e cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27274	N-A	N-A

**27275****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; e cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27275	N-A	N-A

**27276****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; e cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27276	N-A	N-A

**27277****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; e cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27277	N-A	N-A

**27278****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; e cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27278	N-A	N-A

**27279****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; e cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27279	N-A	N-A

**27280****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; e cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27280	N-A	N-A

**27281****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; aluminum interlocked armor; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27281	N-A	N-A

**27282****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; aluminum interlocked armor; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27282	N-A	N-A

27283 – 27283

**27283****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; aluminum interlocked armor; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27283	N-A	N-A

**27284****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; aluminum interlocked armor; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27284	N-A	N-A

**27285****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; aluminum interlocked armor; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27285	N-A	N-A

**27286****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; aluminum interlocked armor; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27286	N-A	N-A

**27287****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; aluminum interlocked armor; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27287	N-A	N-A

**27288****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; aluminum interlocked armor; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27288	N-A	N-A

**27289****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27289	N-A	N-A

**27290****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27290	N-A	N-A

**27291****Belden**

8 AWG stranded (7x16) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27291	N-A	N-A

**27292****Belden**


14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27292	N-A	N-A

**27293****Belden**

6 AWG stranded (7x14) bare copper conductors; 8 AWG bare copper ground wire; cross-linked polyethylene insulation; aluminum inter-locked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27293	N-A	N-A

**27326A****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27326A	N-A	N-A

**27323A****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27323A	N-A	N-A

**27326AS****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; overall Beldfoil shield (100Ω/37; coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
27326AS	N-A	N-A

**27324A****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27324A	N-A	N-A

**27327A****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27327A	N-A	N-A

**27325A****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27325A	N-A	N-A

**27328A****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27328A	N-A	N-A

**27325AS****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; overall Beldfoil shield (100Ω/37; coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
27325AS	N-A	N-A

**27329A****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27329A	N-A	N-A

27330A – 27330A

**27330A****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27330A	N-A	N-A

**27331A****Belden**


16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27331A	N-A	N-A

**27331AS****Belden**


16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; overall Beldfoil shield (100% coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
27331AS	N-A	N-A

**27334A****Belden**


18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27334A	N-A	N-A

**27334AS****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; overall Beldfoil shield (100% coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
27334AS	N-A	N-A

**27335A****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27335A	N-A	N-A

**27335AS****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; overall Beldfoil shield (100% coverage) with an 18 AWG stranded (7x26) tinned copper drain wire. PVC jacket.

Part Number	Weight	Min. Quantity
27335AS	N-A	N-A

**27336A****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27336A	N-A	N-A

**27337A****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27337A	N-A	N-A

**27337AS****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; overall Beldfoil shield (100% coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
27337AS	N-A	N-A

**27338A****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27338A	N-A	N-A

**27339A****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27339A	N-A	N-A

**27340A****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27340A	N-A	N-A

**27341A****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27341A	N-A	N-A

**27428****Belden**

Composite 14 AWG (7x22) and 12 AWG (7x20) stranded bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27428	N-A	N-A

**27429****Belden**

Composite 14 AWG (7x22) and 10 AWG (7x18) stranded bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27429	N-A	N-A

**27430****Belden**

Composite 14 AWG (7x22) and 8 AWG (7x16) stranded bare copper conductors; 10 AWG bare copper ground wire; aluminum interlocked armor; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27430	N-A	N-A

**27431****Belden**

Composite 14 AWG (7x22) and 6 AWG (7x14) stranded bare copper conductors; 8 AWG bare copper ground wire; cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27431	N-A	N-A

**27432****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27432	N-A	N-A

**27433****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27433	N-A	N-A

27434 – 27434

**27434****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27434	N-A	N-A

**27535****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27535	N-A	N-A

**27538****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27538	N-A	N-A

**27539****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27539	N-A	N-A

**27540****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27540	N-A	N-A

**27541****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; aluminum interlocked armor; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27541	N-A	N-A

**27600A****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27600A	N-A	N-A

**27601A****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27601A	N-A	N-A

**27602A****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27602A	N-A	N-A

**27603A****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27603A	N-A	N-A

27613A – 27613A

**27604A****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27604A	N-A	N-A

**27609A****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27609A	N-A	N-A

**27605A****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27605A	N-A	N-A

**27610A****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27610A	N-A	N-A

**27606A****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27606A	N-A	N-A

**27611A****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27611A	N-A	N-A

**27607A****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27607A	N-A	N-A

**27612A****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27612A	N-A	N-A

**27608A****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27608A	N-A	N-A

**27613A****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27613A	N-A	N-A

27614A – 27614A

**27614A****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27614A	N-A	N-A

**27615A****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27615A	N-A	N-A

**27616A****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27616A	N-A	N-A

**27617A****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27617A	N-A	N-A

**27618A****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27618A	N-A	N-A

**27619A****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27619A	N-A	N-A

**27620A****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27620A	N-A	N-A

**27621A****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27621A	N-A	N-A

**27622A****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27622A	N-A	N-A

**27623A****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27623A	N-A	N-A

**27625A****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27625A	N-A	N-A

**27630A****Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27630A	N-A	N-A

**27626A****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27626A	N-A	N-A

**27632A****Belden**

18 AWG multi-conductor stranded (7x26) bare copper; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27632A	N-A	N-A

**27627A****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27627A	N-A	N-A

**27633A****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27633A	N-A	N-A

**27628A****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27628A	N-A	N-A

**27634A****Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27634A	N-A	N-A

**27629A****Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27629A	N-A	N-A

**27636A****Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27636A	N-A	N-A

27636AS – 27636AS

**27636AS****Belden**

14 AWG stranded (7x22) bare copper; multi-conductor; PVC/Nylon insulated; PVC jacket.

Part Number	Weight	Min. Quantity
27636AS	N-A	N-A

**27840****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27840	N-A	N-A

27641A**Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27641A	N-A	N-A

**27841****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27841	N-A	N-A

**27643A****Belden**

10 AWG multi-conductor stranded (7x18) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27643A	N-A	N-A

**27842****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27842	N-A	N-A

**27830****Belden**

14 AWG stranded (7x22) bare copper conductors; separator tape; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27830	N-A	N-A

**27843****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27843	N-A	N-A

**27831****Belden**

12 AWG stranded (7x20) bare copper conductors; separator tape; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27831	N-A	N-A

**27844****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27844	N-A	N-A



**27845****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27845	N-A	N-A

**27850****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27850	N-A	N-A

**27846****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27846	N-A	N-A

**27851****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27851	N-A	N-A

**27847****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27847	N-A	N-A

**27852****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27852	N-A	N-A

**27848****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27848	N-A	N-A

**27853****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27853	N-A	N-A

**27849****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27849	N-A	N-A

**27854****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27854	N-A	N-A

27855 – 27855

**27855****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27855	N-A	N-A

**27860****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27860	N-A	N-A

**27856****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27856	N-A	N-A

**27861****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27861	N-A	N-A

**27857****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27857	N-A	N-A

**27862****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27862	N-A	N-A

**27858****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27858	N-A	N-A

**27863****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27863	N-A	N-A

**27859****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27859	N-A	N-A

**27864****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27864	N-A	N-A

**27865****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27865	N-A	N-A

**27870****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27870	N-A	N-A

**27866****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27866	N-A	N-A

**27871****Belden**

8 AWG stranded (7x16) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27871	N-A	N-A

**27867****Belden**


10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27867	N-A	N-A

**27872****Belden**

8 AWG stranded (7x16) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27872	N-A	N-A

**27868****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27868	N-A	N-A

**27873****Belden**

8 AWG stranded (7x16) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27873	N-A	N-A

**27869****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27869	N-A	N-A

**27874****Belden**

6 AWG stranded (7x14) bare copper conductors; 8 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27874	N-A	N-A

27875 – 27875

**27875****Belden**

6 AWG stranded (7x14) bare copper conductors; 8 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27875	N-A	N-A

**27876****Belden**

6 AWG stranded (7x14) bare copper conductors; 8 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27876	N-A	N-A

**27877****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27877	N-A	N-A

**27878****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27878	N-A	N-A

**27879****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27879	N-A	N-A

**27880****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27880	N-A	N-A

**27881****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27881	N-A	N-A

**27882****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27882	N-A	N-A

**27883****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27883	N-A	N-A

**27884****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27884	N-A	N-A

**27885****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27885	N-A	N-A

**27886****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27886	N-A	N-A

**27887****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27887	N-A	N-A

**27888****Belden**

2 AWG stranded (7x10) bare copper conductors; 6 AWG bare copper ground wire; cross-linked polyethylene insulation; aluminum armor; PVC inner jacket; PVC outer jacket.

Part Number	Weight	Min. Quantity
27888	N-A	N-A

**27889****Belden**

2 AWG stranded (7x10) bare copper conductors; 6 AWG bare copper ground wire; cross-linked polyethylene insulation; aluminum armor; PVC inner jacket; PVC outer jacket.

Part Number	Weight	Min. Quantity
27889	N-A	N-A

**27890****Belden**

Composite 14 AWG (7x22) and 12 AWG (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27890	N-A	N-A

**27891****Belden**

Composite 14 AWG (7x22) and 10 AWG (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27891	N-A	N-A

**27892****Belden**

Composite 14 AWG (7x22) and 8 AWG (7x16) bare copper conductors; 10 AWG bare copper ground wire; aluminum armor; cross-linked polyethylene insulation; PVC inner jacket; PVC outer jacket.

Part Number	Weight	Min. Quantity
27892	N-A	N-A

**27893****Belden**

Composite 14 AWG (7x22) and 6 AWG (7x14) bare copper conductors; 8 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27893	N-A	N-A

**27894****Belden**

4 AWG stranded (7x12) bare copper conductors; 8 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27894	N-A	N-A

27895 – 27895

**27895****Belden**

4 AWG stranded (7x12) bare copper conductors; 8 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27895	N-A	N-A

**27896****Belden**


3 AWG stranded (7x11) bare copper conductors; 6 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; aluminum armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
27896	N-A	N-A

**27912A****Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27912A	N-A	N-A

**27916A****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27916A	N-A	N-A

**27917A****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
27917A	N-A	N-A

**27969****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; aluminum interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
27969	N-A	N-A

**ROUND WASHER 1/4 X 3/4****Belden**

ROUND WASHER 1/4 X 3/4

Part Number	Weight	Min. Quantity
28-00010	N-A	N-A

**5/8 X 2 CATV SQUARE WSHR****Belden**

5/8 X 2 CATV SQUARE WSHR

Part Number	Weight	Min. Quantity
28-02200	N-A	N-A

**SQUARE WASHER 5/8 X 2-1/4****Belden**

SQUARE WASHER 5/8 X 2-1/4

Part Number	Weight	Min. Quantity
28-03004	N-A	N-A

**TGNT SUPP CLAMP****Belden**

TGNT SUPP CLAMP

Part Number	Weight	Min. Quantity
28-09500	N-A	N-A

**TGNT SUPP CLAMP**

Belden

TGNT SUPP CLAMP

Part Number	Weight	Min. Quantity
28-09600	N-A	N-A

**SPAN CLMP -109 FIG.8**

Belden

SPAN CLMP -109 FIG.8

Part Number	Weight	Min. Quantity
28-09800	N-A	N-A

**SPAN CLMP FOR FIG. 8**

Belden

SPAN CLMP FOR FIG. 8

Part Number	Weight	Min. Quantity
28-09850	N-A	N-A

**TGNT SUPP CLAMP**

Belden

TGNT SUPP CLAMP

Part Number	Weight	Min. Quantity
28-19651	N-A	N-A

**AERIAL CABLE DAMPER**

Belden

AERIAL CABLE DAMPER

Part Number	Weight	Min. Quantity
28-80001	N-A	N-A

**28081A**

Belden

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28081A	N-A	N-A

**28081AS**

Belden

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; overall Beldfoil 0.001Ω shield (100&#37; coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
28081AS	N-A	N-A

**28082A**

Belden

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28082A	N-A	N-A

**28082AS**

Belden

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; overall Beldfoil 0.001Ω shield (100&#37; coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
28082AS	N-A	N-A

**28083A**

Belden

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28083A	N-A	N-A

28083AS – 28083AS

**28083AS****Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; overall Beldfoil 0.001 shield (100% coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
28083AS	N-A	N-A

**28087A****Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28087A	N-A	N-A

**28084A****Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28084A	N-A	N-A

**28087AS****Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; overall Beldfoil 0.001 shield (100% coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
28087AS	N-A	N-A

**28085A****Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28085A	N-A	N-A

**28088A****Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28088A	N-A	N-A

**28085AS****Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; overall Beldfoil 0.001 shield (100% coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
28085AS	N-A	N-A

**28090A****Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28090A	N-A	N-A

**28086A****Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28086A	N-A	N-A

**28090AS****Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; overall Beldfoil 0.001 shield (100% coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
28090AS	N-A	N-A



28110AS – 28110AS

**28093A****Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28093A	N-A	N-A

**28103A****Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28103A	N-A	N-A

**28094A****Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28094A	N-A	N-A

**28108A****Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28108A	N-A	N-A

**28097A****Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28097A	N-A	N-A

**28108AS****Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; overall Beldfoil 0.001Ω shield (100% coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
28108AS	N-A	N-A

**28097AS****Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; overall Beldfoil 0.001Ω shield (100% coverage) with drain wire; (after pvc-nylon insulation); PVC jacket.

Part Number	Weight	Min. Quantity
28097AS	N-A	N-A

**28110A****Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28110A	N-A	N-A

**28098a****Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28098a	N-A	N-A

**28110AS****Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; overall Beldfoil 0.001Ω shield (100% coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
28110AS	N-A	N-A



28111A – 28111A

**28111A****Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28111A	N-A	N-A

**28111AS****Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; overall Beldfoil shield (100% coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
28111AS	N-A	N-A

**28112A****Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28112A	N-A	N-A

**28112AS****Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; overall Beldfoil shield (100% coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
28112AS	N-A	N-A

**28113A****Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28113A	N-A	N-A

**28114A****Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28114A	N-A	N-A

**28114AS****Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; overall Beldfoil shield (100% coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
28114AS	N-A	N-A

**28116A****Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28116A	N-A	N-A

**28116AS****Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; overall Beldfoil shield (100% coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
28116AS	N-A	N-A

**28119A****Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28119A	N-A	N-A

28140AS – 28140AS

**28119AS****Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; overall Beldfoil shield (100% coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
28119AS	N-A	N-A

**28137A****Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28137A	N-A	N-A

**28123A****Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28123A	N-A	N-A

**28139A****Belden**

10 AWG multi-conductor stranded (7x18) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28139A	N-A	N-A

**28126A****Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28126A	N-A	N-A

**28139AS****Belden**

10 AWG multi-conductor stranded (7x18) bare copper conductors; PVC/Nylon insulation; overall Beldfoil shield (100% coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
28139AS	N-A	N-A

**28128A****Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28128A	N-A	N-A

**28140A****Belden**

10 AWG multi-conductor stranded (7x18) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28140A	N-A	N-A

**28132A****Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28132A	N-A	N-A

**28140AS****Belden**

10 AWG multi-conductor stranded (7x18) bare copper conductors; PVC/Nylon insulation; overall Beldfoil shield (100% coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
28140AS	N-A	N-A



28141A – 28141A

**28141A****Belden**

10 AWG multi-conductor stranded (7x18) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28141A	N-A	N-A

**28143A****Belden**

10 AWG multi-conductor stranded (7x18) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28143A	N-A	N-A

**28145A****Belden**

10 AWG multi-conductor stranded (7x18) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28145A	N-A	N-A

**28148A****Belden**

10 AWG multi-conductor stranded (7x18) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28148A	N-A	N-A

**28150A****Belden**

8 AWG multi-conductor stranded (7x16) bare copper conductors; 10 AWG bare copper ground wire; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28150A	N-A	N-A

**28150AS****Belden**

8 AWG multi-conductor stranded (7x16) bare copper conductors; 10 AWG bare copper ground wire; PVC/Nylon insulation; overall Beldfoil shield (100% coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
28150AS	N-A	N-A

**28151A****Belden**

8 AWG multi-conductor stranded (7x16) bare copper conductors; 10 AWG bare copper ground wire; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28151A	N-A	N-A

**28151AS****Belden**

8 AWG multi-conductor stranded (7x16) bare copper conductors; 10 AWG bare copper ground wire; PVC/Nylon insulation; overall Beldfoil shield (100% coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
28151AS	N-A	N-A

**28153A****Belden**

6 AWG multi-conductor stranded (7x14) bare copper conductors; 8 AWG bare copper ground wire; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28153A	N-A	N-A

**28153AS****Belden**

6 AWG multi-conductor stranded (7x14) bare copper conductors; 8 AWG bare copper ground wire; PVC/Nylon insulation; Beldfoil shield (100% coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
28153AS	N-A	N-A



28165A – 28165A

**28154A****Belden**

6 AWG multi-conductor stranded (7x14) bare copper conductors; 8 AWG bare copper ground wire; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28154A	N-A	N-A

**28156A****Belden**

4 AWG multi-conductor stranded (7x12) bare copper conductors; 8 AWG bare copper ground wire; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28156A	N-A	N-A

**28156AS****Belden**

4 AWG multi-conductor stranded (7x12) bare copper conductors; 8 AWG bare copper ground wire; PVC/Nylon insulation; overall Beldfoil shield (100Ω/37; coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
28156AS	N-A	N-A

**28157A****Belden**

4 AWG multi-conductor stranded (7x12) bare copper conductors; 8 AWG bare copper ground wire; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28157A	N-A	N-A

**28159A****Belden**

2 AWG multi-conductor stranded (7x10) bare copper conductors; 6 AWG bare copper ground wire; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28159A	N-A	N-A

**28159AS****Belden**

2 AWG multi-conductor stranded (7x10) bare copper conductors; 6 AWG bare copper ground wire; PVC/Nylon insulation; overall Beldfoil shield (100Ω/37; coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
28159AS	N-A	N-A

**28160A****Belden**

2 AWG multi-conductor stranded (7x10) bare copper conductors; 6 AWG bare copper ground wire; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28160A	N-A	N-A

**28161A****Belden**

1 AWG multi-conductor stranded (19x14) bare copper conductors; 6 AWG bare copper ground wire; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28161A	N-A	N-A

**28163A****Belden**

10 AWG multi-conductor stranded (7x18) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28163A	N-A	N-A

**28165A****Belden**

1 AWG multi-conductor stranded (19x14) bare copper conductors; 6 AWG bare copper ground wire; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28165A	N-A	N-A

28166A – 28166A

**28166A****Belden**

1 AWG multi-conductor stranded (19x14) bare copper conductors; 6 AWG bare copper ground wire; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28166A	N-A	N-A

**28171A****Belden**

2/0 AWG multi-conductor stranded (19x11) bare copper conductors; 6 AWG bare copper ground wire; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28171A	N-A	N-A

**28167A****Belden**

1/0 AWG multi-conductor stranded (19x12) bare copper conductors; 6 AWG bare copper ground wire; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28167A	N-A	N-A

**28172A****Belden**

2/0 AWG multi-conductor stranded (19x11) bare copper conductors; 6 AWG bare copper ground wire; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28172A	N-A	N-A

**28168A****Belden**

1/0 AWG multi-conductor stranded (19x12) bare copper conductors; 6 AWG bare copper ground wire; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28168A	N-A	N-A

**28173A****Belden**

3/0 AWG multi-conductor stranded (19x10) bare copper conductors; 6 AWG bare copper ground wire; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28173A	N-A	N-A

**28169A****Belden**

1/0 AWG multi-conductor stranded (19x12) bare copper conductors; 6 AWG bare copper ground wire; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28169A	N-A	N-A

**28174A****Belden**

3/0 AWG multi-conductor stranded (19x10) bare copper conductors; 6 AWG bare copper ground wire; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28174A	N-A	N-A

**28170A****Belden**

2/0 AWG multi-conductor stranded (19x11) bare copper conductors; 6 AWG bare copper ground wire; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28170A	N-A	N-A

**28175A****Belden**

3/0 AWG multi-conductor stranded (19x10) bare copper conductors; 6 AWG bare copper ground wire; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28175A	N-A	N-A



**28176A****Belden**

4/0 AWG multi-conductor stranded (19x9.5) bare copper conductors; 6 AWG bare copper ground wire; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28176A	N-A	N-A

**28245****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28245	N-A	N-A

**28177A****Belden**

4/0 AWG multi-conductor stranded (19x9.5) bare copper conductors; 6 AWG bare copper ground wire; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28177A	N-A	N-A

**28246****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28246	N-A	N-A

**28178A****Belden**

4/0 AWG multi-conductor stranded (19x9.5) bare copper conductors; 6 AWG bare copper ground wire; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28178A	N-A	N-A

**28247****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28247	N-A	N-A

**28243****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28243	N-A	N-A

**28248****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28248	N-A	N-A

**28244****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28244	N-A	N-A

**28249****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28249	N-A	N-A

28250 – 28250

**28250****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28250	N-A	N-A

**28251****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28251	N-A	N-A

**28252****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28252	N-A	N-A

**28253****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28253	N-A	N-A

**28254****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28254	N-A	N-A

**28255****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28255	N-A	N-A

**28256****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28256	N-A	N-A

**28257****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28257	N-A	N-A

**28258****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28258	N-A	N-A

**28259****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28259	N-A	N-A

**28260****Belden**

8 AWG stranded (7x16) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28260	N-A	N-A

**28261****Belden**

8 AWG stranded (7x16) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28261	N-A	N-A

**28262****Belden**

6 AWG stranded (7x14) bare copper conductors; 8 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28262	N-A	N-A

**28263****Belden**

6 AWG stranded (7x14) bare copper conductors; 8 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28263	N-A	N-A

**28264****Belden**

4 AWG stranded (7x12) bare copper conductors; 8 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28264	N-A	N-A

**28265****Belden**

4 AWG stranded (7x12) bare copper conductors; 8 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28265	N-A	N-A

**28267****Belden**

2 AWG stranded (7x10) bare copper conductors; 6 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28267	N-A	N-A

**28268****Belden**

2 AWG stranded (7x10) bare copper conductors; 6 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28268	N-A	N-A

**28269****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28269	N-A	N-A

**28270****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28270	N-A	N-A

28271 – 28271

**28271****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28271	N-A	N-A

**28272****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28272	N-A	N-A

**28273****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28273	N-A	N-A

**28274****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28274	N-A	N-A

**28275****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28275	N-A	N-A

**28276****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28276	N-A	N-A

**28277****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28277	N-A	N-A

**28278****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28278	N-A	N-A

**28279****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28279	N-A	N-A

**28280****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28280	N-A	N-A

**28281****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28281	N-A	N-A

**28282****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28282	N-A	N-A

**28283****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28283	N-A	N-A

**28284****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28284	N-A	N-A

**28285****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28285	N-A	N-A

**28286****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28286	N-A	N-A

**28287****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28287	N-A	N-A

**28288****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28288	N-A	N-A

**28289****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28289	N-A	N-A

**28290****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28290	N-A	N-A

28291 – 28291

**28291****Belden**

8 AWG stranded (7x16) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28291	N-A	N-A

**28324A****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28324A	N-A	N-A

**28292****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28292	N-A	N-A

**28324AS****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; overall Beldfoil 0.001 shield (100%#37; coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
28324AS	N-A	N-A

**28293****Belden**

6 AWG stranded (7x14) bare copper conductors; 8 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28293	N-A	N-A

**28326A****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28326A	N-A	N-A

**28323A****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28323A	N-A	N-A

**28326AS****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; overall Beldfoil 0.001 shield (100%#37; coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
28326AS	N-A	N-A

**28323AS****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; overall Beldfoil 0.001 shield (100%#37; coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
28323AS	N-A	N-A

**28327A****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28327A	N-A	N-A

28334AS – 28334AS

**28327AS****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; overall Beldfoil 0.001Ω shield (100% coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
28327AS	N-A	N-A

**28330A****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28330A	N-A	N-A

**28328A****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28328A	N-A	N-A

**28331A****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28331A	N-A	N-A

**28328AS****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; overall Beldfoil 0.001Ω shield (100% coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
28328AS	N-A	N-A

**28331AS****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; overall Beldfoil 0.001Ω shield (100% coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
28331AS	N-A	N-A

**28329A****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28329A	N-A	N-A

**28334A****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28334A	N-A	N-A

**28329AS****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; overall Beldfoil 0.001Ω shield (100% coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
28329AS	N-A	N-A

**28334AS****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; overall Beldfoil 0.001Ω shield (100% coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
28334AS	N-A	N-A



28335A – 28335A

**28335A****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28335A	N-A	N-A

**28335AS****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; overall Beldfoil00Ω shield (100% coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
28335AS	N-A	N-A

**28336A****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28336A	N-A	N-A

**28336AS****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; overall Beldfoil00Ω shield (100% coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
28336AS	N-A	N-A

**28338A****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28338A	N-A	N-A

**28338AS****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; overall Beldfoil00Ω shield (100% coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
28338AS	N-A	N-A

**28339A****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28339A	N-A	N-A

**28339AS****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; overall Beldfoil00Ω shield (100% coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
28339AS	N-A	N-A

**28340A****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28340A	N-A	N-A

**28340AS****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; overall Beldfoil00Ω shield (100% coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
28340AS	N-A	N-A



**28341A****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28341A	N-A	N-A

**28431****Belden**

Composite 14 AWG (7x22) and 6 AWG (7x14) stranded bare copper conductors; 8 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28431	N-A	N-A

28341AS**Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; overall Beldfoil shield (100Ω/37; coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
28341AS	N-A	N-A

**28432****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28432	N-A	N-A

28428**Belden**

Composite 14 AWG (7x22) and 12 AWG (7x20) stranded bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28428	N-A	N-A

**28433****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28433	N-A	N-A

**28429****Belden**

Composite 14 AWG (7x22) and 10 AWG (7x18) stranded bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28429	N-A	N-A

**28434****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28434	N-A	N-A

**28430****Belden**

Composite 14 AWG (7x22) and 8 AWG (7x16) stranded bare copper conductors; 10 AWG bare copper ground wire; steel interlocked armor; cross-linked polyethylene insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28430	N-A	N-A

**28535****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28535	N-A	N-A



28538 – 28538

**28538****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28538	N-A	N-A

**28605A****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28605A	N-A	N-A

**28539****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28539	N-A	N-A

**28609A****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28609A	N-A	N-A

**28540****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28540	N-A	N-A

**28609AS****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; overall Beldfoil 0.001Ω shield (100% coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
28609AS	N-A	N-A

**28541****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28541	N-A	N-A

**28611A****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28611A	N-A	N-A

**28601AS****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; overall Beldfoil 0.001Ω shield (100% coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
28601AS	N-A	N-A

**28611AS****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; Beldfoil 0.001Ω shield (100% coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
28611AS	N-A	N-A



28626A – 28626A

**28613A****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28613A	N-A	N-A

**28613AS****Belden**

18 AWG multi-conductor stranded (7x26) bare copper conductors; PVC/Nylon insulation; overall Beldfoil 0.001Ω shield (100%#37; coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
28613AS	N-A	N-A

**28615A****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28615A	N-A	N-A

**28616A****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28616A	N-A	N-A

**28617A****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28617A	N-A	N-A

**28621A****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28621A	N-A	N-A

**28624A****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28624A	N-A	N-A

**28624AS****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; overall Beldfoil 0.001Ω shield (100%#37; coverage) with drain wire; PVC jacket.

Part Number	Weight	Min. Quantity
28624AS	N-A	N-A

**28625A****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28625A	N-A	N-A

**28626A****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28626A	N-A	N-A

28627A – 28627A

**28627A****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28627A	N-A	N-A

**28840****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28840	N-A	N-A

**28628A****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28628A	N-A	N-A

**28841****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28841	N-A	N-A

**28629A****Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28629A	N-A	N-A

**28842****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28842	N-A	N-A

**28630A****Belden**

12 AWG multi-conductor stranded (7x20) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28630A	N-A	N-A

**28843****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28843	N-A	N-A

**28633A****Belden**

16 AWG multi-conductor stranded (7x24) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28633A	N-A	N-A

**28844****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28844	N-A	N-A

**28845****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28845	N-A	N-A

**28850****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28850	N-A	N-A

**28846****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28846	N-A	N-A

**28851****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28851	N-A	N-A

**28847****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28847	N-A	N-A

**28852****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28852	N-A	N-A

**28848****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28848	N-A	N-A

**28853****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28853	N-A	N-A

**28849****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28849	N-A	N-A

**28854****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28854	N-A	N-A

28855 – 28855

**28855****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28855	N-A	N-A

**28856****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28856	N-A	N-A

**28857****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28857	N-A	N-A

**28858****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28858	N-A	N-A

**28859****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28859	N-A	N-A

**28860****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28860	N-A	N-A

**28861****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28861	N-A	N-A

**28862****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28862	N-A	N-A

**28863****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28863	N-A	N-A

**28864****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28864	N-A	N-A

**28865****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28865	N-A	N-A

**28870****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28870	N-A	N-A

**28866****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28866	N-A	N-A

**28871****Belden**

8 AWG stranded (7x16) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28871	N-A	N-A

**28867****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28867	N-A	N-A

**28872****Belden**

8 AWG stranded (7x16) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28872	N-A	N-A

**28868****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28868	N-A	N-A

**28873****Belden**

8 AWG stranded (7x16) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28873	N-A	N-A

**28869****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28869	N-A	N-A

**28874****Belden**

6 AWG stranded (7x14) bare copper conductors; 8 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28874	N-A	N-A

28875 – 28875

**28875****Belden**

6 AWG stranded (7x14) bare copper conductors; 8 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28875	N-A	N-A

**28876****Belden**

6 AWG stranded (7x14) bare copper conductors; 8 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28876	N-A	N-A

**28877****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28877	N-A	N-A

**28878****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28878	N-A	N-A

**28879****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28879	N-A	N-A

**28880****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28880	N-A	N-A

**28881****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28881	N-A	N-A

**28882****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28882	N-A	N-A

**28883****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28883	N-A	N-A

**28884****Belden**

10 AWG stranded (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28884	N-A	N-A

**28885****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28885	N-A	N-A

**28886****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28886	N-A	N-A

**28887****Belden**

12 AWG stranded (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28887	N-A	N-A

**28888****Belden**

2 AWG stranded (7x10) bare copper conductors; 6 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28888	N-A	N-A

**28889****Belden**

2 AWG stranded (7x10) bare copper conductors; 6 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28889	N-A	N-A

**28890****Belden**

2 AWG stranded (7x10) bare copper conductors; 6 Composite 14 AWG (7x22) and 12 AWG (7x20) bare copper conductors; 12 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28890	N-A	N-A

**28891****Belden**

Composite 14 AWG (7x22) and 10 AWG (7x18) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28891	N-A	N-A

**28892****Belden**

Composite 14 AWG (7x22) and 8 AWG (7x16) bare copper conductors; 10 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28892	N-A	N-A

**28893****Belden**

Composite 14 AWG (7x22) and 6 AWG (7x14) bare copper conductors; 8 AWG bare copper ground wire; steel armor; cross-linked polyethylene insulation; PVC inner jacket; PVC outer jacket.

Part Number	Weight	Min. Quantity
28893	N-A	N-A

**28894****Belden**

4 AWG stranded (7x12) bare copper conductors; 8 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28894	N-A	N-A

28895 – 28895

**28895****Belden**

4 AWG stranded (7x12) bare copper conductors; 8 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28895	N-A	N-A

**28896****Belden**

3 AWG stranded (7x11) bare copper conductors; 6 AWG bare copper ground wire; cross-linked polyethylene insulation; PVC inner jacket; steel armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
28896	N-A	N-A

**28912A****Belden**

14 AWG multi-conductor stranded (7x22) bare copper conductors; PVC/Nylon insulation; PVC jacket.

Part Number	Weight	Min. Quantity
28912A	N-A	N-A

**28969****Belden**

14 AWG stranded (7x22) bare copper conductors; 14 AWG bare copper ground wire; cross-linked polyethylene insulation; steel interlocked armor; PVC jacket.

Part Number	Weight	Min. Quantity
28969	N-A	N-A

**PLATES ONLY BIG/NO LIP****Belden**

PLATES ONLY BIG/NO LIP

Part Number	Weight	Min. Quantity
29-50043	N-A	N-A

**29004****Belden**

16 AWG stranded (7x24) bare copper conductors; 16 AWG bare copper ground wire; aluminum interlocked armor; .030x1A; (.76mm) XLPE insulation; PVC inner jacket; PVC outer jacket.

Part Number	Weight	Min. Quantity
29004	N-A	N-A

**29005****Belden**

16 AWG stranded (7x24) bare copper conductors; 16 AWG bare copper ground wire; aluminum interlocked armor; .030x1A; (.76mm) XLPE insulation; PVC inner jacket; PVC outer jacket.

Part Number	Weight	Min. Quantity
29005	N-A	N-A

**29006****Belden**

16 AWG stranded (7x24) bare copper conductors; 16 AWG bare copper ground wire; aluminum interlocked armor; .030x1A; (.76mm) XLPE insulation; PVC inner jacket; PVC outer jacket.

Part Number	Weight	Min. Quantity
29006	N-A	N-A

**29007****Belden**

16 AWG stranded (7x24) bare copper conductors; 16 AWG bare copper ground wire; aluminum interlocked armor; .030x1A; (.76mm) FR-XLPE insulation; FR-PVC inner jacket; FR-PVC outer jacket.

Part Number	Weight	Min. Quantity
29007	N-A	N-A

**29008****Belden**

16 AWG stranded (7x24) bare copper conductors; 16 AWG bare copper ground wire; aluminum interlocked armor; .030x1A; (.76mm) FR-XLPE insulation; FR-PVC inner jacket; FR-PVC outer jacket.

Part Number	Weight	Min. Quantity
29008	N-A	N-A

**29009****Belden**

16 AWG stranded (7x24) bare copper conductors; 16 AWG bare copper ground wire; aluminum interlocked armor; .030x1A; (.76mm) FR-XLPE insulation; FR-PVC inner jacket; FR-PVC outer jacket.

Part Number	Weight	Min. Quantity
29009	N-A	N-A

**29020****Belden**

16 AWG stranded (7x24) bare copper conductors; 16 AWG bare copper ground wire; aluminum interlocked armor; .030x1A; (.76mm) XLPE insulation; PVC inner jacket; PVC outer jacket.

Part Number	Weight	Min. Quantity
29020	N-A	N-A

**29016****Belden**

16 AWG stranded (7x24) bare copper conductors; 16 AWG bare copper ground wire; aluminum interlocked armor; .030x1A; (.76mm) FR-XLPE insulation; FR-PVC inner jacket; FR-PVC outer jacket.

Part Number	Weight	Min. Quantity
29016	N-A	N-A

**29021****Belden**

16 AWG stranded (7x24) bare copper conductors; 16 AWG bare copper ground wire; aluminum interlocked armor; .030x1A; (.76mm) XLPE insulation; PVC inner jacket; PVC outer jacket.

Part Number	Weight	Min. Quantity
29021	N-A	N-A

**29017****Belden**

16 AWG stranded (7x24) bare copper conductors; 16 AWG bare copper ground wire; aluminum interlocked armor; .030x1A; (.76mm) XLPE insulation; PVC inner jacket; PVC outer jacket.

Part Number	Weight	Min. Quantity
29017	N-A	N-A

**29022****Belden**

16 AWG stranded (7x24) bare copper conductors; 16 AWG bare copper ground wire; aluminum interlocked armor; .030x1A; (.76mm) XLPE insulation; PVC inner jacket; PVC outer jacket.

Part Number	Weight	Min. Quantity
29022	N-A	N-A

**29018****Belden**

16 AWG stranded (7x24) bare copper conductors; 16 AWG bare copper ground wire; aluminum interlocked armor; .030x1A; (.76mm) XLPE insulation; PVC inner jacket; PVC outer jacket.

Part Number	Weight	Min. Quantity
29018	N-A	N-A

**29023****Belden**

16 AWG stranded (7x24) bare copper conductors; 16 AWG bare copper ground wire; aluminum interlocked armor; .030x1A; (.76mm) XLPE insulation; PVC inner jacket; PVC outer jacket.

Part Number	Weight	Min. Quantity
29023	N-A	N-A

**29019****Belden**

16 AWG stranded (7x24) bare copper conductors; 16 AWG bare copper ground wire; aluminum interlocked armor; .030x1A; (.76mm) XLPE insulation; PVC inner jacket; PVC outer jacket.

Part Number	Weight	Min. Quantity
29019	N-A	N-A

**29024****Belden**

16 AWG stranded (7x24) bare copper conductors; 16 AWG bare copper ground wire; aluminum interlocked armor; .030x1A; (.76mm) XLPE insulation; PVC inner jacket; PVC outer jacket.


Part Number	Weight	Min. Quantity
29024	N-A	N-A

29025 – 29025

**29025****Belden**

16 AWG stranded (7x24) bare copper conductors; 16 AWG bare copper ground wire; aluminum interlocked armor; .030x1A; (.76mm) XLPE insulation; PVC inner jacket; PVC outer jacket.

Part Number	Weight	Min. Quantity
29025	N-A	N-A

**29030****Belden**

18 AWG stranded (7x26) bare copper conductors; 18 AWG bare copper ground wire; .030x1A; (.76mm) XLPE insulation; PVC inner jacket; aluminum interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
29030	N-A	N-A

**29031****Belden**

18 AWG stranded (7x26) bare copper conductors; 18 AWG bare copper ground wire; .030x1A; (.76mm) XLPE insulation; PVC inner jacket; aluminum interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
29031	N-A	N-A

**29032****Belden**

18 AWG stranded (7x26) bare copper conductors; 18 AWG bare copper ground wire; .030x1A; (.76mm) XLPE insulation; PVC inner jacket; aluminum interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
29032	N-A	N-A

**29033****Belden**

18 AWG stranded (7x26) bare copper conductors; 18 AWG bare copper ground wire; .030x1A; (.76mm) XLPE insulation; PVC inner jacket; aluminum interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
29033	N-A	N-A

**29034****Belden**

18 AWG stranded (7x26) bare copper conductors; 18 AWG bare copper ground wire; .030x1A; (.76mm) XLPE insulation; PVC inner jacket; aluminum interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
29034	N-A	N-A

**29035****Belden**

18 AWG stranded (7x26) bare copper conductors; 18 AWG bare copper ground wire; .030x1A; (.76mm) XLPE insulation; PVC inner jacket; aluminum interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
29035	N-A	N-A

**29036****Belden**

18 AWG stranded (7x26) bare copper conductors; 18 AWG bare copper ground wire; .030x1A; (.76mm) XLPE insulation; PVC inner jacket; aluminum interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
29036	N-A	N-A

**29038****Belden**

18 AWG stranded (7x26) bare copper conductors; 18 AWG bare copper ground wire; .030x1A; (.76mm) XLPE insulation; PVC inner jacket; aluminum interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
29038	N-A	N-A

**29040****Belden**

18 AWG stranded (7x26) bare copper conductors; 18 AWG bare copper ground wire; .030x1A; (.76mm) XLPE insulation; PVC inner jacket; aluminum interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
29040	N-A	N-A

2918-TP-4-3 – Top Panel for XST84-3-10006

**29043****Belden**

18 AWG stranded (7x26) bare copper conductors; 18 AWG bare copper ground wire; .030x1A; (.76mm) XLPE insulation; PVC inner jacket; aluminum interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
29043	N-A	N-A

**29048****Belden**

18 AWG stranded (7x26) bare copper conductors; 18 AWG bare copper ground wire; .030x1A; (.76mm) XLPE insulation; PVC inner jacket; aluminum interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
29048	N-A	N-A

**29053****Belden**

18 AWG stranded (7x26) bare copper conductors; 18 AWG bare copper ground wire; .030x1A; (.76mm) XLPE insulation; PVC inner jacket; aluminum interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
29053	N-A	N-A

**29058****Belden**

18 AWG stranded (7x26) bare copper conductors; 18 AWG bare copper ground wire; .030x1A; (.76mm) XLPE insulation; PVC inner jacket; aluminum interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
29058	N-A	N-A

**29068****Belden**

18 AWG stranded (7x26) bare copper conductors; 18 AWG bare copper ground wire; .030x1A; (.76mm) XLPE insulation; PVC inner jacket; aluminum interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
29068	N-A	N-A

**29078****Belden**

18 AWG stranded (7x26) bare copper conductors; 18 AWG bare copper ground wire; .030x1A; (.76mm) XLPE insulation; PVC inner jacket; aluminum interlocked armor; PVC outer jacket.

Part Number	Weight	Min. Quantity
29078	N-A	N-A

**29116****Belden**

18 AWG solid .040 bare copper-covered steel conductor; gas-injected foam polyethylene insulation; Duobond 00 II + aluminum braid shield (60% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
29116	N-A	N-A

**9116 ALUMINUM ARMOR****Belden**

9116 ALUMINUM ARMOR

Part Number	Weight	Min. Quantity
29116 0001000	N-A	N-A

**SOLID TOP FOR BST; BDP****Belden**

SOLID TOP FOR BST; BDP


Part Number	Weight	Min. Quantity
2918-TP-1-3	N-A	N-A

**Top Panel for XST84-3-10006****Belden**

TOP PANEL FOR XST84-3-10006

Part Number	Weight	Min. Quantity
2918-TP-4-3	N-A	N-A

29500 – 29500

**29500****Belden**

4-cond. (3) stranded tinned copper circuit conductors; (1) ground wire with PVC insulation; XLPE insulation; Overall Duofoil 0Ω (100% coverage) plus a tinned copper braid shield (85% coverage); tinned copper drain wire; Oil & Sun-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29500	N-A	N-A

**#16/4C XLPE SH PVC****Belden**


Multi-Conductor Cables 16AWG 3C SHIELD 100ft SPOOL BLACK

Part Number	Weight	Min. Quantity
29500 010100	N-A	N-A

**#16/4C XLPE SHPVC****Belden**


Multi-Conductor Cables 16AWG 3C SHIELD 1000ft SPOOL BLACK

Part Number	Weight	Min. Quantity
29500 0101000	N-A	N-A

**#16/4C XLPE SHPVC****Belden**


Multi-Conductor Cables 16AWG 3C SHIELD 250ft SPOOL BLACK

Part Number	Weight	Min. Quantity
29500 010250	N-A	N-A

**#16/4C XLPE SHPVC****Belden**

Multi-Conductor Cables 16AWG 3C SHIELD 500ft SPOOL BLACK

Part Number	Weight	Min. Quantity
29500 010500	N-A	N-A

**#16/4C XLPE SH PVC****Belden**

Multi-Conductor Cables 16AWG 3C SHIELD 6000ft SPOOL BLACK

Part Number	Weight	Min. Quantity
29500 0106000	N-A	N-A

**4 #16 XLPE/PVC SH NHFRPO****Belden**

4 #16 XLPE/PVC SH NHFRPO

Part Number	Weight	Min. Quantity
29500T 0101000	N-A	N-A

**4 #16 XLPE/PVC SH NHFRPO****Belden**


4 #16 XLPE/PVC SH NHFRPO

Part Number	Weight	Min. Quantity
29500T 0106000	N-A	N-A

**29501****Belden**

4-cond. (3) stranded tinned copper circuit conductors plus (1) ground wire with PVC insulation; XLPE insulation; overall Duofoil 0Ω (100% coverage) plus a tinned copper braid shield (85% coverage); tinned copper drain wire; sun- & oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29501	N-A	N-A

**#14/4C XLPE SH PVC****Belden**

Multi-Conductor Cables 14AWG 3C SHIELD 100ft SPOOL BLACK

Part Number	Weight	Min. Quantity
29501 010100	N-A	N-A

29502 010250 – #12/4C XLPE SHPVC



#14/4C XLPE SHPVC

Belden

Multi-Conductor Cables 14AWG 3C SHIELD 1000ft SPOOL BLACK

Part Number	Weight	Min. Quantity
29501 0101000	N-A	N-A



4 #14 XLPE/PVC SH NHFRPO

Belden

4 #14 XLPE/PVC SH NHFRPO

Part Number	Weight	Min. Quantity
29501T 0105000	N-A	N-A



#14/4C XLPE SHPVC

Belden

Multi-Conductor Cables 14AWG 3C SHIELD 250ft SPOOL BLACK

Part Number	Weight	Min. Quantity
29501 010250	N-A	N-A




29502

Belden

4-cond. (3) stranded tinned copper circuit conductors plus (1) ground wire with PVC insulation; XLPE insulation; Overall Duofoil 0.001 (100% coverage) plus a tinned copper braid shield (85% coverage); tinned copper drain wire; Sun- & oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29502	N-A	N-A




#14/4C XLPE SHPVC

Belden

Multi-Conductor Cables 14AWG 3C SHIELD 500ft SPOOL BLACK

Part Number	Weight	Min. Quantity
29501 010500	N-A	N-A




#12/4C XLPE SH PVC

Belden

Multi-Conductor Cables 12AWG 3C SHIELD 100ft SPOOL BLACK

Part Number	Weight	Min. Quantity
29502 010100	N-A	N-A




#14/4C XLPE SH PVC

Belden

#14/4C XLPE SH PVC

Part Number	Weight	Min. Quantity
29501 0105000	N-A	N-A



#12/4C XLPE SHPVC

Belden

Multi-Paired Cables 12AWG 3C SHIELD 1000ft SPOOL BLACK

Part Number	Weight	Min. Quantity
29502 0101000	N-A	N-A




4 #14 XLPE/PVC SH NHFRPO

Belden

4 #14 XLPE/PVC SH NHFRPO

Part Number	Weight	Min. Quantity
29501T 0101000	N-A	N-A



#12/4C XLPE SHPVC

Belden

Multi-Paired Cables 12AWG 3C SHIELD 250ft SPOOL BLACK

Part Number	Weight	Min. Quantity
29502 010250	N-A	N-A

29502 010500 – #12/4C XLPE SHPVC



#12/4C XLPE SHPVC

Belden

Multi-Paired Cables 12AWG 3C SHIELD 500ft SPOOL BLACK

Part Number	Weight	Min. Quantity
29502 010500	N-A	N-A




#10/4C XLPE SH PVC

Belden

Multi-Conductor Cables 10AWG 3C SHIELD 100ft SPOOL BLACK

Part Number	Weight	Min. Quantity
29503 010100	N-A	N-A




#12/4C XLPE SH PVC

Belden

#12/4C XLPE SH PVC

Part Number	Weight	Min. Quantity
29502 0105000	N-A	N-A



#10/4C XLPE SHPVC

Belden

Multi-Paired Cables 10AWG 3C SHIELD 1000ft SPOOL BLACK

Part Number	Weight	Min. Quantity
29503 0101000	N-A	N-A




4 #12 XLPE/PVC SH NHFRPO

Belden

4 #12 XLPE/PVC SH NHFRPO

Part Number	Weight	Min. Quantity
29502T 0101000	N-A	N-A



#10/4C XLPE SHPVC

Belden

Multi-Paired Cables 10AWG 3C SHIELD 250ft SPOOL BLACK

Part Number	Weight	Min. Quantity
29503 010250	N-A	N-A




4 #12 XLPE/PVC SH NHFRPO

Belden

4 #12 XLPE/PVC SH NHFRPO

Part Number	Weight	Min. Quantity
29502T 0105000	N-A	N-A



#10/4C XLPE SHPVC

Belden

Multi-Paired Cables 10AWG 3C SHIELD 500ft SPOOL BLACK

Part Number	Weight	Min. Quantity
29503 010500	N-A	N-A




29503

Belden

4-cond. (3)stranded tinned copper circuit conductors plus (1)ground wire with PVC insulation; XLPE insulation; Overall Duofoil Shield (100% coverage) plus a tinned copper braid shield (85% coverage); tinned copper drain wire; Sun- & oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29503	N-A	N-A



#10/4C XLPE SH PVC

Belden

#10/4C XLPE SH PVC

Part Number	Weight	Min. Quantity
29503 0105000	N-A	N-A




29505 010250 – #6/4C XLPE SHPVC

**4 #10 XLPE/PVC SH NHFRPO****Belden**

4 #10 XLPE/PVC SH NHFRPO

Part Number	Weight	Min. Quantity
29503T 0101000	N-A	N-A

**#8/4C XLPE SHPVC****Belden**


Multi-Conductor Cables 8AWG 3C SHIELD 500ft SPOOL BLACK

Part Number	Weight	Min. Quantity
29504 010500	N-A	N-A

**4 #10 XLPE/PVC SH NHFRPO****Belden**

4 #10 XLPE/PVC SH NHFRPO

Part Number	Weight	Min. Quantity
29503T 0105000	N-A	N-A

**3 #8 XLPE; #8 PVC SH PVC****Belden**

3 #8 XLPE; #8 PVC SH PVC

Part Number	Weight	Min. Quantity
29504 0105000	N-A	N-A

29504**Belden**

4-cond. (3)stranded tinned copper circuit cond. plus (1)ground wire with PVC insulation; XLPE insulation; overall Duofoil 100Ω (100% cov.) plus a tinned copper braid shield (85% cov.); with tinned copper sectioned drain wire; Sun-&oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29504	N-A	N-A

29505**Belden**

4-cond. (3)stranded tinned copper circuit conductors plus (1)ground wire with PVC insulation; XLPE insulation; Overall Duofoil 100Ω (100% cov.) plus a tinned copper braid shield (85% cov.); tinned copper sectioned drain wire; sun-&oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29505	N-A	N-A

3 #8 XLPE; #8 PVC SH PVC**Belden**

Multi-Conductor Cables 8AWG 3C SHIELD 1000ft SPOOL BLACK

Part Number	Weight	Min. Quantity
29504 0101000	N-A	N-A

3 #6 XLPE; #6 PVC SH HMF**Belden**

Multi-Paired Cables 6AWG 3C SHIELD 1000ft SPOOL BLACK

Part Number	Weight	Min. Quantity
29505 0101000	N-A	N-A

3 #8 XLPE; #8 PVC SH PVC**Belden**

Multi-Conductor Cables 8AWG 3C SHIELD 250ft SPOOL BLACK


Part Number	Weight	Min. Quantity
29504 010250	N-A	N-A

#6/4C XLPE SHPVC**Belden**

Multi-Paired Cables 6AWG 3C SHIELD 250ft SPOOL BLACK

Part Number	Weight	Min. Quantity
29505 010250	N-A	N-A

29505 0103500 – 3 #6 XLPE; #6 PVC SH HMF

**3 #6 XLPE; #6 PVC SH HMF****Belden**

3 #6 XLPE; #6 PVC SH HMF

Part Number	Weight	Min. Quantity
29505 0103500	N-A	N-A

**4C4 133STR VFD 1000V****Belden**

4C4 133STR VFD 1000V

Part Number	Weight	Min. Quantity
29506T 0103000	N-A	N-A

**29506****Belden**

4-cond. (3) stranded tinned copper circuit conductors plus (1) ground wire with PVC insulation; XLPE insulation; overall Duofoil 0.001 (100% cov.) plus a tinned copper braid shield (85% cov.); tinned copper sectioned drain wire; Sun-&oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29506	N-A	N-A

**29507****Belden**


4-cond. (3) stranded tinned copper circuit conductors plus (1) ground wire with PVC insulation; XLPE insulation; overall Duofoil 0.001 (100% cov.) plus a tinned copper braid shield (85% cov.); tinned copper sectioned drain wire; Sun-&oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29507	N-A	N-A

**3 #4 XLPE; #4 PVC SH HMF****Belden**


Multi-Paired Cables 4AWG 3C SHIELD 1000ft SPOOL BLACK

Part Number	Weight	Min. Quantity
29506 0101000	N-A	N-A

**3 #2 XLPE; #2 PVC SH HMF****Belden**


Multi-Paired Cables 2AWG 3C SHIELD 1000ft SPOOL BLACK

Part Number	Weight	Min. Quantity
29507 0101000	N-A	N-A

**#4/4C XLPE SHPVC****Belden**


Multi-Paired Cables 4AWG 3C SHIELD 250ft SPOOL BLACK

Part Number	Weight	Min. Quantity
29506 010250	N-A	N-A

**3 #2 XLPE; #2 PVC SH HMF****Belden**


3 #2 XLPE; #2 PVC SH HMF

Part Number	Weight	Min. Quantity
29507 0102000	N-A	N-A

**3 #4 XLPE; #4 PVC SH HMF****Belden**

3 #4 XLPE; #4 PVC SH HMF

Part Number	Weight	Min. Quantity
29506 0103000	N-A	N-A


**#2/4C XLPE SHPVC****Belden**

Multi-Paired Cables 2AWG 3C SHIELD 250ft SPOOL BLACK

Part Number	Weight	Min. Quantity
29507 010250	N-A	N-A

29511 0101000 – COMPOSITE CABLE SH PVC

#2/4C XLPE SHPVC

**Belden**

Multi-Paired Cables 2AWG 3C SHIELD 500ft SPOOL BLACK

Part Number	Weight	Min. Quantity
29507 010500	N-A	N-A

COMPOSITE CABLE SH PVC

**Belden**

COMPOSITE CABLE SH PVC

Part Number	Weight	Min. Quantity
29510 010500	N-A	N-A

4C2 133STR VFD 1000V

**Belden**

4C2 133STR VFD 1000V

Part Number	Weight	Min. Quantity
29507T 0102000	N-A	N-A

COMPOSITE CABLE SH PVC

**Belden**

COMPOSITE CABLE SH PVC

Part Number	Weight	Min. Quantity
29510 0105000	N-A	N-A

29510

**Belden**

1 pr.(Signal)-16 AWG stranded (26x30) TC cond.; XLPE insul.; Beldfoil00Ω shield (100% c.); drain; 3 cond.(VFD) plus 1 ground wire-16 AWG stranded (26x30) TC cond.; XLPE insul.; Duofoil00Ω and TC braid Shield (100% a 85% c.); drain; PVC jacket.

Part Number	Weight	Min. Quantity
29510	N-A	N-A

29511

**Belden**

1 pr.(Signal)-16 AWG stranded (26x30) TC cond.; XLPE insul.; Beldfoil00Ω shield (100% c.); drain; 3 cond.(VFD) plus 1 ground wire-14 AWG stranded (41x30) TC cond.; XLPE insul.; Duofoil00Ω and TC braid Shield (100% a85% c); drain; PVC jacket.

Part Number	Weight	Min. Quantity
29511	N-A	N-A

COMPOSITE CABLE SH PVC

**Belden**

COMPOSITE CABLE SH PVC

Part Number	Weight	Min. Quantity
29510 010100	N-A	N-A

COMPOSITE CABLE SH PVC

**Belden**

COMPOSITE CABLE SH PVC

Part Number	Weight	Min. Quantity
29511 010100	N-A	N-A

COMPOSITE CABLE SH PVC

**Belden**

COMPOSITE CABLE SH PVC

Part Number	Weight	Min. Quantity
29510 0101000	N-A	N-A

COMPOSITE CABLE SH PVC

**Belden**

COMPOSITE CABLE SH PVC

Part Number	Weight	Min. Quantity
29511 0101000	N-A	N-A

29511 010500 – COMPOSITE CABLE SH PVC

**COMPOSITE CABLE SH PVC****Belden**

COMPOSITE CABLE SH PVC

Part Number	Weight	Min. Quantity
29511 010500	N-A	N-A

**COMPOSITE CABLE SH PVC****Belden**

COMPOSITE CABLE SH PVC

Part Number	Weight	Min. Quantity
29512 0104000	N-A	N-A

**COMPOSITE CABLE SH PVC****Belden**

COMPOSITE CABLE SH PVC

Part Number	Weight	Min. Quantity
29511 0105000	N-A	N-A

**COMPOSITE CABLE SH PVC****Belden**

COMPOSITE CABLE SH PVC

Part Number	Weight	Min. Quantity
29512 010500	N-A	N-A

**29512****Belden**

1 pr.(Signal)-16 AWG stranded (26x30) TC cond.; XLPE insul.; Beldfoil00Ω shield (100% c); drain; 3 cond.(VFD) plus 1 ground wire-12 AWG stranded (65x30) TC cond.; XLPE insul.; Duofoil00Ω and TC braid Shield (100% a85% c); drain; PVC jacket.

Part Number	Weight	Min. Quantity
29512	N-A	N-A

**29513****Belden**

1 pr.(Signal)-16 AWG stranded (26x30) TC cond.; XLPE insul.; Beldfoil00Ω shield (100% c); 3 cond.(VFD) plus 1 ground wire-10 AWG stranded (105x30) TC cond.; XLPE insul.; Duofoil00Ω and TC braid Shield (100% acdrain; PVC jacket.

Part Number	Weight	Min. Quantity
29513	N-A	N-A

**COMPOSITE CABLE SH PVC****Belden**

COMPOSITE CABLE SH PVC

Part Number	Weight	Min. Quantity
29512 010100	N-A	N-A

**COMPOSITE CABLE SH PVC****Belden**

COMPOSITE CABLE SH PVC

Part Number	Weight	Min. Quantity
29513 010100	N-A	N-A

**COMPOSITE CABLE SH PVC****Belden**

COMPOSITE CABLE SH PVC

Part Number	Weight	Min. Quantity
29512 0101000	N-A	N-A

**COMPOSITE CABLE SH PVC****Belden**

COMPOSITE CABLE SH PVC

Part Number	Weight	Min. Quantity
29513 0101000	N-A	N-A

29521 010100 – 3 #14 XLPE CU Tape; PVC Flexible Mo...

COMPOSITE CABLE SH PVC



Belden
COMPOSITE CABLE SH PVC

Part Number	Weight	Min. Quantity
29513 0103000	N-A	N-A



3 #16 XLPE CU Tape; PVC Flexible Mo...

Belden
Color: BLACK

Part Number	Weight	Min. Quantity
29520 010500	62	N-A

COMPOSITE CABLE SH PVC



Belden
COMPOSITE CABLE SH PVC

Part Number	Weight	Min. Quantity
29513 010500	N-A	N-A



3 #16 XLPE CU Tape; PVC Flexible Mo...

Belden
Color: BLACK

Part Number	Weight	Min. Quantity
29520 0105000	650	N-A

29520



Belden
3 - 16 AWG stranded (7x24) tinned copper circuit conductors plus (3) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% Coverage); sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29520	N-A	N-A



29520C

Belden
3 - 16 AWG stranded (7x24) bare copper circuit conductors plus (3) - 18 AWG stranded (7x26) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% Coverage); sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29520C	N-A	N-A

3 #16 XLPE CU Tape; PVC Flexible Mo...



Belden
Color: BLACK

Part Number	Weight	Min. Quantity
29520 010100	15.7	N-A



29521

Belden
3 - 14 AWG stranded (7x22) tinned copper circuit conductors plus (3) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% Coverage); sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29521	N-A	N-A

3 #16 XLPE CU Tape; PVC Flexible Mo...



Belden
Color: BLACK

Part Number	Weight	Min. Quantity
29520 0101000	126	N-A



3 #14 XLPE CU Tape; PVC Flexible Mo...

Belden
Color: BLACK

Part Number	Weight	Min. Quantity
29521 010100	17.6	N-A

29521 0101000 – 3 #14 XLPE CU Tape; PVC Flexible Mo...



3 #14 XLPE CU Tape; PVC Flexible Mo...

Belden

Color: BLACK

Part Number	Weight	Min. Quantity
29521 0101000	145	N-A



3 #12 XLPE CU Tape; PVC Flexible Mo...

Belden

Color: BLACK

Part Number	Weight	Min. Quantity
29522 010100	22.2	N-A



3 #14 XLPE CU Tape; PVC Flexible Mo...

Belden

Color: BLACK

Part Number	Weight	Min. Quantity
29521 010500	73	N-A



3 #12 XLPE CU Tape; PVC Flexible Mo...

Belden

Color: BLACK

Part Number	Weight	Min. Quantity
29522 0101000	193	N-A



3 #14 XLPE CU Tape; PVC Flexible Mo...

Belden

Color: BLACK

Part Number	Weight	Min. Quantity
29521 0105000	700	N-A



q #12 XLPE CU PCV Tape

Belden

Color: BLACK

Part Number	Weight	Min. Quantity
29522 010500	98.5	N-A

29521C



Belden

3 - 14 AWG stranded (7x22) bare copper circuit conductors plus (3) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% Coverage); sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29521C	N-A	N-A



3 #12 XLPE CU Tape; PVC Flexible Mo...

Belden

Color: BLACK

Part Number	Weight	Min. Quantity
29522 0105000	1000	N-A

29522



Belden

3 - 12 AWG stranded (7x20) tinned copper circuit conductors plus (3) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% Coverage); sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29522	N-A	N-A



29522C

Belden

3 - 12 AWG stranded (7x20) bare copper circuit conductors plus (3) - 16 AWG stranded (7x24) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% Coverage); sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29522C	N-A	N-A



29524 010500 – 3C8 7STC VFD 600V Flexible Motor Su...

**29523****Belden**

3 - 10 AWG stranded (7x18) tinned copper circuit conductors plus (3) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% Coverage); sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29523	N-A	N-A

**29523C****Belden**

3 - 10 AWG stranded (7x18) bare copper circuit conductors plus (3) - 14 AWG stranded (7x22) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% Coverage); sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29523C	N-A	N-A

**3 #10 XLPE CU Tape; PVC Flexible Mo...****Belden**

Color: BLACK

Part Number	Weight	Min. Quantity
29523 010100	31.3	N-A

**29524****Belden**

3 - 8 AWG stranded (7x16) tinned copper circuit conductors plus (3) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% Coverage); sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29524	N-A	N-A

**3 #10 XLPE CU Tape; PVC Flexible Mo...****Belden**

Color: BLACK

Part Number	Weight	Min. Quantity
29523 0101000	276	N-A

**3C8 7STC VFD 600V Flexible Motor Su...****Belden**

Color: BLACK

Part Number	Weight	Min. Quantity
29524 010100	37.8	N-A

**3 #10 XLPE CU Tape; PVC Flexible Mo...****Belden**

Color: BLACK

Part Number	Weight	Min. Quantity
29523 010500	142	N-A

**3C8 7STC VFD 600V Flexible Motor Su...****Belden**

Color: BLACK

Part Number	Weight	Min. Quantity
29524 0101000	388	N-A

**3 #10 XLPE CU Tape; PVC Flexible Mo...****Belden**

Color: BLACK

Part Number	Weight	Min. Quantity
29523 0105000	1400	N-A

**3C8 7STC VFD 600V Flexible Motor Su...****Belden**

Color: BLACK

Part Number	Weight	Min. Quantity
29524 010500	219.5	N-A

29524 0105000 – 3C8 7STC VFD 600V Flexible Motor Su...



3C8 7STC VFD 600V Flexible Motor Su...

Belden

Color: BLACK

Part Number	Weight	Min. Quantity
29524 0105000	2050	N-A



3C6 7STC VFD 600V Flexible Motor Su...

Belden

Color: BLACK

Part Number	Weight	Min. Quantity
29525 010500	67.9	N-A

29524C



Belden

3 - 8 AWG stranded (7x16) bare copper circuit conductors plus (3) - 14 AWG stranded (7x22) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% Coverage); sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29524C	N-A	N-A



3C6 7STC VFD 600V Flexible Motor Su...

Belden

Color: BLACK

Part Number	Weight	Min. Quantity
29525 0105000	300	N-A

29525



Belden

6 AWG stranded (7x14) tinned copper circuit conductors plus (3) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% Coverage); sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29525	N-A	N-A



29525C

Belden

6 AWG stranded (7x14) bare copper circuit conductors plus (3) - 12 AWG stranded (7x20) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% Coverage); sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29525C	N-A	N-A



3C6 7STC VFD 600V Flexible Motor Su...

Belden

Color: BLACK

Part Number	Weight	Min. Quantity
29525 010100	55.5	N-A



29526

Belden

4 AWG stranded (7x12) tinned copper circuit conductors plus (3) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% Coverage); sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29526	N-A	N-A



3C6 7STC VFD 600V Flexible Motor Su...

Belden

Color: BLACK

Part Number	Weight	Min. Quantity
29525 0101000	650	N-A



3C4 7STC VFD 600V Flexible Motor Su...

Belden

Color: BLACK

Part Number	Weight	Min. Quantity
29526 010100	81.3	N-A

**3C4 7STC VFD 600V Flexible Motor Su...****Belden**

Color: BLACK

Part Number	Weight	Min. Quantity
29526 0101000	910	N-A

**3C2 7STC VFD 600V Flexible Motor Su...****Belden**

Color: BLACK

Part Number	Weight	Min. Quantity
29527 010100	130.3	N-A

**3C4 7STC VFD 600V Flexible Motor Su...****Belden**

Color: BLACK

Part Number	Weight	Min. Quantity
29526 010500	470.5	N-A

**3C2 7STC VFD 600V Flexible Motor Su...****Belden**

Color: BLACK

Part Number	Weight	Min. Quantity
29527 0101000	1380	N-A

**3C4 7STC VFD 600V Flexible Motor Su...****Belden**

Color: BLACK

Part Number	Weight	Min. Quantity
29526 0105000	4400	N-A

**3C2 7STC VFD 600V Flexible Motor Su...****Belden**

Color: BLACK

Part Number	Weight	Min. Quantity
29527 010500	663.5	N-A

29526C**Belden**

4 AWG stranded (7x12) bare copper circuit conductors plus (3) - 12 AWG stranded (7x20) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% Coverage); sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29526C	N-A	N-A

**3C2 7STC VFD 600V Flexible Motor Su...****Belden**

Color: BLACK

Part Number	Weight	Min. Quantity
29527 0105000	6500	N-A

29527**Belden**

2 AWG stranded (7x10) tinned copper circuit conductors plus (3) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% Coverage); sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29527	N-A	N-A

**29527C****Belden**

2 AWG stranded (7x10) bare copper circuit conductors plus (3) 10 AWG stranded (7x18) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% Coverage); sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29527C	N-A	N-A




29528 – 29528

**29528****Belden**


3 stranded tinned copper circuit conductors plus (3) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% Coverage); sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29528	N-A	N-A

**3C1 133STC VFD 600V****Belden**


3C1 133STC VFD 600V

Part Number	Weight	Min. Quantity
29528 0101000	N-A	N-A

**3C1 133STC VFD 600V****Belden**


3C1 133STC VFD 600V

Part Number	Weight	Min. Quantity
29528 010250	N-A	N-A

**3C1 133STC VFD 600V****Belden**

3C1 133STC VFD 600V

Part Number	Weight	Min. Quantity
29528 0103000	N-A	N-A

**3C1 133STC VFD 600V****Belden**

3C1 133STC VFD 600V

Part Number	Weight	Min. Quantity
29528 010500	N-A	N-A

**29528C****Belden**


3 - 1 AWG stranded (19x14) bare copper circuit conductors plus (3) - 10 AWG stranded (7x18) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% Coverage); sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29528C	N-A	N-A

**29529****Belden**

3 stranded tinned copper circuit conductors plus (3) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% Coverage); sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29529	N-A	N-A

**3C1/O 133STR VFD 600V****Belden**

3C1/O 133STR VFD 600V

Part Number	Weight	Min. Quantity
29529 0101000	N-A	N-A

**3C1/O 133STR VFD 600V****Belden**

3C1/O 133STR VFD 600V

Part Number	Weight	Min. Quantity
29529 0102000	N-A	N-A

**3C1/O 133STR VFD 600V****Belden**


3C1/O 133STR VFD 600V

Part Number	Weight	Min. Quantity
29529 010250	N-A	N-A

3C1/0 133STR VFD 600V**Belden**

3C1/0 133STR VFD 600V

Part Number	Weight	Min. Quantity
29529 010500	N-A	N-A

3C2/0 133STC VFD 600V**Belden**

3C2/0 133STC VFD 600V

Part Number	Weight	Min. Quantity
29530 010250	N-A	N-A

29529C**Belden**

3 - 1/0 AWG stranded (19x13) bare copper circuit conductors plus (3) - 10 AWG stranded (7x18) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% Coverage); sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29529C	N-A	N-A

3C2/0 133STC VFD 600V**Belden**

3C2/0 133STC VFD 600V

Part Number	Weight	Min. Quantity
29530 010500	N-A	N-A

29530**Belden**

3 stranded tinned copper circuit conductors plus (3) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% Coverage) ~ sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29530	N-A	N-A

29530C**Belden**

2/0 AWG - 3 stranded (19x12) bare copper circuit conductors plus (3) 10 AWG stranded (7x28) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% Coverage); sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29530C	N-A	N-A

3C2/0 133STC VFD 600V**Belden**

3C2/0 133STC VFD 600V

Part Number	Weight	Min. Quantity
29530 0101000	N-A	N-A

**3C2/0 133STC VFD 600V****Belden**

3C2/0 133STC VFD 600V

Part Number	Weight	Min. Quantity
29530T 0102000	N-A	N-A

3C2/0 133STC VFD 600V**Belden**

3C2/0 133STC VFD 600V

Part Number	Weight	Min. Quantity
29530 0102000	N-A	N-A

**29531****Belden**

3 stranded tinned copper circuit conductors plus (3) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% Coverage) ~ sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29531	N-A	N-A

29531 0101000 – 3C3/0 133STR VFD 600V

3C3/0 133STR VFD 600V




Belden

3C3/0 133STR VFD 600V

Part Number	Weight	Min. Quantity
29531 0101000	N-A	N-A

3C3/0 133STR VFD 600V




Belden

3C3/0 133STR VFD 600V

Part Number	Weight	Min. Quantity
29531 0102000	N-A	N-A

3C3/0 133STR VFD 600V




Belden

3C3/0 133STR VFD 600V

Part Number	Weight	Min. Quantity
29531 010250	N-A	N-A

3C3/0 133STR VFD 600V



Belden

3C3/0 133STR VFD 600V

Part Number	Weight	Min. Quantity
29531 010500	N-A	N-A

29531C



Belden

3 - 3/0 AWG stranded (19x11) bare tinned copper circuit conductors plus (3) 8 AWG stranded (7x16) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% coverage); sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29531C	N-A	N-A

29532




Belden

3 stranded tinned copper circuit conductors plus (3) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% coverage) ~ sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29532	N-A	N-A

3C4/0 133STC VFD 600V




Belden

3C4/0 133STC VFD 600V

Part Number	Weight	Min. Quantity
29532 0101500	N-A	N-A

3C4/0 133STC VFD 600V




Belden

3C4/0 133STC VFD 600V

Part Number	Weight	Min. Quantity
29532 010250	N-A	N-A

3C4/0 133STC VFD 600V



Belden

3C4/0 133STC VFD 600V

Part Number	Weight	Min. Quantity
29532 010500	N-A	N-A

29532C



Belden

3 - 4/0 AWG stranded (19x10) bare copper circuit conductors plus (3) - 8 AWG stranded (7x16) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% coverage); sun- and oil-resistant PVC jacket.


Part Number	Weight	Min. Quantity
29532C	N-A	N-A

29537 0105000 – 4 #12 XLPE SH PVC

**3C4/0 133STC VFD 600V****Belden**

3C4/0 133STC VFD 600V

Part Number	Weight	Min. Quantity
29532T 010500	N-A	N-A

**4 #14 XLPE SH PVC****Belden**


4 #14 XLPE SH PVC

Part Number	Weight	Min. Quantity
29536 0101000	N-A	N-A

**29533****Belden**

250 MCM; 3 stranded tinned copper circuit conductors plus (3) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% coverage) ~ sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29533	N-A	N-A

**4 #14 XLPE SH PVC****Belden**

4 #14 XLPE SH PVC

Part Number	Weight	Min. Quantity
29536 0105000	N-A	N-A

**29534****Belden**

350 MCM; 3 stranded tinned copper circuit conductors plus (3) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% coverage) ~ sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29534	N-A	N-A

**29537****Belden**


4-cond. (3) stranded tinned copper circuit conductors plus (1) ground wire with PVC insulation; XLPE insulation; overall Duofoil 00 (100% coverage) plus a tinned copper braid shield (85% coverage); tinned copper drain wire; Sun- & oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29537	N-A	N-A

**29535****Belden**

500 MCM; 3 stranded tinned copper circuit conductors plus (3) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% coverage) ~ sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29535	N-A	N-A

**4 #12 XLPE SH PVC****Belden**

4 #12 XLPE SH PVC

Part Number	Weight	Min. Quantity
29537 0101000	N-A	N-A

4 #12 XLPE SH PVC**Belden**


4 #12 XLPE SH PVC

Part Number	Weight	Min. Quantity
29537 0105000	N-A	N-A

**29536****Belden**

4-cond. (3) stranded tinned copper circuit conductors plus (1) ground wire with XLPE insulation; XLPE insulation; overall Duofoil 00 (100% coverage) plus a tinned copper braid shield (85% coverage); tinned copper drain wire; sun- & oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29536	N-A	N-A



29538 – 29538

**29538****Belden**

4-cond. (3)stranded tinned copper circuit conductors plus (1)ground wire with PVC insulation; XLPE insulation; Overall Duofoil 0.001Ω (100% coverage) plus a tinned copper braid shield (85% coverage); tinned copper drain wire; Sun- & oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29538	N-A	N-A

**4 #10 XLPE SH PVC****Belden**

4 #10 XLPE SH PVC

Part Number	Weight	Min. Quantity
29538 0101000	N-A	N-A

**4 #10 XLPE SH PVC****Belden**


4 #10 XLPE SH PVC

Part Number	Weight	Min. Quantity
29538 0105000	N-A	N-A

**29539****Belden**


4-cond. (3)stranded tinned copper circuit cond. plus (1) ground wire with PVC insulation; XLPE insulation; overall Duofoil 0.001Ω (100% coverage) plus a tinned copper braid shield (85% coverage); with tinned copper sectioned drain wire; Sun-&oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29539	N-A	N-A

**4C8 133STR VFD 2000V****Belden**

4C8 133STR VFD 2000V

Part Number	Weight	Min. Quantity
29539 0101000	N-A	N-A

**4C8 133STR VFD 2000V****Belden**


4C8 133STR VFD 2000V

Part Number	Weight	Min. Quantity
29539 0105000	N-A	N-A

**29540****Belden**


4-cond. (3) stranded tinned copper circuit conductors plus (1) ground wire with PVC insulation; XLPE insulation; Overall Duofoil 0.001Ω (100% coverage) plus a tinned copper braid shield (85% coverage); tinned copper sectioned drain wire; sun-&oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29540	N-A	N-A

**4C6 133STR VFD 2000V****Belden**

4C6 133STR VFD 2000V

Part Number	Weight	Min. Quantity
29540 0101000	N-A	N-A

**4C6 133STR VFD 2000V****Belden**

4C6 133STR VFD 2000V

Part Number	Weight	Min. Quantity
29540 0103500	N-A	N-A

**29541****Belden**

4-cond. (3) stranded tinned copper circuit conductors plus (1) ground wire with PVC insulation; XLPE insulation; overall Duofoil 0.001Ω (100% coverage) plus a tinned copper braid shield (85% coverage); tinned copper sectioned drain wire; Sun-&oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29541	N-A	N-A

29544 0101000 – 3C1/0 133STC VFD 2000V

**4C4 133STR VFD 2000V****Belden**

4C4 133STR VFD 2000V

Part Number	Weight	Min. Quantity
29541 0101000	N-A	N-A

**4C4 133STR VFD 2000V****Belden**


4C4 133STR VFD 2000V

Part Number	Weight	Min. Quantity
29541 0103000	N-A	N-A

**29542****Belden**


4-cond. (3) stranded tinned copper circuit conductors plus (1) ground wire with PVC insulation; XLPE insulation; overall Duofoil shield (100% coverage) plus a tinned copper braid shield (85% coverage); tinned copper sectioned drain wire; sun- & oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29542	N-A	N-A

**4C2 133STR VFD 2000V****Belden**

4C2 133STR VFD 2000V

Part Number	Weight	Min. Quantity
29542 0101000	N-A	N-A

**4C2 133STR VFD 2000V****Belden**


4C2 133STR VFD 2000V

Part Number	Weight	Min. Quantity
29542 0102000	N-A	N-A

**29543****Belden**


3 stranded tinned copper circuit conductors plus (3) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% Coverage); sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29543	N-A	N-A

**3C1 133STC VFD 2000V****Belden**

3C1 133STC VFD 2000V

Part Number	Weight	Min. Quantity
29543 0101000	N-A	N-A

**3C1 133STC VFD 2000V****Belden**

3C1 133STC VFD 2000V

Part Number	Weight	Min. Quantity
29543 0103000	N-A	N-A

**29544****Belden**

3 stranded tinned copper circuit conductors plus (3) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% Coverage); sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29544	N-A	N-A


**3C1/0 133STC VFD 2000V****Belden**

3C1/0 133STC VFD 2000V

Part Number	Weight	Min. Quantity
29544 0101000	N-A	N-A

29544 0102000 – 3C1/O 133STC VFD 2000V

3C1/O 133STC VFD 2000V



Belden

3C1/O 133STC VFD 2000V

Part Number	Weight	Min. Quantity
29544 0102000	N-A	N-A

29545




Belden

3 stranded tinned copper circuit conductors plus (3) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% coverage) ~ sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29545	N-A	N-A

3C2/O 133STC VFD 2000V




Belden

3C2/O 133STC VFD 2000V

Part Number	Weight	Min. Quantity
29545 0101000	N-A	N-A

3C2/O 133STC VFD 2000V



Belden

3C2/O 133STC VFD 2000V

Part Number	Weight	Min. Quantity
29545 0102000	N-A	N-A

29546




Belden

3 stranded tinned copper circuit conductors plus (3) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% Coverage) ~ sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29546	N-A	N-A

3C3/O 133STC VFD 2000V




Belden

3C3/O 133STC VFD 2000V

Part Number	Weight	Min. Quantity
29546 0101000	N-A	N-A

3C3/O 133STC VFD 2000V



Belden

3C3/O 133STC VFD 2000V

Part Number	Weight	Min. Quantity
29546 0102000	N-A	N-A

29547




Belden

3 stranded tinned copper circuit conductors plus (3) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% coverage) ~ sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29547	N-A	N-A

3C4/O 133STC VFD 2000V




Belden

3C4/O 133STC VFD 2000V

Part Number	Weight	Min. Quantity
29547 0101500	N-A	N-A

3C4/O 133STC VFD 2000V



Belden

3C4/O 133STC VFD 2000V

Part Number	Weight	Min. Quantity
29547 010500	N-A	N-A

**29550C****Belden**

3 - 14 AWG stranded (7x22) bare copper circuit conductors plus (3) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% Coverage); sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29550C	N-A	N-A

**29551C****Belden**

3 - 12 AWG stranded (7x20) bare copper circuit conductors plus (3) - 16 AWG stranded (7x24) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% Coverage); sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29551C	N-A	N-A

**29552C****Belden**

3 - 10 AWG stranded (7x18) bare copper circuit conductors plus (3) - 14 AWG stranded (7x22) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% Coverage); sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29552C	N-A	N-A

**29553C****Belden**

3 - 8 AWG stranded (7x16) bare copper circuit conductors plus (3) - 14 AWG stranded (7x22) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% Coverage); sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29553C	N-A	N-A

**29554C****Belden**

6 AWG stranded (7x14) bare copper circuit conductors plus (3) - 12 AWG stranded (7x20) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% Coverage); sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29554C	N-A	N-A

**29555C****Belden**

4 AWG stranded (7x12) bare copper circuit conductors plus (3) - 12 AWG stranded (7x20) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% Coverage); sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29555C	N-A	N-A

**29556C****Belden**

2 AWG stranded (7x10) bare copper circuit conductors plus (3) 10 AWG stranded (7x18) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% Coverage); sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29556C	N-A	N-A

**29557C****Belden**

3 - 1 AWG stranded (19x14) bare copper circuit conductors plus (3) - 10 AWG stranded (7x18) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% Coverage); sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29557C	N-A	N-A

**29558C****Belden**

3 - 1/0 AWG stranded (19x13) bare copper circuit conductors plus (3) - 10 AWG stranded (7x18) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% Coverage); sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29558C	N-A	N-A

**29559C****Belden**

2/0 AWG - 3 stranded (19x12) bare copper circuit conductors plus (3) 10 AWG stranded (7x28) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% Coverage); sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29559C	N-A	N-A



29560C – 29560C

**29560C****Belden**

3 - 3/0 AWG stranded (19x11) bare tinned copper circuit conductors plus (3) 8 AWG stranded (7x16) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% coverage); sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29560C	N-A	N-A

**29561C****Belden**

3 - 4/0 AWG stranded (19x10) bare copper circuit conductors plus (3) - 8 AWG stranded (7x16) symmetrical bare copper ground wires; XLPE insulation; two spiral copper tape shields (100% coverage); sun- and oil-resistant PVC jacket.

Part Number	Weight	Min. Quantity
29561C	N-A	N-A

**2L28026****Belden**

Belden's 1.00mm pitch gray ribbon cable was designed for the disk drive market where the 2.00mm IDC connector is widely used.

Part Number	Weight	Min. Quantity
2L28026	N-A	N-A

**26 #28 STR PVC RIBBON****Belden**

Multi-Conductor Cables 28AWG 26C UNSHLD 100ft RIBBON GRAY

Part Number	Weight	Min. Quantity
2L28026 008H100	N-A	N-A

**2L28034****Belden**

Belden's 1.00mm pitch gray ribbon cable was designed for the disk drive market where the 2.00mm IDC connector is widely used.

Part Number	Weight	Min. Quantity
2L28034	N-A	N-A

**2L28040****Belden**

Belden's 1.00mm pitch gray ribbon cable was designed for the disk drive market where the 2.00mm IDC connector is widely used.

Part Number	Weight	Min. Quantity
2L28040	N-A	N-A

**2L28044****Belden**

Belden's 1.00mm pitch gray ribbon cable was designed for the disk drive market where the 2.00mm IDC connector is widely used.

Part Number	Weight	Min. Quantity
2L28044	N-A	N-A

**2L28050****Belden**

Belden's 1.00mm pitch gray ribbon cable was designed for the disk drive market where the 2.00mm IDC connector is widely used.

Part Number	Weight	Min. Quantity
2L28050	N-A	N-A

**50 #28 STR PVC RIBBON****Belden**

Flat Cables 28AWG 50C STRAND 100FT SPOOL GRAY

Part Number	Weight	Min. Quantity
2L28050 008H100	N-A	N-A

**DRIVE RING 1/2'****Belden**

DRIVE RING 1/2'

Part Number	Weight	Min. Quantity
30-00801	N-A	N-A

**DRIVE RING 5/8'**

Belden

DRIVE RING 5/8'

Part Number	Weight	Min. Quantity
30-00804	N-A	N-A

**DRIVE RING 5/8' L**

Belden

DRIVE RING 5/8' L

Part Number	Weight	Min. Quantity
30-01804	N-A	N-A

**DRIVE RING 7/8'**

Belden

DRIVE RING 7/8'

Part Number	Weight	Min. Quantity
30-00805	N-A	N-A

**DRIVE RING 7/8 L**

Belden

DRIVE RING 7/8 L

Part Number	Weight	Min. Quantity
30-01805	N-A	N-A

**DRIVE RING 1-1/4'**

Belden

DRIVE RING 1-1/4'

Part Number	Weight	Min. Quantity
30-00807	N-A	N-A

**31IVE RING 1-1/4 L**

Belden

31IVE RING 1-1/4 L

Part Number	Weight	Min. Quantity
30-01807	N-A	N-A

**B DROP WIRE HOOK COMM**

Belden

B DROP WIRE HOOK COMM

Part Number	Weight	Min. Quantity
30-01732	N-A	N-A

**CWIRE LOOP1/2 12/PK(BELL)UM:PK**

Belden

CWIRE LOOP1/2 12/PK(BELL)UM:PK

Part Number	Weight	Min. Quantity
30-21801	N-A	N-A

**DRIVE RING 1/2' L**

Belden

DRIVE RING 1/2' L

Part Number	Weight	Min. Quantity
30-01801	N-A	N-A


**3000A**

Belden

22 AWG pairs stranded (7x30) bare copper conductors; twisted pairs; PVC insulation; overall Beldfoil shield (100% coverage); PVC jacket.


Part Number	Weight	Min. Quantity
3000A	N-A	N-A

3001A – 3001A

**3001A****Belden**


22 AWG pairs stranded (7x30) bare copper conductors; twisted pairs; PVC insulation; individually shielded plus an overall Beldfoil shield (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
3001A	N-A	N-A

**3002A****Belden**

22 AWG triads stranded (7x30) bare copper conductors; twisted triads; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
3002A	N-A	N-A

**3003A****Belden**

22 AWG triads stranded (7x30) bare copper conductors; twisted triads; individually shielded plus an overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
3003A	N-A	N-A

**3004A****Belden**

22 AWG pairs stranded (7x30) bare copper conductors; twisted pairs; PVC insulation; overall Beldfoil shield (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
3004A	N-A	N-A

**3005A****Belden**

22 AWG pairs stranded (7x30) bare copper conductors; twisted pairs; PVC insulation; individually shielded plus an overall Beldfoil shield (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
3005A	N-A	N-A

**3006A****Belden**

22 AWG pairs stranded (7x30) bare copper conductors; twisted pairs; PVC insulation; overall Beldfoil shield (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
3006A	N-A	N-A

**3007A****Belden**

22 AWG pairs stranded (7x30) bare copper conductors; twisted pairs; PVC insulation; individually shielded plus an overall Beldfoil shield (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
3007A	N-A	N-A

**3008A****Belden**

22 AWG pairs stranded (7x30) bare copper conductors; twisted pairs; PVC insulation; overall Beldfoil shield (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
3008A	N-A	N-A

**3009A****Belden**

22 AWG pairs stranded (7x30) bare copper conductors; twisted pairs; PVC insulation; individually shielded plus an overall Beldfoil shield (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
3009A	N-A	N-A

**3010A****Belden**

22 AWG pairs stranded (7x30) bare copper conductors; twisted pairs; PVC insulation; overall Beldfoil shield (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
3010A	N-A	N-A

**3011A****Belden**

22 AWG pairs stranded (7x30) bare copper conductors; twisted pairs; PVC insulation; individually shielded plus an overall Beldfoil shield (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
3011A	N-A	N-A

**3012A****Belden**

22 AWG pairs stranded (7x30) bare copper conductors; twisted pairs; PVC insulation; individually shielded plus an overall Beldfoil shield (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
3012A	N-A	N-A

**3013A****Belden**

22 AWG pairs stranded (7x30) bare copper conductors; twisted pairs; PVC insulation; individually shielded plus an overall Beldfoil shield (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
3013A	N-A	N-A

**3014A****Belden**

22 AWG pairs stranded (7x30) bare copper conductors; twisted pairs; PVC insulation; individually shielded plus an overall Beldfoil shield (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
3014A	N-A	N-A

**3015A****Belden**

22 AWG pairs stranded (7x30) bare copper conductors; twisted pairs; PVC insulation; individually shielded plus an overall Beldfoil shield (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
3015A	N-A	N-A

**3016A****Belden**


20 AWG pairs stranded (7x28) bare copper conductors; twisted pairs; PVC insulation; individually shielded plus an overall Beldfoil shield (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
3016A	N-A	N-A

**3017A****Belden**

20 AWG triads stranded (7x28) bare copper conductors; twisted triads; PVC insulation; individually shielded plus an overall Beldfoil shield (100% coverage); PVC Jacket.

Part Number	Weight	Min. Quantity
3017A	N-A	N-A

**3018A****Belden**

20 AWG triads stranded (7x28) bare copper conductors; twisted triads; PVC insulation; individually shielded plus an overall Beldfoil shield (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
3018A	N-A	N-A

**3020A****Belden**

20 AWG triads stranded (7x28) bare copper conductors; twisted triads; PVC insulation; individually shielded plus an overall Beldfoil shield (100% coverage); PVC Jacket.

Part Number	Weight	Min. Quantity
3020A	N-A	N-A

**3021A****Belden**

20 AWG triads stranded (7x28) bare copper conductors; twisted triads; PVC insulation; individually shielded plus an overall Beldfoil shield (100% coverage); PVC Jacket.

Part Number	Weight	Min. Quantity
3021A	N-A	N-A

3022A – 3022A

**3022A****Belden**

20 AWG triads stranded (7x28) bare copper conductors; twisted triads; PVC insulation; overall Beldfoil shield (100% coverage); PVC Jacket.

Part Number	Weight	Min. Quantity
3022A	N-A	N-A

**3023A****Belden**

20 AWG triads stranded (7x28) bare copper conductors; twisted triads; PVC insulation; overall Beldfoil shield (100% coverage); PVC Jacket.

Part Number	Weight	Min. Quantity
3023A	N-A	N-A

**3024A****Belden**

20 AWG triads stranded (7x28) bare copper conductors; twisted triads; PVC insulation; overall Beldfoil shield (100% coverage); PVC Jacket.

Part Number	Weight	Min. Quantity
3024A	N-A	N-A

**3025A****Belden**

18 AWG pairs stranded (7x26) bare copper conductors; twisted pairs; PVC insulation; overall Beldfoil shield (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
3025A	N-A	N-A

**2 PR #18 + 1 #22 PVC FSPVC****Belden**


2 PR #18 + 1 #22 PVC FSPVC

Part Number	Weight	Min. Quantity
3025A 01010000	N-A	N-A

**3027A****Belden**

18 AWG triads stranded (7x26) bare copper conductors; twisted triads; PVC insulation; overall Beldfoil shield (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
3027A	N-A	N-A

**3028A****Belden**

18 AWG triads stranded (7x26) bare copper conductors; twisted triads; PVC insulation; individually shielded plus an overall Beldfoil (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
3028A	N-A	N-A

**3029A****Belden**

18 AWG pairs stranded (19x30) tinned copper conductors; twisted pairs; PVC insulation; individually shielded (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
3029A	N-A	N-A

**3030A****Belden**

18 AWG triads stranded (7x26) bare copper conductors; twisted triads; PVC insulation; overall Beldfoil shield (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
3030A	N-A	N-A

**3031A****Belden**


18 AWG triads stranded (7x26) bare copper conductors; twisted triads; PVC insulation; individually shielded plus an overall Beldfoil (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
3031A	N-A	N-A

**3032A****Belden**

18 AWG triads stranded (7x26) bare copper conductors; twisted triads; PVC insulation; overall Beldfoil shield (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
3032A	N-A	N-A

**3033A****Belden**

18 AWG triads stranded (7x26) bare copper conductors; twisted triads; PVC insulation; individually shielded plus an overall Beldfoil shield (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
3033A	N-A	N-A

**3034A****Belden**

18 AWG pairs stranded (7x26) bare copper conductors; twisted pairs; PVC insulation; overall Beldfoil shield (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
3034A	N-A	N-A

**3035A****Belden**

18 AWG pairs stranded (7x26) bare copper conductors; twisted pairs; individually shielded plus an overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
3035A	N-A	N-A

**3036A****Belden**

18 AWG triads stranded (7x26) bare copper conductors; twisted triads; PVC insulation; overall Beldfoil shield (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
3036A	N-A	N-A

**3037A****Belden**


18 AWG triads stranded (7x26) bare copper conductors; twisted triads; PVC insulation;

Part Number	Weight	Min. Quantity
3037A	N-A	N-A

**3038A****Belden**

18 AWG triads stranded (7x26) bare copper conductors; twisted triads; PVC insulation; overall Beldfoil shield (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
3038A	N-A	N-A

**3039A****Belden**

18 AWG triads stranded (7x26) bare copper conductors; twisted triads; PVC insulation; individually shielded plus an overall Beldfoil shield (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
3039A	N-A	N-A

**3041A****Belden**

18 AWG pairs stranded (7x26) bare copper conductors; twisted pairs; PVC insulation; overall Beldfoil shield (100% coverage); PVC jacket.


Part Number	Weight	Min. Quantity
3041A	N-A	N-A

**3042A****Belden**

18 AWG pairs stranded (7x26) bare copper conductors; twisted pairs; individually shielded plus an overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.


Part Number	Weight	Min. Quantity
3042A	N-A	N-A

3043A – 3043A

**3043A****Belden**


16 AWG pairs stranded (7x24) bare copper conductors; twisted pairs; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
3043A	N-A	N-A

**3044A****Belden**

16 AWG triads stranded (7x24) bare copper conductors; twisted triads; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
3044A	N-A	N-A

**3045A****Belden**


16 AWG triads stranded (7x24) bare copper conductors; twisted triads; individually shielded plus an overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
3045A	N-A	N-A

**3046A****Belden**

16 AWG triads stranded (7x24) bare copper conductors; twisted triads; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
3046A	N-A	N-A

**3047A****Belden**

16 AWG triads stranded (7x24) bare copper conductors; twisted triads; individually shielded plus an overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
3047A	N-A	N-A

**3048A****Belden**

16 AWG triads stranded (7x24) bare copper conductors; twisted triads; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
3048A	N-A	N-A

**3049A****Belden**

16 AWG triads stranded (7x24) bare copper conductors; twisted triads; individually shielded plus an overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
3049A	N-A	N-A

**3050A****Belden**

16 AWG pairs stranded (7x24) bare copper conductors; twisted pairs; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
3050A	N-A	N-A

**3051A****Belden**


16 AWG pairs stranded (7x24) bare copper conductors; twisted pairs; individually shielded plus an overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
3051A	N-A	N-A

**3052A****Belden**

16 AWG triads stranded (7x24) bare copper conductors; twisted triads; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
3052A	N-A	N-A

**3053A****Belden**


16 AWG triads stranded (7x24) bare copper conductors; twisted triads; individually shielded plus an overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
3053A	N-A	N-A

**3054A****Belden**


16 AWG triads stranded (7x24) bare copper conductors; twisted triads; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
3054A	N-A	N-A

**3055A****Belden**

16 AWG triads stranded (7x24) bare copper conductors; twisted triads; individually shielded plus an overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
3055A	N-A	N-A

**3056A****Belden**

16 AWG pairs stranded (7x24) bare copper conductors; twisted pairs; overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
3056A	N-A	N-A

**3057A****Belden**

16 AWG pairs stranded (7x24) bare copper conductors; twisted pairs; individually shielded plus an overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
3057A	N-A	N-A

**3064A****Belden**


18 AWG triads stranded (7x26) bare copper conductors; twisted triads; PVC/Nylon insulation; individually shielded plus an overall Beldfoil shield (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
3064A	N-A	N-A

**3066A****Belden**

18 AWG triads stranded (7x26) bare copper conductors; twisted triads; PVC/Nylon insulation; individually shielded plus an overall Beldfoil shield (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
3066A	N-A	N-A

**3067A****Belden**

20 AWG triads stranded (7x28) bare copper conductors; twisted triads; PVC insulation; individually shielded plus an overall Beldfoil shield (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
3067A	N-A	N-A

**3068A****Belden**

18 AWG triads stranded (7x26) bare copper conductors; twisted triads; PVC insulation; individually shielded plus an overall Beldfoil shield (100% coverage); PVC jacket.

Part Number	Weight	Min. Quantity
3068A	N-A	N-A

**3069A****Belden**

16 AWG triads stranded (7x24) bare copper conductors; twisted triads; individually shielded plus an overall Beldfoil shield (100% coverage); PVC insulation; PVC jacket.

Part Number	Weight	Min. Quantity
3069A	N-A	N-A