




conductive containers inc.

INDUSTRY
LEADING
ESD
PACKAGING
SOLUTIONS

STANDARD & EXPRESS PRODUCT CATALOG



conductivecontainers.com



EXPRESS PRODUCTS. Buy online or by phone in small or large quantity; the products ship in 24-48 hours.



STANDARD PRODUCTS. Over 1,000 ESD-safe products can be purchased in any quantity on 1-3 week lead times and no tooling cost.

THERE ARE THREE GREAT WAYS TO WORK WITH CONDUCTIVE CONTAINERS, INC. (CCI)

- 

EXPRESS PRODUCTS - These ESD solutions are ready to buy off the shelf at a great price for quick shipment within 48 hours for most items.
- 

STANDARD PRODUCTS - CCI has hundreds more designs that are proven ESD solutions which you can buy with no tooling at any quantity you need.
- 

CUSTOM PRODUCTS - Over 80% of what we do represents custom solutions made to fit your exact application. Talk to our service representatives and engineers to work out the best package for your situation.

IN THIS CATALOG

PRODUCT CATEGORY	PAGE
PCB Shippers/Mailers	3
Component Shipping.	4
ESD Workstation Products	10
ESD Storage.	12
Material Handling.	14
Corstat® and Durastat Totes	16
KleanStat™ Flex	24
Custom Solutions Idea Box	27

In this catalog you will find the industry leading Express and Standard Product part numbers. If for any reason you do not find what you are looking for here or on conductivecontainers.com, please give us a call and describe your unique application!

ORDER POLICIES

SHIPPING LOCATIONS: CCI has a stock products warehouse in Maple Grove, MN. All freight charges are billed F.O.B. origin.

PRODUCT SERVICE CODES:

E: Express products are stocked, packaged, and ready to ship | 1-2 day lead time

S: Standard products normally stocked at CCI | 1-3 week lead time

M: Custom products that are made to order with no tooling. Contact CCI customer service for lead time.

Contact your CCI CSR to find out which product service code applies.

PRICING: CCI maintains a stock products and express products price list that is subject to change without notice.

STOCK OUT: CCI Express products are normally in stock; however, CCI is not responsible for delays due to temporary stock-outs. CCI will make every attempt to produce and deliver as quickly as possible in these instances. CCI is not responsible for charges incurred for expedited freight.

STOCK RETURNS: CCI will accept returns of express products within 30 days of order and to a maximum dollar volume of \$5,000. Returns must be approved by CCI Customer Service and assigned an RMA# to be accepted at CCI. A 15% restocking charge applies for all items returning, the customer pays the return freight charges. If returns are made as the result of an error by CCI, CCI will pay the return freight and replace the parts required. Products marked 'S' or 'M' are not returnable.

ESD-SAFE PCB MAILERS

HIGH PERFORMANCE,
STATIC SHIELDING
FOR SHIPPING

CORSTAT® CORREC-PAK MAILER

ESD safe storage and shipping

- Made with durable materials
- Can be customized to fit specific needs
- Pink and black foam options available
- Cost savings and labor savings vs. bags

FOAM OPTIONS



STANDARD CCI PREMIUM PINK STATIC
DISSIPATIVE FOAM



OPTIONAL PERMANENT STATIC DISSIPATIVE
OR CONDUCTIVE FOAM


FOAM CODES

A = .75" finger, .25" base

B = 1.125" finger, .375" base

B = BASE

F = FINGER



	PART #	DIMENSIONS (I.D.)
X	3631	4 x 4 x 2"
	3641	5-3/4 x 6-1/4 x 2-1/2"
X	3080-1	7 x 5 x 1-1/2"
X	3090-2	7 x 5 x 2-1/2"
	3651	7 x 7 x 5"
	3661	8 x 8 x 1-1/2"
X	3180-3	9 x 7-1/2 x 1-1/2"
X	3190-4	9 x 7-1/2 x 2-1/2"
	3671	9-1/8 x 14-3/4 x 1-1/2"
	3681	9 x 14 x 2-1/2"
X	3691	10 x 10 x 4-1/4"
	3220-5	10-1/2 x 8-1/2 x 1-1/2"
X	3230-6	10-1/2 x 8-1/2 x 1-1/2"
X	3701	11 x 7-3/4 x 2-7/8"
X	3711	12 x 12 x 3"
	3310-7	12-1/2 x 10-1/2 x 1-1/2"
X	3320-8	12-1/2 x 10-1/2 x 2-1/2"
	3721	13-1/2 x 13-1/2 x 2"

	PART #	DIMENSIONS (I.D.)
X	3420-13	14-7/8 x 6-5/8 x 2"
	3490-9	15-1/2 x 12-1/2 x 1-1/2"
X	3500-10	15-1/2 x 12-1/2 x 2-1/2"
X	3525-14	16 x 12-1/4 x 3-1/2"
	3763	16-1/2 x 10-1/2 x 6-1/2"
	3762	17-1/4 x 10-1/2 x 5-3/4"
	3731	18 x 12 x 3-1/2"
	3568-15	18-7/8 x 17-5/8 x 1-3/4"
	3765	19-1/4 x 16-3/4 x 5-5/8"
	3741	20 x 19 x 2"
	3767	20-1/4 x 17-3/4 x 5-5/8"
	3768	20-1/4 x 17-1/2 x 4"
	3600-11	20-1/2 x 15-1/2 x 1-1/2"
X	3610-12	20-1/2 x 15-1/2 x 2-1/2"
	3766	21-1/4 x 12-1/2 x 4-1/2"
	3751	23 x 16-1/2 x 5"
	3761	24 x 21 x 5-1/2"
	3764	26-3/4 x 6-1/4 x 6"

Add -C to P/N for Corstat® mailer only, no foam. Call CCI for custom foam or plastic interior.



SCAN TO SHOP MAILERS ONLINE



MADE IN THE USA



CONDUCTIVE FLUTED PLASTIC MAILERS

ESD safe storage and shipping

- Permanent conductive properties
- Made from durable 3MM CFP
- Excellent for returnable/reusable applications
- Buy mailer only or have CCI design the correct foam, bubble or plastic insert

CUSTOM INTERIOR OPTIONS

CFP MAILERS FOR PLASTIC TRAY TRANSPORT

Customize with a hopper front and exact sizing

KLEANSTAT™ BUBBLE MAILERS

Superior FOD and ESD protection

CONDUCTIVE FLUTED PLASTIC MAILERS

More than 50 sizes made to order with custom foam inserts for long term use



PART #	DIMENSIONS (I.D.)
CFP 3631M	4 x 4 x 2"
CFP 3641M	5-3/4 x 6-1/4 x 2-1/2"
CFP 3080M	7 x 5 x 1-1/2"
CFP 3090M	7 x 5 x 2-1/2"
CFP 3651M	7 x 7 x 5"
CFP 3661M	8 x 8 x 1-1/2"
CFP 3900M	8-1/2 x 6-1/8 x 1-3/4"
CFP 3180M	9 x 7-1/2 x 1-1/2"
CFP 3190M	9 x 7-1/2 x 2-1/2"
CFP 3901M	9 x 7-1/2 x 4"
CFP 3681M	9 x 14 x 2-1/2"
CFP 3671M	9-1/8 x 14-3/4 x 1-1/2"
CFP 3691M	10 x 10 x 4-1/4"
CFP 3220M	10-1/2 x 8-1/2 x 1-1/2"

PART #	DIMENSIONS (I.D.)
CFP 3230M	10-1/2 x 8-1/2 x 2-1/2"
CFP 3902M	10-1/2 x 10-1/2 x 2"
CFP 3701M	11 x 7-3/4 x 2-7/8"
CFP 3711M	12 x 12 x 3"
CFP 3310M	12-1/2 x 10-1/2 x 1-1/2"
CFP 3320M	12-1/2 x 10-1/2 x 2-1/2"
CFP 3721M	13-1/2 x 13-1/2 x 2"
CFP 3420M	14-7/8 x 6-5/8 x 2"
CFP 3490M	15-1/2 x 12-1/2 x 1-1/2"
CFP 3500M	15-1/2 x 12-1/2 x 2-1/2"
CFP 3905M	16 x 7 x 2"
CFP 3525M	16 x 12-1/4 x 3-1/2"
CFP 3763M	16-1/2 x 10-1/2 x 6-1/2"
CFP 3762M	17-1/4 x 10-1/2 x 5-3/4"

PART #	DIMENSIONS (I.D.)
CFP 3731M	18 x 12 x 3-1/2"
CFP 3568M	18-7/8 x 17-5/8 x 1-3/4"
CFP 3906M	19 x 15 x 3"
CFP 3765M	19-1/4 x 16-3/4 x 5-5/8"
CFP 3741M	20 x 19 x 2"
CFP 3768M	20-1/4 x 17-1/2 x 4"
CFP 3768M	20-1/4 x 17-1/2 x 4"
CFP 3767M	20-1/4 x 17-3/4 x 5-5/8"
CFP 3600M	20-1/2 x 15-1/2 x 1-1/2"
CFP 3610M	20-1/2 x 15-1/2 x 2-1/2"
CFP 3766M	21-1/4 x 12-1/2 x 4-1/2"
CFP 3751M	23 x 16-1/2 x 5"
CFP 3761M	24 x 21 x 5-1/2"
CFP 3764M	26-3/4 x 6-1/4 x 6"

CFP mailers above are all KDF mailers only. Consult CCI for foam or plastic inserts

KLEANSTAT™ FLEX BUBBLE MAILERS

Permanent static dissipative bubble cushioning mailers

- Great cushioning and recovery
- Reduce FOD
- Excellent reusability
- Conductive plastic 3MM CFP outer mailer

KLEANSTAT™ BUBBLE MAILER SIZES

3MM CFP mailer with KSF TPU large bubble

Top and bottom pads - .75" bubble height

PART #	DIMENSIONS (I.D.)
CFP3080 KSF	7 x 5 x 1-1/2"
CFP3090 KSF	7 x 5 x 2-1/2"
CFP3662 KSF	6.75 x 6.75 x 2"
CFP3661 KSF	8 x 8 x 1-1/2"
CFP3101 KSF	10 x 10 x 2"
CFP3138 KSF	13 x 8 x 2"
CFP3420 KSF	14-7/8 x 6-5/8 x 2"
CFP1510 KSF	15 x 10 x 2"
CFP2010 KSF	20 x 10 x 2"



CORSTAT® BULK SIMMS SHIPPERS

Minimize space and cost with smaller components

- Low-cost, recyclable material
- ESD safe static shielding
- Foam minimizes damage during shipping
- Removable Corstat® 200 E partitions

	PART #	DIMENSIONS (I.D.)	DESCRIPTION
X	CSP 50	14-7/8 x 11-15/16 x 1-5/8"	50 Cells 5-3/8 x 1/2 x 1-1/4" or 100 cells 2-5/8 x 1/2 x 1-1/4"
X	CSP 100	12 x 12 x 2"	100 Cells 1 x 1 x 1-1/2"



CONDUCTIVE BLOW MOLDED PLASTIC SHIPPERS

Ideal for high-value components

- Double wall construction
- ESD and physical protection

	PART #	DIMENSIONS (I.D.)
X	50014	8-15/16 x 6-5/8 x 1-1/4"
X	50015	11-7/8 x 8-3/16 x 1-1/4"
X	50016	12-3/4 x 10-1/2 x 1-3/4"
X	50019	5-1/16 x 2-3/4 x 1"
	50021	18-7/8 x 17-11/16 x 1-5/16"
	50023	17-1/2 x 13-1/2 x 1-15/16"

INSERT OPTIONS



FOAM INSERTS



KLEANSTAT™
BUBBLE INSERTS



THERMOFORMED
INSERTS



SCAN TO SHOP MAILERS ONLINE



MADE IN THE USA

INJECTION MOLDED BOXES

**BEST IN CLASS
BOXES FOR SMALL
COMPONENTS**

INJECTION MOLDED BOXES

Try our rugged hinged boxes –
engineered to protect valuable electronics

- Strong hinges and latches
- Tongue and groove closure
- Thicker walls than competitors
- Ask about clear and white dissipative options



	PART #	DIMENSIONS (I.D.)
X	2020	2 x 2 x 1/4"
X	2525	2-9/16 x 2-9/16 x 1/2"
X	2820	2-7/8 x 2 x 1/2"
X	2820-75	2-7/8 x 2 x 3/4"
X	2820-100	2-7/8 x 2 x 1"
X	2535	3-1/2 x 2-9/16 x 1/2"
X	2535-75	3-1/2 x 2-9/16 x 3/4"
X	2535-1	3-1/2 x 2-9/16 x 1"
X	3545	4-5/8 x 3-1/2 x 1/2"
X	3545-625	4-5/8 x 3-1/2 x 5/8"
X	3545-75	4-5/8 x 3-1/2 x 3/4"
X	4545-50	4-9/16 x 4-9/16 x 1/2"
X	4545-125	4-9/16 x 4-9/16 x 1-1/4"
X	4545-200	4-9/16 x 4-9/16 x 2"
X	7035	7 x 3-1/2 x 1/2"

PILLOWSTAT

Super soft ESD foam for "Surface Mount" Technology

- Perfect for fragile, sensitive and expensive components
- ESD-safe foam forms around the parts
- Provides great physical protection

	PART #	DIMENSIONS (I.D.)
	PP1010	1-1/4 x 1-1/4 x 1/2"
	PP1030	3-3/4 x 1-3/16 x 5/8"
X	PP2020	2 x 2 x 1/4"
X	PP2525	2-9/16 x 2-9/16 x 1/2"
X	PP2535	3-1/2 x 2-9/16 x 1/2"
X	PP3545	4-5/8 x 3-1/2 x 1/2"
X	PP7035	7 x 3-1/2 x 1/2"

CORSTAT® IC SHIPPERS Choose the right IC Shipper for your application

A

TRADITIONAL IC SHIPPER



A TRADITIONAL IC SHIPPER

- Conductive pin-insertion grade bottom foam
- Pink anti-static top foam
- Ideal for through hole technology
- One-way shipping/short-term use

	PART #	DIMENSIONS (I.D.)
X	IC5000	2-1/2 x 1-1/4 x 1"
X	IC5010	3-1/2 x 1-1/4 x 1"
X	IC5020	4-1/2 x 1-1/2 x 1"
X	IC5025	2-3/4 x 2-3/4 x 15/16"
X	IC5030	3-7/16 x 2-1/8 x 15/16"
X	IC5040	3-3/4 x 3-3/4 x 1"
X	IC5041	4-5/8 x 3-3/4 x 1"
X	IC5045	5-3/4 x 2-3/4 x 15/16"
X	IC5050	7 x 3-1/2 x 1"
X	IC5055	5-3/4 x 5-3/4 x 15/16"
	IC5060	14-3/4 x 5-3/4 x 15/16"

B SUPER-SOFT IC SHIPPER


- Permanently dissipative foam, reusable
- Foam nests around small components
- Ideal for small fragile assemblies
- Returnable/long-term use

	PART #	DIMENSIONS (I.D.)
	IC5000-SS	2-1/2 x 1-1/4 x 1"
	IC5020-SS	4-1/2 x 1-1/2 x 1"
	IC5030-SS	3-7/16 x 2-1/8 x 15/16"
	IC5040-SS	3-3/4 x 3-3/4 x 1"
	IC5050-SS	7 x 3-1/2 x 1"

B

SUPER-SOFT IC SHIPPER






CORSTAT® PILLOWSTAT FOLDERS

Ideal for a wide variety of electronics assemblies

- “Form-fit” cushioning protection
- Permanently ESD-safe conductive foam
- No tooling required
- Corstat® static-shielding outer material

	PART #	DIMENSIONS (I.D.)
X	PPF 2525	2-9/16 x 2-9/16 x 1/2"
X	PPF 3515	3-1/2 x 1-1/2 x 1/2"
X	PPF 2535	3-1/2 x 2-9/16 x 1/2"
X	PPF 3545	4-5/8 x 3-1/2 x 1/2"
X	PPF 7035	7 x 3-1/2 x 1/2"



CORSTAT® ANTISTAT FOLDBAK

Ideal for ball grid arrays and surface mount

- Static dissipative foam cushioning
- Corstat® static shielding outer material
- No tooling required
- Great for shipping surface mount components

	PART #	DIMENSIONS (I.D.)
	CASF 2525	2-9/16 x 2-9/16 x 1/2"
	CASF 3515	3-1/2 x 1-1/2 x 1/2"
	CASF 2535	3-1/2 x 2-9/16 x 1/2"
	CASF 3545	4-5/8 x 3-1/2 x 1/2"
	CASF 7035	7 x 3-1/2 x 1/2"



KLEANSTAT™ FLEX BUBBLE CASES

KleanStat™ micro bubble cradles your static-sensitive component and offers FOD-free protection

- Clean, permanent static dissipative cushioning
- Ideal for small, fragile components

	PART #	DIMENSIONS (I.D.)
	MB-2525-15-TPU	2-9/16 x 2-9/16 x 1/2"
	MB-2820-15-TPU	2-7/8 x 2 x 1/2"
	MB-2535-15-TPU	3-1/2 x 2-9/16 x 1/2"
	MB-3545-15-TPU	4-5/8 x 3-1/2 x 1/2"
	MB-4545-15-TPU	4-9/16 x 4-9/16 x 1/2"
	MB-7035-15-TPU	7 x 3-1/2 x 1/2"



SCAN TO SHOP COMPONENT SHIPPERS ONLINE



MADE IN THE USA

TACKI PAK PRODUCTS


ESD-SAFE
RETENTION
OF DELICATE
COMPONENTS

TACKI PAK CASES

Conductive injection molded plastic cases with tacki surface

PART #	DIMENSIONS (I.D.)
TP2020	2 x 2 x 1/4"
TP2525	2-9/16 x 2-9/16 x 1/2"
TP2535	2-9/16 x 3-1/2 x 1/2"
TP3545	3-1/2 x 4-5/8 x 1/2"

ESD SAFE TACKI
SURFACE HOLDS YOUR
COMPONENT FIRMLY IN
PLACE THROUGHOUT
HANDLING PROCESSES



TACKI PAK SPECIFICATIONS

ESD SAFE PROPERTIES

Surface resistance of Tacki Pak components

TP hinged boxes and trays	10 ³ -10 ⁶ ohms
Tacki surface	10 ⁴ -10 ¹⁰ ohms

TACKIPAK PROPERTIES

- Dissipative tacki coating
- Non-adhesive
- IPA washable
- Fully ESD-safe
- Non-contaminating
- Cost saving vs. "gel-type" packaging

TACK LEVELS

A measure of how much force is required to remove an object from Tacki Pak surface

TACK LEVEL	RATING RANGE
Level I	2.0-5.0
Level II	6.0-10.0
Level III	10.0-15.0


PEDESTAL TACKI PAK

Suspend and
protect fragile leads

- Component held in place by permanently ESD-safe foam
- Cost saving vs. "gel-type" packaging
- No tooling required
- Provides ESD and physical protection



PART #	DIMENSIONS (I.D.)
PTP2525-200	2-9/16 x 2-9/16 x 1/2" Box w/.20 dia Ped.
PTP2525-375	2-9/16 x 2-9/16 x 1/2" Box w/.375 dia Ped.
PTP2525-500	2-9/16 x 2-9/16 x 1/2" Box w/.50 dia Ped.
PTP2525-750	2-9/16 x 2-9/16 x 1/2" Box w/.75 dia Ped.
PTP3545-750	4-5/8 x 3-1/2 x 1/2" Box w/.75 dia Ped.



CORSTAT® & CFP JEDEC PADS

Static shielding for Jedec stacks

- Shield Jedec stacks from static with Corstat® or CFP pads
- Reduce FOD
- Add physical protection

Corstat® Jedec Pads

	PART #	DIMENSIONS
X	C 7295P	12-7/8 x 5-3/8 x 1/8"


Conductive Fluted Plastic Jedec Pads

	PART #	DIMENSIONS
	CFP 7295P	12-7/8 x 5-3/8 x 1/8"

SM COMPAK SHIPPERS

Suspends leads during shipping and allows for removal without touching component

- One package protects many sizes
- Eliminates lead damage
- Corstat® shipper provides static shielding
- 1, 2, 4 and 10 packs available



1

Dissipative adhesive allows part to be picked up without touching operators' hands

2

Squeeze dissipative plastic insert to release component safely

3

Handle and ship component safely in dissipative insert

ORDERING OPTIONS

SM Compak

PART #	DIMENSIONS (I.D.)
SM5025	2-3/4 x 2-3/4 x 15/16"
SM5045	5-3/4 x 2-3/4 x 15/16"
SM5055	5-3/4 x 5-3/4 x 15/16"
SM5060	14-3/4 x 5-3/4 x 15/16"

Plastic Insert Only

PART #	DESCRIPTION
SM5025P	1 Dissipative tray & cover
SM5045P	2 Dissipative tray & cover
SM5055P	4 Dissipative tray & cover
SM5060P	10 Dissipative tray & cover

Corstat® Compak/Plastic Insert

PART #	DESCRIPTION
IC5040PDI	permanent static dissipative tray & cover
IC5040CI	conductive plastic tray & cover
IC5040DI	static dissipative tray & cover
IC5041PDI	permanent static dissipative tray & cover
IC5041CI	conductive plastic tray & cover
IC5041DI	static dissipative tray & cover
3080PDI	permanent static dissipative tray & cover
3080CI	conductive plastic tray & cover
3080DI	static dissipative tray & cover



SCAN TO SHOP COMPONENT HANDLING ONLINE



MADE IN THE USA

SAFEMAT

CLEAN WITH IPA WITH NO LOSS OF ESD PROPERTIES, NO TOPICAL ANTISTATS NEEDED

SAFEMAT

Permanent TPU work mat

- ESD Safe
- Low FOD
- Safer working environment
- Clean with IPA without damaging static properties
- No restorative topical antistats required
- SafeMat lasts and can be antiseptically cleaned

SafeMat Construction

TPU DISSIPATIVE LAYER 10^6-10^8




CONDUCTIVE BASE LAYER $< 10^5$

PART #	DIMENSIONS
2436SM	24 x 36 x .060"
2448SM	24 x 48 x .060"
24X50RL	24" x 50' x .060"
SNAP	N/A - Snap kit for SafeMat

NEW

SNAP KIT AVAILABLE FOR PURCHASE



KITTING TRAYS

Durable workstation and storage solution

- Thermoformed in durable conductive styrene
- Organize your components for storage and handling
- Available in clean room dissipative grade plastic
- Die cut drop in covers sold separately - see chart for correct cover

	PART #	DIMENSIONS (O.D.)	CAVITIES	CAVITY SIZE (ID)	COVER #
	1230-5	9-1/4 x 7-3/8 x 1-1/8"	5	6-1/2 x 1-1/2 x 1"	NA
	1230-10	9-1/4 x 7-3/8 x 1-1/8"	10	3 x 1-1/2 x 1"	NA
	13025	9-1/4 x 7-1/4 x 1-3/4"	4	3-3/4 x 2-3/4 x 1"	13026
X	13030	10-1/2 x 8-3/4 x 1-1/2"	12	2-1/4 x 2 x 1-3/16"	13031
	13035	13-1/4 x 13-1/4 x 1-3/16"	25	2-3/8 x 2-3/8 x 1"	13036
X	13040	14 x 10 x 1-3/4"	9	3-1/2 x 2-3/4 x 1-1/4"	13041
	13045	18-3/8 x 16-3/8	20	4-1/8 x 2-13/16 x 1"	13046
X	13050	14 x 10 x 1-3/4"	12	3 x 3 x 1-1/4"	13051
	13055	10-1/2 x 8-3/4 x 1-3/16"	20	2 x 1 x 7/8"	13031
X	13060	16-1/4 x 10-1/2 x 2"	9 3	3-1/8 x 2-3/4 x 1-1/4" 3-7/8 x 2-3/4 x 1-1/4"	13061
	13080	14-3/8 x 10-1/8 x 1-7/8	20	2-3/8 x 2 x 1-1/4"	13081
	13090	8-1/4 x 6-1/4 x 1-5/8	12	1-1/2 x 1-1/2 x 1"	13091
	2015CT	Cond. Cafeteria Tray	1	-	NA



SHADOW TRAYS

**Organized, workstation-friendly
ESD solution**

- Completely customized to your specifications
- First article provided to ensure proper form and function
- Available with plastic top and/or bottom pad
- No minimum quantities
- An ESD-safe way to organize your workstation



ESD CART COVERS

**Ensuring your cart contents stay
static-safe**

- Customizable to any size or requirement
- Custom printing available
- Protects product inside from ESD damage
- Straps hold cover up when pulling product from carts



DRAWER CABINET

Storage and organization solution

- Multiple cabinet and drawer sizes
- Permanently ESD safe
- Helps organize your workstations
- Economical option for small components
- Rigid double wall construction

PART #	DIMENSIONS (O.D.)	CELLS PER DRAWER
DC1230	10-3/16 x 7-3/8 x 7-3/4	10
DC1231	10-3/16 x 7-3/8 x 7-3/4	5
DC1330	11-3/8 x 9 x 9-1/4"	12
DC1340	15-1/4 x 10-3/4 x 11-1/4	9
DC1350	15-1/4 x 10-3/4 x 11-1/4	12



WASTEBASKETS

Additional protection for your workstation

- Available in Corstat® and CFP
- Eliminates static charge
- Standard sizes
- No tooling necessary

PART #	DIMENSIONS (I.D.)
CWB	14-1/4 x 12-3/4 x 13-5/8"
CFPWB	14 x 10 x 14"



KLEANSTAT™ FLEX DUST COVERS

Workstation-friendly storage solution

- Cover trays, carts and parts when not in use to eliminate FOD
- Permanent dissipative clear covers

Call CCI for pricing on your size.



SCAN TO SHOP WORKSTATION PRODUCTS ONLINE



MADE IN THE USA

BINS & STORAGE

CORSTAT® & CFP BINS

In-plant protection for Dip Tubes, ICs, and other components

- Cleans up your storage areas
- Eliminates the need for bags
- Permanently ESD safe
- Cost savings & labor savings vs. bags
- Available in open or stackable formats
- All dimensions O.D.

CORSTAT® BINS
CONDUCTIVE CORRUGATED



CONDUCTIVE FLUTED PLASTIC

	PART #	DIMENSIONS
	AR-1050	4-1/4 x 3-5/8 x 2-5/8"
	AR-1060	5-3/4 x 3-5/8 x 2-5/8"
X	0900	9 x 4 x 4-1/2"
X	0950	12 x 2 x 4-1/2"
X	1001	12 x 4 x 4-3/8"
X	1003	12 x 6 x 4-1/2"
X	1010	12 x 8 x 4-1/4"
X	1020	12 x 12 x 4-1/2"
	1051	18 x 2 x 4-1/2"
X	1052	18 x 4 x 4-1/2"
X	1053	18 x 6 x 4-1/2"
X	1054	18 x 8 x 4-1/2"
X	1062	18 x 12 x 4-1/2"
	1105	24-3/4 x 4-1/4 x 4-5/8"

	PART #	DIMENSIONS
	1125	24-3/4 x 6 x 4"
X	1144	24-3/4 x 8-1/4 x 4-5/8"
	1150	7 x 16 x 4"
	1151	12-5/8 x 9-1/4 x 2-1/8"
	1152	18-5/8 x 4-1/4 x 6-5/8"
X	1153	18/5/8 x 8-1/4 x 6-5/8"
	1154	18-5/8 x 15-1/4 x 6-5/8"
	1155	22-1/8 x 4-1/4 x 4-5/8"
	1156	22-1/8 x 6-1/4 x 4-5/8"
	1157	22-1/8 x 8-1/4 x 4-5/8"
	1158	24-1/2 x 3-1/2 x 6-3/4"
X	1159	24 x 4 x 4-1/2"
	1160	24-3/4 x 6-1/4 x 8-1/4"
	1161	24 x 11-1/4 x 7-3/4"

	PART #	DIMENSIONS
	1162	24-3/4 x 12-1/4 x 4-1/4"
	1163	24-5/8 x 14-1/4 x 4-1/8"
	1164	25-5/8 x 2-1/4 x 1-5/8"
	1165	15-1/4 x 4-1/4 x 14-3/4"
	1167	15 x 12 x 4-1/2"
	1170	19 x 2-1/4 x 4-1/8"
X	1171	24-3/4 x 2-1/4 x 4-1/8"
X	1829	18 x 2 x 9" (OD)
X	1849	18 x 4 x 9"
	1869	18 x 6 x 9"
X	2429	24 x 2 x 9"
X	2449	24 x 4 x 9"

- Add "-CFP" for conductive fluted plastic bins
- Parts marked "Express" are Corstat® bins



SHELF LINERS

ESD safe shelf liners
to fit a variety of sizes

- Economical and ESD safe
- Available in Corstat® and CFP
- Angled corners will fit standard shelves
- Two snaps will fit wrist straps and ground cords

	PART #	DIMENSIONS
X	SL1836-CT	17-1/2 x 35-1/2 x .080"
X	SL2436-CT	23-1/2 x 35-1/2 x .080"
X	SL2347-CT	23-1/2 x 47-1/2 x .080"
X	SL2359-CT	23-1/2 x 59-1/2 x .080"
	SL1836-FP	17-1/2 x 35-1/2 x 3/16"
	SL2335-FP	23-1/2 x 35-1/2 x 3/16"
	SL2347-FP	23-1/2 x 47-1/2 x 3/16"
	SL2359-FP	23-1/2 x 59-1/2 x 3/16"


ADJUSTABLE REEL TOTES

Adjustability for different reel sizes

- Space utilization
- Compatibility with vertical carousels
- 24" depth fits standard carousel systems
- Custom barcoding options are available



PART #	DIMENSIONS (O.D.)	CELL SIZE DESCRIPTION
REEL 7-13	24 x 16-3/8 x 6-7/8"	40 Cells 1 x 7 x 6-1/2" 20 Cells 1 x 13 x 6-1/2"
REEL 15	24 x 16-3/8 x 6-7/8"	20 Cells 1 x 14-7/8 x 6-1/2"



REEL STORAGE

Physical meets ESD protection

- Economical
- Eliminate insulative plain corrugated
- Reduce bagging
- ESD program compliance

PART #	DIMENSIONS (O.D.)
1829	18 x 2 x 9"
CFP 1829	18 x 2 x 9"
1849	18 x 4 x 9"
CFP 1849	18 x 4 x 9"
1869	18 x 6 x 9"
CFP 1869	18 x 6 x 9"
2429	24 x 2 x 9"
CFP 2429	24 x 2 x 9"
2449	24 x 4 x 9"
CFP 2449	24 x 4 x 9"



BENT-OVER REEL STORAGE

ESD & physical protection for your reels

- Double-wall construction
- Increased strength and durability
- 1" spacing
- Adjustable partitions

	PART #	DIMENSIONS (O.D.)
X	REEL-7B0	18 x 9-7/8 x 7-3/8"
	CFP REEL-7B0	18 x 9-7/8 x 7-3/8"
X	REEL-13B0	18 x 15-7/8 x 13-3/8"
	CFP REEL-13B0	18 x 15-7/8 x 13-3/8"
X	REEL 7B0-23	23 x 9-7/8 x 7-3/8"
	CFP REEL 7B0-23	23 x 9-7/8 x 7-3/8"
X	REEL-13B0-23	23 x 15-7/8 x 13-3/8"
	CFP REEL-13B0-23	23 x 15-7/8 x 13-3/8"



FIFO REEL STORAGE

First in, first out system

- Line-bent and sonic welded construction
- Oldest reels are always used first
- Thumb notch for easy access
- Solid plastic makes for rigid design
- Strong, durable & permanently conductive
- 1" raised base

PART #	DIMENSIONS (O.D.)
FIFO-7	7-3/8 x 7-3/8 x 8-1/2"
FIFO-13	13-3/8 x 13-3/8 x 8-1/2"



REEL TOTES

Increased durability and flexibility

- Durable Corstat® or CFP construction
- Plastic ribbing holds reels in place
- Wire frame reinforced

PART #	DIMENSIONS (O.D.)
RB-2007	19-3/4 x 7 x 7"
RB-1313	19-3/4 x 13 x 13"
CFP RB-2007	19-3/4 x 7 x 7"
CFP RB-1313	19-3/4 x 13 x 13"




SCAN TO SHOP STORAGE ONLINE



MADE IN THE USA

CORSTAT® AND DURASTAT STACKING TRAYS



CORSTACKER AND DURASTAT TRAYS

Strong and durable option for handling circuit boards

- Constructed with durable Corstat® or CFP materials
- Double walled and molded corners ensure secure stacking
- Highly reusable and recyclable
- Includes 1/8" crosslink static dissipative foam pad laminated to a Corstat® or CFP stiffener pad

Corstacker Trays

PART #	DIMENSIONS (I.D.)	DESCRIPTION
6201	18 x 11-3/8 x 1-3/4"	Corstat® trays with corner stackers and 1/8" thick crosslink foam attached to Corstat® stiffener pad for extra durability.
6201A	6201 w/ .125 LD30 & Corstat® pad	
6202	24 x 18 x 2-1/8"	
6202A	6202 w/ .125 LD30 & Corstat® pad	

Durastat Trays

PART #	DIMENSIONS (I.D.)	DESCRIPTION
DT6200A	10-1/2 x 8-5/16 x 1-3/4"	Durastat 4mm CFP tray with corner stackers and 1/8" thick crosslink foam attached to Corstat® stiffener pad for extra durability.
DT6201A	18 x 11-3/8 x 1-3/4"	
DT6202A	24 x 18 x 2-1/8"	

KleanStat™ LED Tray

- Durastat CFP Tray
- Super soft slotting to cradle LEDs, FOD free
- Great physical and static protection

PART #	DIMENSIONS (I.D.)	DESCRIPTION
DT6202LED-PVC	12 x 18 x 2-1/8"	Durastat tray with formed slotting for 25 LED boards

Durastat Bubble Tray

- Durastat tray
- .015 KleanStat™ PVC .25 high small bubble insert
- Excellent for FOD-free handling of a variety of boards and devices
- Non-skid surface cushions boards

PART #	DIMENSIONS (I.D.)	DESCRIPTION
DT6202KSB-PVC	12 x 18 x 2-1/8"	Durastat tray with KleanStat™ small bubbles .25 high

PERMANENT ESD SAFE FOAMS

CCI offers static safe foams in sheet form that have permanent ESD safe properties. Pink foams have a variable, limited shelf life and should be used for short term usage or monitored. Permanent CCI foam products are excellent for cleanliness and longevity. The permanent black foams are ideal for shelf liners, tote cushions, long term storage, or reusable shipping applications.

Conductive Crosslink PE 10E3 - 10E6 PIN INSERTION GRADE

	PART #	CASE	DIMENSIONS
X	CFM2436-25	10	24 x 36 x 1/4"
X	CFM2436-38	5	24 x 36 x 3/8"
X	CFM2436-50	5	24 x 36 x 1/2"

Dissipative Crosslink PE 10E5 - 10E9 SHELF LINER/TOTE PAD GRADE

	PART #	CASE	DIMENSIONS
X	SDFM3740-25	8	37-1/2 x 40 x 1/4"

Conductive Urethane - Soft 10E2 - 10E4 CUSHIONING

	PART #	CASE	DIMENSIONS
	CFPU2436-25	10	24 x 36 x 1/4"
	CFPU2436-38	5	24 x 36 x 3/8"
	CFPU2436-50	5	24 x 36 x 1/2"


Dissipative Urethane - Soft 10E4 - 10E10 CUSHIONING

	PART #	CASE	DIMENSIONS
X	SDPU2436-25	10	24 x 36 x 1/4"
X	SDPU2436-38	5	24 x 36 x 3/8"
X	SDPU2436-50	5	24 x 36 x 1/2"

Additional foams are available, but are not in stock*

FOAM NAME	DIMENSIONS
PILLOWSTAT DISSIPATIVE	10E5-10E9
CONDUCTIVE URETHANE (FIRM)	10E2-10E4
DISSIPATIVE URETHANE (FIRM)	10E4-10E9
9200 SUPER SOFT	10E2-10E4
CONDUCTIVE EVA	10E3-10E6
PILLOWSTAT	10E2-10E5

*These foams are subject to minimum order quantities. Spec sheets available upon request.



APPLICATION TIPS:

- Pink foams are best used for one way shipping and should not be stored long term as they can lose ESD properties.
- Carbon loaded black foams are the best choice for reusable or long term shipping, handling and storage.
- Ask CCI to recommend the correct foam for your application to improve ESD, FOD or cushioning performance that can affect the quality of your parts.

CONDUCTIVE FLUTED PLASTIC (CFP) AND CORSTAT® CONDUCTIVE CORRUGATED SHEETS

- Stock sizes, ready to ship
- Excellent for shelf liners and pads
- Call for custom sizes and grades

Conductive Fluted Plastic Stock Sheets 3MM

PART #	DIMENSIONS
CCI-3MM 3648	36 x 48" 3MM CFP Sheet
CCI-3MM 4860	48 x 60" 3MM CFP Sheet
CCI-3MM 6578	65 x 78" 3MM CFP Sheet
CCI-3MM 9648	96 x 48" 3MM CFP Sheet

Corstat® XD Sheets 275#, WATER RESISTANT, UV COATED

PART #	DIMENSIONS
XD4585	45 x 85"


Conductive Fluted Plastic Stock Sheets 4MM

PART #	DIMENSIONS
CCI-4MM 3648	36 x 48" 4MM CFP Sheet
CCI-4MM 4860	48 x 60" 4MM CFP Sheet
CCI-4MM 6578	65 x 78" 4MM CFP Sheet
CCI-4MM 9648	96 x 48" 4MM CFP Sheet

Corstat® Sheets 200# B

PART #	DIMENSIONS
CT6080	60 x 80"
CT3666	36 x 66"

CONDUCTIVE FLUTED PLASTIC



CORSTAT® CONDUCTIVE CORRUGATED



SCAN TO SHOP MATERIAL HANDLING ONLINE



MADE IN THE USA

GUIDE TO CCI TOTES


IN-PLANT HANDLERS, TOTES AND ACCESSORIES



TOTES MAY COME PRINTED
OR LABELED AS SHOWN

CORSTAT® TOTE SERIES

- Static shielding totes for bagless board handling
- Durable 275# Corstat®
- All walls bent over
- 533 cell configurations
- Excellent physical protection
- Printed or labeled with static warning



DURASTAT TOTE SERIES

- 4MM Conductive Fluted Plastic (CFP)
- Lightweight and stackable
- Excellent returnable tote
- Over 40 sizes to fit your exact needs
- Fit with any of 533 Corstat® cell sizes
- Optional use of CFP partitions

PART #	DIMENSIONS (I.D.)	# OF CONFIG.	DURASTAT
4202	21-1/2 x 18-1/2 x 2-1/4"	30	DT4202
4002	16-5/8 x 9-3/4 x 2-3/4"	20	DT4002
4004	16-5/8 x 9-3/4 x 3-3/4"	28	DT4004
4011	10-3/8 x 10-3/8 x 4"	2	DT4011
4204	21-1/2 x 18-1/2 x 2-1/4"	30	DT4204
4120	19-1/2 x 12-3/8 x 5-1/2"	8	DT4120
4006	16-5/8 x 9-3/4 x 5-5/8"	28	DT4006
4230	18-5/8 x 15 x 5-7/8"	21	DT4230
4009	18-1/2 x 13-3/4 x 6-1/8"	8	DT4009
4001	22-3/4 x 12-1/2 x 6-1/4"	12	DT4001
4206	21-1/2 x 18-1/2 x 6-1/4"	30	DT4206
4040	18-1/2 x 10 x 6-3/4"	4	DT4040
4007	16-5/8 x 9-3/4 x 7-1/2"	11	DT4007
4130	18-5/8 x 15 x 8"	12	DT4130
4140	22-7/8 x 12-7/8 x 8"	12	DT4140
4208	21-1/2 x 18-1/2 x 8-1/4"	30	DT4208
4008	16-5/8 x 9-3/4 x 9-1/4"	11	DT4008
4330	18-5/8 x 15 x 10"	12	DT4330
4210	21-1/2 x 18-1/2 x 10-1/4"	30	DT4210
4030	23-3/4 x 12-1/4 x 10-3/4"	8	DT4030
4005	16-5/8 x 9-3/4 x 11-1/4"	8	DT4005
4110	17-3/4 x 14-3/4 x 11-1/4"	10	DT4110
4430	18-5/8 x 15 x 12"	12	DT4430
4212	21-1/2 x 18-1/2 x 12-1/4"	30	DT4212
4830	18-3/8 x 12-3/8 x 13"	4	DT4830
4000	22-3/4 x 12-1/2 x 13"	12	DT4000
4000-4	22-3/4 x 12-1/2 x 14"	8	DT4000-4
4530	18-5/8 x 15 x 14-1/4"	12	DT4530
4015	22-3/4 x 12-1/2 x 15-1/2"	12	DT4015
4018	18-3/8 x 12-3/8 x 18-3/4"	4	DT4018

EXPRESS TOTE SERIES

ONE KIT, MANY SOLUTIONS



Tote Sets

Tote sets are packed from 2-5 sets per case -- depending on the tote size.

TOTES MAY COME PRINTED OR LABELED AS SHOWN

DIE-CUT COVERS

PARTITIONS TO MAKE ANY CONFIGURATION IN THE SERIES


Cell Configuration Chart

Each kit comes with instructions to assemble ALL of the correct cell arrangements.

EXPRESS PRODUCTS TOTE SERIES

- Our most popular sizes
- In stock for speedy delivery
- Kitted for adjustability
- Easy to select and use
- Lowest possible cost—No tooling required!

How to Use Express Tote Series



- 1 Find the height (H) of your PCB
- 2 Select from tote heights that exceed (H)
- 3 Scan code below to see possible layouts for each tote. Order online or call CCI.

	PART #	DIMENSIONS (I.D.)	# OF CONFIG.	FITS SIZE RANGE L X W (# OF CELLS)	MAX BOARD HEIGHT
X	4202-1	21-1/2 x 18-1/2 x 2-1/4"	30	1-3/4 x 1" (150) to 19-3/4 x 3-1/2" (5)	2-1/4"
X	4002-SA-1	16-5/8 x 9-3/4 x 2-3/4"	20	1-1/8 x 3/4" (120) to 8-3/4 x 2-7/16" (6)	2-3/4"
X	4004-SA-1	16-5/8 x 9-3/4 x 3-3/4"	20	1-1/8 x 3/4" (120) to 8-3/4 x 2-7/16" (6)	3-3/4"
X	4011	10-3/8 x 10-3/8 x 4"	2	3/4 x 3/4" (100) to 3/4 x 1-3/4" (50)	3-3/4"
X	4204-1	21-1/2 x 18-1/2 x 4-1/4"	30	1-3/4 x 1" (150) to 19-3/4 x 3-1/2" (5)	4-1/4"
X	4120	19-1/2 x 12-3/8 x 5-1/2"	8	2-7/8 x 15/16" (60) to 18-1/8 x 2-1/8" (5)	5-1/2"
X	4006-SA-1	16-5/8 x 9-3/4 x 5-5/8"	20	1-1/8 x 3/4" (120) to 8-3/4 x 2-7/16" (6)	5-5/8"
X	4230	18-5/8 x 15 x 5-7/8"	10	4 x 1-1/4" (40) to 16-5/8 x 2-3/4" (5)	6-1/8"
X	4206-1	21-1/2 x 18-1/2 x 6-1/4"	30	1-3/4 x 1" (150) to 19-3/4 x 3-1/2" (5)	6-1/4"
X	4001	22-3/4 x 12-1/2 x 6-1/4"	8	4-7/8 x 1" (40) to 20-1/4 x 2-1/4" (5)	6-1/4"
X	4007	16-5/8 x 9-3/4 x 7-1/2"	5	4-3/4 x 3/4" (30) to 14-1/2 x 1-3/4" (5)	7-1/2"
X	4007-SA-1	16-5/8 x 9-3/4 x 7-1/2"	20	1-1/8 x 3/4" (120) to 8-3/4 x 2-7/16" (6)	7-1/2"
X	4130	18-5/8 x 15 x 8"	8	4 x 1-1/4" (40) to 17 x 2-3/4" (5)	8"
X	4208-1	21-1/2 x 18-1/2 x 8-1/4"	30	1-3/4 x 1" (150) to 19-3/4 x 3-1/2" (5)	8-1/4"
X	4030-5	23-3/4 x 12-1/4 x 10-3/4"	8	5-1/4 x 1" (40) to 21-3/4 x 2-1/4" (5)	10-3/4"
X	4212-1	21-1/2 x 18-1/2 x 12-1/4"	30	1-3/4 x 1" (150) to 19-3/4 x 3-1/2" (5)	12-1/4"



SCAN TO SHOP TOTES ONLINE: [CONDUCTIVECONTAINERS.COM/TOTES](https://www.conductivecontainers.com/totes)



MADE IN THE USA



CORSTAT®
IN-PLANT
HANDLERS

STANDARD CELL SIZES | ALL TOTE DIMENSIONS ARE I.D.


PH = PARTITION HEIGHT
C = NUMBER OF CELLS

PART #	CELL DIMENSIONS	PH	C
TOTE SIZE - 18-3/8 X 12-3/8 X 19"			
4018	7-7/8 x 1 x 18-3/4"	18-3/4"	20
4018-1	7-7/8 x 1-1/4 x 18-3/4"	18-3/4"	10
4018-2	16 x 1 x 18-3/4"	18-3/4"	10
4018-3	16 x 2-1/4 x 18-3/4"	18-3/4"	5
TOTE SIZE - 18 X 10 X 19"			
4090	8-1/4 x 7/8 x 18-3/4"	18-1/4"	15
4090-1	8-1/4 x 2 x 18-3/4"	18-1/4"	7
4003	16 x 3/4 x 18-3/4"	18-7/8"	10
4003-1	16 x 1-3/4 x 18-3/4"	18-7/8"	5
TOTE SIZE - 22-3/4 X 12-1/2 X 15-1/2"			
4015	4-7/8 x 1 x 15-1/4"	12-15/16"	40
4015-1	4-7/8 x 2-1/4 x 15-1/4"	12-15/16"	20
4015-2	5-1/4 x 1-5/8 x 15-1/4"	15-1/4"	24
4015-3	5-1/4 x 3-5/8 x 15-1/4"	15-1/4"	12
4015-4	6-1/2 x 1 x 15-1/4"	12-15/16"	30
4015-5	6-1/2 x 2-1/4 x 15-1/4"	12-15/16"	15
4015-6	10 x 1 x 15-1/4"	12-15/16"	20
4015-7	10 x 2-1/4 x 15-1/4"	12-15/16"	10
4015-8	10-3/4 x 1-5/8 x 15-1/4"	15-1/4"	12
4015-9	10-3/4 x 3-5/8 x 15-1/4"	15-1/4"	6
4015-10	20-1/4 x 1 x 15-1/4"	12-15/16"	10
4015-11	20-1/4 x 2-1/4 x 15-1/4"	12-15/16"	5
TOTE SIZE - 18-3/4 X 14 X 15"			
4020	12 x 1-5/8 x 15"	15"	10
4020-1	12 x 3-1/2 x 15"	15"	5
TOTE SIZE - 18-5/8 X 15 X 14-1/4"			
4530	4 x 1-1/4 x 14"	12"	40
4530-1	4 x 2-3/4 x 14"	12"	20
4530-2	5-3/8 x 1-1/4 x 14"	12"	30
4530-3	5-3/8 x 2-3/4 x 14"	12"	15
4530-5	6-1/4 x 1-1/4 x 14"	12"	20
4530-7	6-1/4 x 3-1/2 x 14"	12"	10
4530-9	8-1/8 x 1-1/4 x 14"	12"	20
4530-10	8-1/8 x 2-3/4 x 14"	12"	10
4530-12	12-3/4 x 1-1/4 x 14"	12"	10
4530-14	12-3/4 x 3-1/2 x 14"	12"	5
4530-16	16-5/8 x 1-1/4 x 14"	12"	10
4530-17	16-5/8 x 2-3/4 x 14"	12"	5

PART #	CELL DIMENSIONS	PH	C
TOTE SIZE - 22-3/4 X 12-1/2 X 14"			
4000-4	4-7/8 x 1 x 14"	12-15/16"	40
4000-4-5	4-7/8 x 2-1/4 x 14"	12-15/16"	20
4000-4-1	6-1/2 x 1 x 14"	12-15/16"	30
4000-4-6	6-1/2 x 2-1/4 x 14"	12-15/16"	15
4000-4-2	10 x 1 x 14"	12-15/16"	20
4000-4-7	10 x 2-1/4 x 14"	12-15/16"	10
4000-4-3	20-1/4 x 1 x 14"	12-15/16"	10
4000-4-8	20-1/4 x 2-1/4 x 14"	12-15/16"	5
TOTE SIZE - 22-3/4 X 12-1/2 X 13"			
4000	4-7/8 x 1 x 13"	12-15/16"	40
4000-5	4-7/8 x 2-1/4 x 13"	12-15/16"	20
4080-1	5-1/4 x 1-1/4 x 13"	12-3/4"	30
4080-3	5-1/4 x 2-3/4 x 13"	12-3/4"	14
4000-1	6-1/2 x 1 x 13"	12-15/16"	30
4000-6	6-1/2 x 2-1/4 x 13"	12-15/16"	15
4000-2	10 x 1 x 13"	12-15/16"	20
4000-7	10 x 2-1/4 x 13"	12-15/16"	10
4080-2	10-3/4 x 2-3/4 x 13"	12-3/4"	7
4080	10-3/4 x 1-1/4 x 13"	12-3/4"	15
4000-3	20-1/4 x 1 x 13"	12-15/16"	10
4000-8	20-1/4 x 2-1/4 x 13"	12-15/16"	5
TOTE SIZE - 18-3/8 X 12-3/8 X 13"			
4830	7-7/8 x 1 x 12-3/4"	10-3/4"	20
4830-1	7-7/8 x 2-1/4 x 12-3/4"	10-3/4"	10
4830-2	16 x 1 x 12-3/4"	10-3/4"	10
4830-3	16 x 2-1/4 x 12-3/4"	10-3/4"	5
TOTE SIZE - 18-5/8 X 15 X 12-1/4"			
4430	4 x 1-1/4 x 12-1/4"	12"	40
4430-1	4 x 2-3/4 x 12-1/4"	12"	20
4430-2	5-3/8 x 1-1/4 x 12-1/4"	12"	30
4430-3	5-3/8 x 2-3/4 x 12-1/4"	12"	15
4430-5	6-1/4 x 1-5/8 x 12-1/4"	12"	20
4430-7	6-1/4 x 3-1/2 x 12-1/4"	12"	10
4430-9	8-1/8 x 1-1/4 x 12-1/4"	12"	20
4430-10	8-1/8 x 2-3/4 x 12-1/4"	12"	10
4430-12	12-3/4 x 1-5/8 x 12-1/4"	12"	10
4430-14	12-3/4 x 3-1/2 x 12-1/4"	12"	5
4430-16	16-5/8 x 1-1/4 x 12-1/4"	12"	10
4430-17	16-5/8 x 2-3/4 x 12-1/4"	12"	5

TO CHOOSE A TOTE AND PARTITIONS:

Determine PCB
Length (L) x Width
(W) x Height per the
PCB drawing below.
Then choose a cell
size that fits best. Or
just send your PCB
dimensions to CCI.



PART #	CELL DIMENSIONS	PH	C
TOTE SIZE - 17-3/4 X 14-3/4 X 11-1/4"			
4110	6 x 1-1/4 x 11-1/4"	9"	20
4110-5	6 x 2-3/4 x 11-1/4"	9"	10
4110-1	7-1/2 x 1-1/4 x 11-1/4"	9"	20
4110-6	7-1/2 x 2-3/4 x 11-1/4"	9"	10
4110-2	12-1/4 x 1-1/4 x 11-1/4"	9"	10
4110-3	13-3/4 x 1-1/4 x 11-1/4"	9"	10
4110-4	15-1/4 x 1-1/4 x 11-1/4"	9"	10
4110-7	12-1/4 x 2-3/4 x 11-1/4"	9"	5
4110-8	13-3/4 x 2-3/4 x 11-1/4"	9"	5
4110-9	15-1/4 x 2-3/4 x 11-1/4"	9"	5
TOTE SIZE - 16-5/8 X 9-3/4 X 11-1/4"			
4005	4-3/4 x 3/4 x 11-1/4"	11-1/8"	30
4005-3	4-11/16 x 1-3/4 x 11-1/4"	11-1/8"	15
4005-1	7-3/16 x 3/4 x 11-1/4"	11-1/8"	20
4005-4	7-1/8 x 1-3/4 x 11-1/4"	11-1/8"	10
4100	8 x 3/4 x 11-1/4"	11"	15
4100-1	8 x 2 x 11-1/4"	11"	7
4005-2	14-1/2 x 3/4 x 11-1/4"	11-1/8"	10
4005-5	14-1/2 x 1-3/4 x 11-1/4"	11-1/8"	5
TOTE SIZE - 18-1/2 X 12-1/2 X 11-1/8"			
4820	7-7/8 x 1 x 10-3/4"	10-3/4"	20
4820-1	7-7/8 x 1-1/4 x 10-3/4"	10-3/4"	10
4820-2	16 x 1 x 10-3/4"	10-3/4"	10
4820-3	16 x 2-1/4 x 10-3/4"	10-3/4"	5
TOTE SIZE - 23-7/8 X 12-1/4 X 10-5/8"			
4030-5	5-1/4 x 1 x 10-3/4"	10-7/16"	40
4030-6	5-1/4 x 2-1/4 x 10-3/4"	10-7/16"	20
4030-7	7 x 1 x 10-3/4"	10-7/16"	30
4030-8	7 x 2-1/4 x 10-3/4"	10-7/16"	15
4030-2	10-3/4 x 1 x 10-3/4"	10-7/16"	20
4030-4	10-3/4 x 2-1/4 x 10-3/4"	10-7/16"	10
4030-1	21-3/4 x 1 x 10-3/4"	10-7/16"	10
4030-3	21-3/4 x 2-1/4 x 10-3/4"	10-7/16"	5
TOTE SIZE - 20-1/4 X 16 X 10-1/2"			
4050	18-1/4 x 1-3/8 x 10-1/2"	10-7/16"	10
4050-1	18-1/4 x 3 x 10-1/2"	10-7/16"	5
TOTE SIZE - 18-5/8 X 15-7/16 X 10-3/4"			
4330	4 x 1-1/4 x 10"	7-11/16"	40
4330-1	4 x 2-3/4 x 10"	7-11/16"	20
4330-2	5-1/2 x 1-1/4 x 10"	7-11/16"	30
4330-3	5-3/8 x 2-3/4 x 10"	7-11/16"	15
4330-5	6-1/4 x 1-5/8 x 10"	8"	20
4330-7	6-1/4 x 3-1/2 x 10"	8"	10
4330-9	8-3/8 x 1-1/4 x 10"	7-11/16"	20
4330-10	8-3/8 x 2-3/4 x 10"	7-11/16"	10
4330-12	12-3/4 x 1-5/8 x 10"	8"	10
4330-14	12-3/4 x 3-1/2 x 10"	8"	5
4330-16	17 x 1-1/4 x 10"	7-11/16"	10
4330-17	16-5/8 x 2-3/4 x 10"	7-11/16"	5

CORSTAT® IN-PLANT HANDLERS | STANDARD CELL SIZES CONTINUED

PH = PARTITION HEIGHT | C = NUMBER OF CELLS | ALL TOTE DIMENSIONS ARE I.D.

PART #	CELL DIMENSIONS	PH	C
TOTE SIZE - 16-5/8 X 9-3/4 X 9-1/4"			
4008-1	3-7/8 x 3/4 x 9-1/4"	7-1/2"	30
4008-2	3-7/8 x 1-3/4 x 9-1/4"	6-3/4"	14
4008-3	3-1/2 x 1-3/4 x 9-1/4"	6-3/4"	20
4008-4	4-11/16 x 3/4 x 9-1/4"	7-1/2"	30
4008-5	4-11/16 x 1-3/4 x 9-1/4"	7-1/2"	15
4008-6	7-1/8 x 3/4 x 9-1/4"	7-1/2"	20
4008-7	7-1/8 x 1-3/4 x 9-1/4"	7-1/2"	10
4008-8	8 x 3/4 x 9-1/4"	6-3/4"	15
4008-9	8 x 1-3/4 x 9-1/4"	6-3/4"	7
4008-10	14-1/2 x 3/4 x 9-1/4"	7-1/2"	10
4008-11	14-1/2 x 1-5/8 x 9-1/4"	7-1/2"	5
TOTE SIZE - 18-3/8 X 12-3/8 X 9"			
4810	7-7/8 x 1 x 8-3/4"	6-3/4"	20
4810-1	7-7/8 x 2-1/4 x 8-3/4"	6-3/4"	10
4810-2	16 x 1 x 8-3/4"	6-3/4"	10
4810-3	16 x 2-1/4 x 8-3/4"	6-3/4"	5
TOTE SIZE - 22-7/8 X 12-7/8 X 8"			
4140	4-7/8 x 1 x 8"	6"	40
4140-1	4-7/8 x 2-1/4 x 8"	6"	20
4140-2	5-1/4 x 1-5/8 x 8"	7-3/4"	24
4140-3	5-1/4 x 3-5/8 x 8"	6"	12
4140-4	6-1/2 x 1 x 8"	6"	30
4140-5	6-1/2 x 2-1/4 x 8"	6"	15
4140-6	10 x 1 x 8"	6"	20
4140-7	10 x 2-1/4 x 8"	6"	10
4140-8	10-3/4 x 1-5/8 x 8"	7-3/4"	12
4140-9	10-3/4 x 3-5/8 x 8"	7-3/4"	6
4140-10	20-1/4 x 1 x 8"	6"	10
4140-11	20-1/4 x 2-1/4 x 8"	6"	5
TOTE SIZE - 18-5/8 X 15 X 8"			
4130-17	4 x 1-1/4 x 8"	7-11/16"	40
4130-16	4 x 2-3/4 x 8"	7-11/16"	20
4130	5-1/2 x 1-1/4 x 8"	7-11/16"	30
4130-2	5-1/2 x 2-3/4 x 8"	7-11/16"	15
4130-5	6-1/4 x 1-5/8 x 8"	8"	20
4130-7	6-1/4 x 3-1/2 x 8"	8"	10
4130-9	8-3/8 x 1-1/4 x 8"	7-11/16"	20
4130-10	8-1/8 x 2-3/4 x 8"	7-11/16"	10
4130-12	12-3/4 x 1-5/8 x 8"	8"	10
4130-14	12-3/4 x 3-1/2 x 8"	8"	5
4130-1	17 x 1-1/4 x 8"	7-11/16"	10
4130-3	17 x 2-3/4 x 8"	7-11/16"	5
TOTE SIZE - 16-5/8 X 9-3/4 X 7-3/8"			
4007-6	3-1/2 x 1-3/4 x 7-1/2"	7-1/2"	20
4060-1	3-7/8 x 7/8 x 7-1/2"	6-3/4"	30
4060-3	3-7/8 x 2 x 7-1/2"	6-3/4"	14
4007	4-3/4 x 3/4 x 7-1/2"	7-1/2"	30
4007-3	4-3/4 x 1-3/4 x 7-1/2"	7-1/2"	15
4007-1	7-1/8 x 3/4 x 7-1/2"	7-1/2"	20
4007-4	7-1/4 x 1-3/4 x 7-1/2"	7-1/2"	10
4060	8 x 7/8 x 7-1/2"	6-3/4"	15
4060-2	8 x 2 x 7-1/2"	6-3/4"	7
4007-2	14-1/2 x 3/4 x 7-1/2"	7-1/2"	10
4007-5	14-5/8 x 1-3/4 x 7-1/2"	7-1/2"	5

PART #	CELL DIMENSIONS	PH	C
TOTE SIZE - 18-3/8 X 12-3/8 X 7"			
4800	7-7/8 x 1 x 6-3/4"	6-3/4"	20
4800-1	7-7/8 x 2-1/4 x 6-3/4"	6-3/4"	10
4800-2	16 x 1 x 6-3/4"	6-3/4"	10
4800-3	16 x 2-1/4 x 6-3/4"	6-3/4"	5
4040-1	4-1/4 x 1-7/8 x 6-3/4"	6-3/4"	16
4040-3	4-1/4 x 4 x 6-3/4"	6-3/4"	8
4040	8-3/4 x 1-7/8 x 6-3/4"	6-3/4"	8
4040-2	8-3/4 x 4 x 6-3/4"	6-3/4"	4
TOTE SIZE - 22-3/4 X 12-3/4 X 6-1/2"			
4001	4-7/8 x 1 x 6"	6"	40
4001-1	4-7/8 x 2-1/4 x 6"	6"	20
4001-2	5-1/4 x 1-5/8 x 6"	6"	24
4001-3	5-1/4 x 3-5/8 x 6"	6"	12
4001-4	6-1/2 x 1 x 6"	6"	30
4001-5	6-1/2 x 2-1/4 x 6"	6"	15
4001-6	10 x 1 x 6"	6"	20
4001-7	10 x 2-1/4 x 6"	6"	10
4001-8	10-3/4 x 1-5/8 x 6"	6"	12
4001-9	10-3/4 x 3-5/8 x 6"	6"	6
4001-10	20-1/4 x 1 x 6"	6"	10
4001-11	20-1/4 x 2-1/4 x 6"	6"	5
TOTE SIZE - 18-5/8 X 15-3/8 X 6-1/4"			
4230	4 x 1-1/4 x 5-7/8"	5-7/8"	40
4230-1	4 x 2-3/4 x 5-7/8"	5-7/8"	20
4230-2	5-3/8 x 1-1/4 x 5-7/8"	5-7/8"	30
4230-3	5-3/8 x 2-3/4 x 5-7/8"	5-7/8"	15
4230-6	6-1/4 x 1-5/8 x 5-7/8"	5-7/8"	20
4230-7	6-1/4 x 3-1/2 x 5-7/8"	5-7/8"	10
4230-8	8-3/4 x 1-1/4 x 5-7/8"	5-7/8"	20
4230-5	6-1/4 x 1-5/8 x 5-7/8"	5-7/8"	20
4230-4	12-7/8 x 1-7/8 x 5-7/8"	5-7/8"	8
4230-20	1-7/8 x 1-1/4 x 5-7/8"	5-7/8"	80
4230-19	2-3/4 x 1-7/8 x 5-7/8"	5-7/8"	40
4230-18	3-7/8 x 1-1/4 x 5-7/8"	5-7/8"	40
4230-15	4-1/4 x 1-7/8 x 5-7/8"	5-7/8"	5
4230-14	12-3/4 x 3-1/2 x 5-7/8"	5-7/8"	16
4230-13	6-1/4 x 1-7/8 x 5-7/8"	5-7/8"	16
4230-9	8-1/4 x 1-1/4 x 5-7/8"	5-7/8"	20
4230-10	8-1/4 x 2-3/4 x 5-7/8"	5-7/8"	10
4230-11	12-3/4 x 1-5/8 x 5-7/8"	5-7/8"	10
4230-12	12-3/4 x 1-5/8 x 5-7/8"	5-7/8"	10
4230-16	16-5/8 x 1-1/4 x 5-7/8"	5-7/8"	10
4230-17	16-5/8 x 2-3/4 x 5-7/8"	5-7/8"	5
TOTE SIZE - 18-1/2 X 13-3/4 X 6-3/8"			
4009	5-3/4 x 1-5/8 x 6-1/8"	6"	20
4009-2	5-3/4 x 3-1/2 x 6-1/8"	6"	10
4070-1	5-7/8 x 1 x 6-1/8"	6"	30
4070-3	5-7/8 x 2-1/4 x 6-1/8"	6"	14
4009-1	11-3/4 x 1-5/8 x 6-1/8"	6"	10
4009-3	11-3/4 x 3-1/2 x 6-1/8"	6"	5
4070	12 x 1 x 6-1/8"	6"	15
4070-2	12 x 2-1/4 x 6-1/8"	6"	7

PART #	CELL DIMENSIONS	PH	C
TOTE SIZE - 16-5/8 X 9-3/4 X 5-3/4"			
4006	2-1/4 x 3/4 x 5-5/8"	5-5/8"	60
4006-1	2-1/4 x 1-3/4 x 5-5/8"	5-5/8"	30
4006-2	4-3/4 x 3/4 x 5-5/8"	5-5/8"	30
4006-3	4-3/4 x 1-3/4 x 5-5/8"	5-5/8"	15
4006-4	7-1/4 x 3/4 x 5-5/8"	5-5/8"	20
4006-5	7-1/4 x 1-3/4 x 5-5/8"	5-5/8"	10
4006-6	14-3/4 x 3/4 x 5-5/8"	5-5/8"	10
4006-7	14-3/4 x 1-3/4 x 5-5/8"	5-3/8"	5
TOTE SIZE - 19-1/2 X 12-3/8 X 5-1/2"			
4120	2-7/8 x 15/16 x 5-1/2"	5"	60
4120-4	2-7/8 x 2-1/8 x 5-1/2"	5"	30
4120-1	5-7/8 x 15/16 x 5-1/2"	5"	30
4120-5	5-7/8 x 2-1/8 x 5-1/2"	5"	15
4120-2	9 x 15/16 x 5-1/2"	5"	20
4120-6	9 x 2-1/8 x 5-1/2"	5"	10
4120-3	18-1/8 x 15/16 x 5-1/2"	5"	10
4120-7	18-1/8 x 2-1/8 x 5-1/2"	5"	5
TOTE SIZE - 10-3/8 X 10-3/8 X 4 OR 5-3/8"			
4011	3/4 x 3/4 x 3-7/8"	3"	100
4011-1	3/4 x 1-3/4 x 3-7/8"	3"	50
4012	3/4 x 3/4 x 5-3/8"	3"	100
4012-1	3/4 x 1-3/4 x 5-3/8"	3"	50
TOTE SIZE - 16-5/8 X 9-3/4 X 3-3/4"			
4004	2-1/4 x 3/4 x 3-3/4"	3-1/2"	60
4004-1	2-1/4 x 1-3/4 x 3-3/4"	3-1/2"	30
4004-2	4-3/4 x 3/4 x 3-3/4"	3-1/2"	30
4004-3	4-3/4 x 1-3/4 x 3-3/4"	3-1/2"	15
4004-4	7-1/4 x 3/4 x 3-3/4"	3-1/2"	20
4004-5	7-1/4 x 1-3/4 x 3-3/4"	3-1/2"	10
4004-6	14-3/4 x 3/4 x 3-3/4"	3-1/2"	10
4004-7	14-3/4 x 1-3/4 x 3-3/4"	3-1/2"	5
TOTE SIZE - 16-5/8 X 9-3/4 X 2-3/4"			
4002-8	1-7/16 x 1-1/4 x 2-1/2"	2-1/2"	60
4002	2-1/4 x 3/4 x 2-1/2"	2-1/2"	60
4002-1	2-1/4 x 1-3/4 x 2-1/2"	2-1/2"	30
4002-9	2-5/8 x 1-3/8 x 2-1/2"	2-1/2"	30
4002-10	3-1/16 x 1-1/4 x 2-1/2"	2-1/2"	30
4002-11	3-1/16 x 2-11/16 x 2-1/2"	2-1/2"	15
4002-2	4-3/4 x 3/4 x 2-1/2"	2-1/2"	30
4002-3	4-3/4 x 1-3/4 x 2-1/2"	2-1/2"	15
4002-14	4-5/8 x 1-1/4 x 2-1/2"	2-1/2"	18
4002-15	4-5/8 x 2-11/16 x 2-1/2"	2-1/2"	9
4002-12	4-1/16 x 1-7/16 x 2-1/2"	2-1/2"	20
4002-13	4-1/16 x 3-1/16 x 2-1/2"	2-1/2"	10
4002-4	7-1/4 x 3/4 x 2-1/2"	2-1/2"	20
4002-5	7-1/4 x 1-3/4 x 2-1/2"	2-1/2"	10
4002-16	7-3/4 x 1-1/4 x 2-1/2"	2-1/2"	12
4002-17	7-3/4 x 2-11/16 x 2-1/2"	2-1/2"	6
4002-18	8-5/16 x 1-7/16 x 2-1/2"	2-1/2"	10
4002-19	8-5/16 x 2-11/16 x 2-1/2"	2-1/2"	5
4002-6	14-3/4 x 3/4 x 2-1/2"	2-1/2"	10
4002-7	14-3/4 x 1-3/4 x 2-1/2"	2-1/2"	5
4002-20	15-13/16 x 1-1/4 x 2-1/2"	2-1/2"	6



SCAN TO SHOP TOTES ONLINE



MADE IN THE USA

SUPER ADJUSTABLE SERIES IN-PLANT HANDLERS

Totes that bring you the most options

- Thousands of cell configurations.
- C = Number of cell configuration options

16-5/8 x 9.75 Series (I.D.)

BASIC CELL SIZE		CELL HEIGHT & PART NUMBER				C
LENGTH	WIDTH	2-3/4"	3-3/4"	5-3/4"	7-3/4"	
1-1/8"	11/16"	4002-SA-1	4004-SA-1	4006-SA-1	4007-SA-1	120
2-7/16"	11/16"	4002-SA-2	4004-SA-2	4006-SA-2	4007-SA-2	60
3-3/4"	11/16"	4002-SA-3	4004-SA-3	4006-SA-3	4007-SA-3	40
5-1/16"	11/16"	4002-SA-4	4004-SA-4	4006-SA-4	4007-SA-4	30
7-11/16"	11/16"	4002-SA-5	4004-SA-5	4006-SA-5	4007-SA-5	20
15-9/16"	11/16"	4002-SA-6	4004-SA-6	4006-SA-6	4007-SA-6	10
1-1/8"	1-9/16"	4002-SA-7	4004-SA-7	4006-SA-7	4007-SA-7	60
2-7/16"	1-9/16"	4002-SA-8	4004-SA-8	4006-SA-8	4007-SA-8	30
3-3/4"	1-9/16"	4002-SA-9	4004-SA-9	4006-SA-9	4007-SA-9	20
5-1/16"	1-9/16"	4002-SA-10	4004-SA-10	4006-SA-10	4007-SA-10	15
7-11/16"	1-9/16"	4002-SA-11	4004-SA-11	4006-SA-11	4007-SA-11	10
15-9/16"	1-9/16"	4002-SA-12	4004-SA-12	4006-SA-12	4007-SA-12	5
1-1/8"	2-7/16"	4002-SA-13	4004-SA-13	4006-SA-13	4007-SA-13	36
1-1/8"	3-5/16"	4002-SA-14	4004-SA-14	4006-SA-14	4007-SA-14	24
1-1/8"	4-3/16"	4002-SA-15	4004-SA-15	4006-SA-15	4007-SA-15	24
1-1/8"	8-9/16"	4002-SA-16	4004-SA-16	4006-SA-16	4007-SA-16	12
2-7/16"	1-9/16"	4002-SA-17	4004-SA-17	4006-SA-17	4007-SA-17	18
2-7/16"	3-5/16"	4002-SA-18	4004-SA-18	4006-SA-18	4007-SA-18	12
2-7/16"	4-3/16"	4002-SA-19	4004-SA-19	4006-SA-19	4007-SA-19	12
2-7/16"	8-9/16"	4002-SA-20	4004-SA-20	4006-SA-20	4007-SA-20	6

21-1/2 x 18-1/2 Series (I.D.)

BASIC CELL SIZE		CELL HEIGHT & PART NUMBER						C
LENGTH	WIDTH	2-1/4"	4-1/4"	6-1/4"	8-1/4"	10-1/4"	12-1/4"	
1-3/4"	1"	4202-1	4204-1	4206-1	4208-1	4210-1	4212-1	150
1-3/4"	2-3/4"	4202-2	4204-2	4206-2	4208-2	4210-2	4212-2	70
1-3/4"	3-1/2"	4202-3	4204-3	4206-3	4208-3	4210-3	4212-3	50
3-3/4"	1"	4202-4	4204-4	4206-4	4208-4	4210-4	4212-4	75
3-3/4"	2-1/4"	4202-5	4204-5	4206-5	4208-5	4210-5	4212-5	35
3-3/4"	3-1/2"	4204-6	4204-6	4206-6	4208-6	4210-6	4212-6	25
5-3/4"	1"	4202-7	4204-7	4206-7	4208-7	4210-7	4212-7	45
5-3/4"	2-1/4"	4202-8	4204-8	4206-8	4208-8	4210-8	4212-8	21
5-3/4"	2-1/2"	4202-9	4204-9	4206-9	4208-9	4210-9	4212-9	15
7-3/4"	1"	4202-10	4204-10	4206-10	4208-10	4210-10	4212-10	30
7-3/4"	2-1/4"	4202-11	4204-11	4206-11	4208-11	4210-11	4212-11	14
7-3/4"	3-1/2"	4202-12	4204-12	4206-12	4208-12	4210-12	4212-12	10
9-3/4"	1"	4202-13	4204-13	4206-13	4208-13	4210-13	4212-13	30
9-3/4"	2-1/4"	4202-14	4204-14	4206-14	4208-14	4210-14	4212-14	14
9-3/4"	3-1/2"	4202-15	4204-15	4206-15	4208-15	4210-15	4212-15	10
11-3/4"	1"	4202-16	4204-16	4206-16	4208-16	4210-16	4212-16	15
11-3/4"	2-1/4"	4202-17	4204-17	4206-17	4208-17	4210-17	4212-17	7
11-3/4"	3-1/2"	4202-18	4204-18	4206-18	4208-18	4210-18	4212-18	5
13-3/4"	1"	4202-19	4204-19	4206-19	4208-19	4210-19	4212-19	15
13-3/4"	2-1/4"	4202-20	4204-20	4206-20	4208-20	4210-20	4212-20	7
13-3/4"	3-1/2"	4202-21	4204-21	4206-21	4208-21	4210-21	4212-21	5
15-3/4"	1"	4202-22	4204-22	4206-22	4208-22	4210-22	4212-22	15
15-3/4"	2-1/4"	4202-23	4204-23	4206-23	4208-23	4210-23	4212-23	7
15-3/4"	3-1/2"	4202-24	4204-24	4206-24	4208-24	4210-24	4212-24	5
17-3/4"	1"	4202-25	4204-25	4206-25	4208-25	4210-25	4212-25	15
17-3/4"	2-1/4"	4202-26	4204-26	4206-26	4208-26	4210-26	4212-26	7
17-3/4"	3-1/2"	4202-27	4204-27	4206-27	4208-27	4210-27	4212-27	5
19-3/4"	1"	4202-28	4204-28	4206-28	4208-28	4210-28	4212-28	15
19-3/4"	2-1/4"	4202-29	4204-29	4206-29	4208-29	4210-29	4212-29	7
19-3/4"	3-1/2"	4202-30	4204-30	4206-30	4208-30	4210-30	4212-30	5

Make the most out of your totes.

TOTES

CORSTAT®
Conductive
Corrugated


DURASTAT
Conductive
Fluted Plastic



PARTITIONS

CORSTAT®
Bent Over
Partitions


CFP
Partitions



ACCESSORIES

FOAM
Add pink or black
dissipative foam

FOLDERS
Add cushioning
U-folders



ADDITIONAL TOTE ACCESSORIES

Choose from these standard tote accessories to upgrade your Corstat® or Durastat tote



Dissipative Document Holders

- Static-dissipative surface
- Economical for shop carriers
- PSA backing to apply to totes or bins
- Non-charge generating

PART #	DIMENSIONS
DH4021	4 x 2"
DH4022	7-1/2 x 4"
DH4023	4-3/4 x 3-3/4"
DH4025	8-1/2 x 11"




KleanStat™ Document Holders

- Permanent IDP properties
- PSA backing to apply to totes or bins
- .015 mil thick, tough shop carriers
- Clean room safe

PART #	DIMENSIONS
DH4021KS	4 x 2"
DH4022KS	7 x 4-1/8"
DH4023KS	5 x 4"
DH4025KS*	9 x 12"

*Does not include PSA backing



Handles

- Thermoformed conductive handles
- Can be added to Corstat® or Durastat totes

PART #	DIMENSIONS
4101	Thermoformed Cond. Handle
4102-5	5MM Injection Molded Hand Hole Covers
4102-10	10MM Injection Molded Hand Hole Covers
4103	Thermoformed Closed Interior Handle

Permanent ESD Safe Foam Pads

- .25 thick dissipative or conductive
- Permanent ESD properties
- Long-term use
- Ask about other thicknesses or pink antistatic foam options for short-term use



CONDUCTIVE CROSSLINK POLYETHYLENE - .25" THICK PAD SIZES		
PART #	DIMENSIONS	FITS TOTE SIZES #
XLP25-1	23-1/2 x 12 x 1/4"	4030
XLP25-2	22-1/2 x 12-1/4 x 1/4"	4001, 4015, 4040
XLP25-3	21-1/4 x 18-1/4 x 1/4"	4202, 4204, 4206, 4208, 4210, 4212
XLP25-4	20 x 15-3/4 x 1/4"	4050
XLP25-5	19-1/4 x 12-1/4 x 1/4"	4120
XLP25-6	18-1/2 x 14-3/4 x 1/4"	4110, 4130, 4230, 4330, 4430, 4530
XLP25-7	18-1/4 x 13-1/2 x 1/4"	4009, 4020
XLP25-8	18-1/4 x 12-1/4 x 1/4"	4018, 4800, 4810, 4820, 4830
XLP25-9	18-1/4 x 9-3/4 x 1/4"	4040
XLP25-10	17-3/4 x 9-3/4 x 1/4"	4003
XLP25-11	16-1/2 x 9-1/2 x 1/4"	4002, 4004, 4005, 4006, 4007, 4008
XLP25-12	10-1/4 x 10-1/4 x 1/4"	4011, 4012


SOFTSTAT CONDUCTIVE URETHANE - .25" THICK PAD SIZES		
PART #	DIMENSIONS	FITS TOTE SIZES #
SSP25-1	23-1/2 x 12 x 1/4"	4030
SSP25-2	22-1/2 x 12-1/4 x 1/4"	4001, 4015, 4040
SSP25-3	21-1/4 x 18-1/4 x 1/4"	4202, 4204, 4206, 4208, 4210, 4212
SSP25-4	20 x 15-3/4 x 1/4"	4050
SSP25-5	19-1/4 x 12-1/4 x 1/4"	4120
SSP25-6	18-1/2 x 14-3/4 x 1/4"	4110, 4130, 4230, 4330, 4430, 4530
SSP25-7	18-1/4 x 13-1/2 x 1/4"	4009, 4020
SSP25-8	18-1/4 x 12-1/4 x 1/4"	4018, 4800, 4810, 4820, 4830
SSP25-9	18-1/4 x 9-3/4 x 1/4"	4040
SSP25-10	17-3/4 x 9-3/4 x 1/4"	4003
SSP25-11	16-1/2 x 9-1/2 x 1/4"	4002, 4004, 4005, 4006, 4007, 4008
SSP25-12	10-1/4 x 10-1/4 x 1/4"	4011, 4012



SCAN TO SHOP TOTES ONLINE



MADE IN THE USA



KLEANSTAT™ FLEXTOTE SYSTEM

Eliminates searching for tote inserts for each PCB

- FlexTote insert set ships flat
- Clean handling without bagging labor
- Long lasting solution to fight FOD & ESD
- Installs in your tote in seconds

KleanStat™ FlexFolders

Choose the right folder style for your handling system. Select between removeable and permanent FlexFolders.



Removable KleanStat™ FlexFolder with wire hanger and retaining caps. Wire is RF Welded into the folder.



KleanStat™ Bubble FlexFolder with a dissipative plastic hanger welded on for a removable system.




KleanStat™ FlexFolder using the flat KleanStat™ material. Single layer, removable hanger is welded while double-layered material is line-bent and utilizes an adhesive.



Permanent KleanStat™ Bubble FlexFolder available in small, medium or large bubble materials. Grommets allow for a durable and effective folder system.



KleanStat™ FlexFolder using the flat material. A non-removeable solution with grommets installed for a durable, easy to use, long-term solution.



KLEANSTAT™ FLEXTOTE RETROFIT

Revitalize your existing conductive injection molded tote

- Let us design the ideal set for the injection molded totes you already own or intend to buy.
- Customize the set with the number of KSF folders you need per tote.
- Choose the removable folder design that best fits your application (see above for design options).

CARD GUIDE TOTES

**Versatile, durable, and permanent
ESD storage and handling**

- Add thermoformed PCB card guides to CCI totes to hold delicate boards only by edges
- Conductive or static dissipative card guide slotting is made in varying standard profiles to match your PCB
- Totes can be made with fixed card guides or adjustable to fit many sizes
- Call CCI for the right fit for your PCBs



CORSTAT® & CFP NEST TRAYS

**Ideal for moving sensitive assemblies through storage and
material handling process**

- Reduces storage space when empty
- ESD safe for transport and material handling
- Sturdy, reusable design

PART #	DIMENSIONS	(I.D.) BOTTOM	WF**
7000*	12 x 9 x 4"	8-11/16 x 5-3/4"	
7010	18 x 12 x 6"	15 x 8-1/2"	X
7020	27-1/4 x 12 x 6"	24-1/8 x 8-1/2"	X
7030	27-1/4 x 18 x 6"	24-1/8 x 14-5/8"	X

Add "CFP" in front of the part number for the Conductive Fluted Plastic version

*Ships knocked down flat | ** Wire frame

DOG- GONE IT!

**Have an unusual issue?
Still need a bigger tote?**

CCI can make nearly any size Durastat or Corstat® tote to fit your material handling needs the right ESD safe solution in the correct size. Call CCI with your application.



SCAN TO SHOP TOTES ONLINE



MADE IN THE USA

KLEANSTAT™ FLEX

GAME CHANGING, FOD
FREE, PERMANENT
CUSHIONING



KLEANSTAT™ FLEX TPU

Offers best characteristics of
high-end cushioning material


BENEFITS

- Permanently static dissipative
- FOD reducing properties
- Superior flexibility
- Fast impact recovery

CHARACTERISTICS

- Cleanroom use
- Lowest outgassing
- Reusable
- Good clarity


KleanStat™ Flex dissipative TPU .015, .025 and .040 gauges are stocked at CCI on 24" wide rolls. Call CCI for the size sheets and quantity you need.



Small Bubble Sheets

APPLICATIONS

- Retain & cushion small devices during handling
- Wrapping of devices
- Small PCB shipping



Medium Bubble Sheets

APPLICATIONS

- Cushion medium sized boards during shipping
- PCB retention
- Cafeteria style tray liners



Large Bubble Sheets

APPLICATIONS

- Cushioning for larger mailers
- Tray liners for handling higher profile or heavier devices
- Wrapping PCBs for shipping



KleanStat™ Flex Flat Sheets


APPLICATIONS

- Tray liners
- Work mats
- Clean rooms
- Dust covers

KLEANSTAT™ TRAY LINERS

Prevent sliding and physical damage

- Fit standard cafeteria style trays
- Soft permanent dissipative TPU
- FOD Free cushioning bubbles



KleanStat™ Small Bubble Tray Liners | .015-.025 MIL KSB .25 HIGH

	PART #	DIMENSIONS	GAUGE	MATERIAL
X	KSB2416-SB-15-PVC	24-1/4 x 16-1/8 x 1/4"	.015	PVC
	KSB2416-SB-25-PVC	24-1/4 x 16-1/8 x 1/4"	.025	PVC
	KSB2416-SB-15-TPU	24-1/4 x 16-1/8 x 1/4"	.015	TPU
	KSB2416-SB-25-TPU	24-1/4 x 16-1/8 x 1/4"	.025	TPU

KleanStat™ Large Bubble Tray Liners | .040 MIL KSB .75 HIGH

	PART #	DIMENSIONS	GAUGE	MATERIAL
	KSB2416-LB-40-TPU	24-1/4 x 16-1/8 x 3/4"	.040	TPU

KleanStat™ Medium Bubble Tray Liners | .025-.040 MIL KSB .375 HIGH

	PART #	DIMENSIONS	GAUGE	MATERIAL
X	KSB2416-MB-25-PVC	24-1/4 x 16-1/8 x 3/8"	.025	
	KSB2416-MB-40-TPU	24-1/4 x 16-1/8 x 3/8"	.040	
	KSB2416-MB-25-TPU	24-1/4 x 16-1/8 x 3/8"	.025	

KleanStat™ Flat Tray Liners | .040 MIL KSF FLAT LINER

	PART #	DIMENSIONS	GAUGE	MATERIAL
X	KSB2416-25-PVC	24-1/4 x 16-1/8 x 1/4"	.025	PVC
	KSB2416-40-TPU	24-1/4 x 16-1/8 x 1/4"	.040	TPU
	KSB2416-25-TPU	24-1/4 x 16-1/8 x 1/4"	.025	TPU

KLEANSTAT™ BUBBLE ROLLS

The only permanent dissipative bubble


- Replace temporary pink antistats
- On the roll to use as needed
- Line carts with FOD Free bubble
- Wrap valuable parts with KSF cushioning
- Won't pop and have great recovery

Small Bubble Rolls*

PART #	DIMENSIONS	GAUGE	MATERIAL
KSB25-SBTPU-50	50LF x 21 x 1/4"	.025	TPU
KSB25-SBPVC-50	50LF x 21 x 1/4"	.025	PVC
KSB15-SBTPU-50	50LF x 21 x 1/4"	.015	TPU
KSB15-SBPVC-50	50LF x 21 x 1/4"	.015	PVC

Medium Bubble Rolls*

PART #	DIMENSIONS	GAUGE	MATERIAL
KSB40-MBTPU-50	50LF x 21 x .35"	.040	TPU
KSB25-MBTPU-50	50LF x 21 x .35"	.025	TPU
KSB25-MBPVC-50	50LF x 21 x .35"	.025	PVC



Large Bubble Rolls**

PART #	DIMENSIONS	GAUGE	MATERIAL
KSB40-LBTPU-50	50LF x 21 x 3/4"	.040	TPU

* Gap of 1.5-2" every 24"

** Gap of 1.5-2" every 30"



SCAN TO SHOP KleanStat™ FLEX PRODUCTS ONLINE





MADE IN THE USA

IDEA BOX

LET US SOLVE YOUR UNIQUE PROBLEM WITH
A CUSTOM APPLICATION

CORSTAT® CORRUGATED SOLUTIONS





CONDUCTIVE FLUTED PLASTIC SOLUTIONS







We focus on ESD solutions. We understand the ESD requirements you have. We have two plants to provide the right equipment and capacity to service you when the design is agreed upon. We stock quality inventory in many types in order to serve any volume quickly. We provide the correct solution by having the right materials. Minimum quantity? One. We have an attitude of service and a belief that we can solve ESD problems as we learn about your needs.

THERMOFORMED SOLUTIONS



KLEANSTAT™ FLEX SOLUTIONS



SCAN TO LEARN MORE ABOUT CUSTOM CAPABILITIES



MADE IN THE USA

MEET OUR NEWEST WORKSTATION SOLUTION

SAFEMAT

HIGHEST-QUALITY ESD MATTING IN THE INDUSTRY

SNAP KIT AVAILABLE
FOR PURCHASE



- Two layer construction: Static dissipative blue top layer
conductive bottom layer
- Permanent static dissipative
properties 10^6 - 10^8 resistance
- Antiseptically cleanable
surface
- No static restorative
cleaners needed
- Tough TPU surface

CONTACT CCI TODAY TO REQUEST A SAFEMAT SAMPLE!



conductive containers inc.